Date: - 31st October, 2017

Corrigendum For Tender for Cafeteria of IPD Building

NIT No. : Admn/Tender/185/2017-AIIMS.JDH

NIT Issue Date : 26th September, 2017

Pre bid Meeting : 09th October, 2017 at 04:00 PM

Last Date of Submission : 09th November, 2017 at 03:00 PM

Bid Opening : 10th November, 2017 at 03:15 PM

The following revised and additional specification will be added:-

1. Page No. 03, <u>Terms & Conditions</u>, A. <u>General Conditions</u>, Point No. 02: For

Period of Contract: The contract period shall commence on the date of Commencement and shall remain for 01 year. The period is further extendable for a maximum period of 3 years (1 year at a time) on the same terms and conditions and the rates at which the contract is awarded will be valid throughout the contract and on claims whatsoever on account of increases in the rate of material to be used and other factors such as statutory payments, etc., shall be entertained and it will be the responsibility of the contractor to bear such other expenses. However, if there is any downward revision of all the rates due to revision of govt. taxes etc. or any other reasons, the same shall be passed on to the AIIMS Jodhpur through appropriate reduction of the contracted rates.

Read

Period of Contract: The contract period shall commence on the date of Commencement and shall remain for 02 year. The period is further extendable for a maximum period of 3 years (1 year at a time) on the same terms and conditions and the rates at which the contract is awarded will be valid throughout the contract and on claims whatsoever on account of increases in the rate of material to be used and other factors such as statutory payments, etc., shall be entertained and it will be the responsibility of the contractor to bear such other expenses. However, if there is any downward revision of all the rates due to revision of govt. taxes etc. or any other reasons, the same shall be passed on to the AIIMS Jodhpur through appropriate reduction of the contracted rates.