

ALL INDIA INSTITUTE OF MEDICAL SCIENCES, JODHPUR

Dated: 31st October, 2015

CORRIGENDUM

Rate Contract

for

Surgical Sutures

Tender No. : Admin/RC/02/2015-AIIMS.JDH

NIT Issue Date : September 04th, 2015

Last Date of Submission : September 25th, 2015 at 03:00 PM

Revised Last Date of Submission : November 19th 2015 at 03:00 PM

Modifications are as under:

S. No.	Tender	Existing Detail	Modifications
	Ref. No.		
1.	101-108	Item Name:	Specification:
		Synthetic Absorbable Coated	Polydixanone / Polyglyconate 1, With antibacterial coated
		Antibacterial Sutures	with 1/2 Circle Taper Point
		(Polyglactin910,	
		Poliglecaprone 25,	
		Polydioxanone)	
		Specification:	
		Polydixanone 1, With	
		antibacterial coated with 1/2	
		Circle Taper Point	
2.	133-136	Item Name:	Specification:
		Synthetic Absorbable Coated	Absorbable Surgical Suture, (Synthetic) Coated Polyglactin
		Antibacterial Sutures	910 (fast absorbable) / Polyglytone
		(Polyglactin910,	
		Poliglecaprone 25,	
		Polydioxanone)	
		Su saifiantia u	
		Specification:	
		Absorbable Surgical Suture, (Synthetic) Coated	
		Polyglactin 910 (fast	
		absorbable) vicryl rapid	
3.	137-146	Item Name:	Item Name:
٥.	137-140		Absorbable Monofilament Polyglecaprone / Polyglytone /
		Polyglecaprone 25 Undyed	1 - 1
		Surgical Suture	and an analysis and an analysi
4.	147-161	Item Name:	Item Name:



ALL INDIA INSTITUTE OF MEDICAL SCIENCES, JODHPUR

S. No.	Tender	Existing Detail	Modifications
	Ref. No.		
		Synthetic Absorbable	, ,
		Monofilament	Polyglyconate Surgical Suture
		Polydioxanone Surgical	
		Suture	
5.	109-113	Item Name:	Specification:
		Synthetic Absorbable Coated	Polyiglecaprone / Polyglytone / Glycomer 3-0, With
		Antibacterial Sutures	antibacterial coated with 3/8 Circle Reverse Cutting. 26mm,
		(Polyglactin910,	70 cm.
		Poliglecaprone 25,	
		Polydioxanone)	
		, ,	
		Specification:	
		Polyiglecaprone 3-0, With	
		antibacterial coated with 3/8	
		Circle Reverse Cutting.	
		26mm, 70 cm.	

Added:

S. No.	Tender Ref. No.	Item Name	Specification
1.	513	Absorbable knotless woundclosure unidirectional barbs device make up of Glycomer 6211	All Sizes, quote separately
2.	514	Absorbable knotless woundclosure unidirectional barbs device make up of Polyglyconate	All Sizes, quote separately
3.	515	Non Absorbable knotless woundclosure unidirectional barbs device make up of Polybutester	All Sizes, quote separately
4.	516	Monofilament Polybutester suture with Polytrobolate Coating	All Sizes, quote separately
5.	517	Knotless wound clouser device with integrated anchor copolymer of Glycolide and e-caprolactone unidirectional	30cm 3/0, 3/8 24MM,CIRCLE RC,PRIME Ethalloy PS-1, 30cm
6.	518	Knotless wound clouser device with integrated anchor copolymer of Glycolide and e-caprolactone unidirectional	3/0, 3/8 24MM,CIRCLE RC,PRIME Ethalloy PS-1, 60cm
7.	519	Knotless wound clouser device with integrated anchor copolymer of Glycolide and e-caprolactone unidirectional	2/0, 3/8 30MM,CIRCLE RC,PRIME Ethalloy PSL, 60cm
8.	520	Knotless wound clouser device with integrated anchor copolymer of Glycolide and e-caprolactone unidirectional	30cm 3/0, 3/8 19MM,CIRCLE RC,PRIME Ethalloy PS-2, 30cm
9.	521	Knotless wound clouser device with integrated anchor copolymer of Glycolide and e-caprolactone unidirectional	3/0, 3/8 19MM,CIRCLE RC,PRIME Ethalloy PS-2, 60cm
10.	522	Knotless wound clouser device with integrated anchor copolymer of Glycolide and e-caprolactone unidirectional	30cm 4/0, 3/8 19MM,CIRCLE RC,PRIME Ethalloy PS-2, 30cm



ALL INDIA INSTITUTE OF MEDICAL SCIENCES, JODHPUR

S. No.	Tender Ref. No.	Item Name	Specification
11.	523	Knotless wound clouser device with integrated anchor copolymer of Glycolide and e-caprolactone unidirectional	4/0, 3/8 19MM,CIRCLE RC,PRIME Ethalloy PS-2, 60cm
12.	524	Knotless wound clouser device with integrated anchor copolymer of Glycolide and e-caprolactone unidirectional	4/0, 1/2 17MM,CIRCLE Taper Point,PRIME Ethalloy RB-1, 20cm
13.	525	Knotless wound clouser device with integrated anchor copolymer of Glycolide and e-caprolactone unidirectional	3/0, 1/2 17MM,CIRCLE Taper Point,PRIME Ethalloy RB-1, 20cm
14.	526	Knotless wound clouser device with integrated anchor copolymer of Glycolide and e-caprolactone unidirectional	2/0, 1/2 17MM,CIRCLE Taper Point,PRIME Ethalloy RB-1, 20cm
15.	527	Knotless wound clouser device with integrated anchor copolymer of Glycolide and e-caprolactone unidirectional	3/0, 1/2 26MM,CIRCLE Taper Point,SH,PRIME Ethalloy RB-1, 20cm
16.	528	Knotless wound clouser device with integrated anchor copolymer of Glycolide and e-caprolactone unidirectional	2/0, 1/2 26MM,CIRCLE Taper Point,SH,PRIME Ethalloy RB-1, 20cm
17.	529	Knotless wound clouser device with integrated anchor copolymer of Glycolide and e-caprolactone unidirectional	3/0, 1/2 36MM,CIRCLE Taper Point,CT-1,PRIME Ethalloy, 45cm
18.	530	Knotless wound clouser device with integrated anchor copolymer of Glycolide and e-caprolactone unidirectional	2/0, 1/2 36MM,CIRCLE Taper Point,CT-1,PRIME Ethalloy, 45cm
19.	531	Knotless wound clouser device with integrated anchor copolymer of Glycolide and e-caprolactone unidirectional	1/0, 1/2 36MM,CIRCLE Taper Point,CT-1,PRIME Ethalloy, 45cm
20.	532	Knotless wound clouser device with integrated anchor copolymer of Glycolide and e-caprolactone unidirectional	4/0, 3/8 CIRCLE,24MM,Precision Point RC, Ethalloy PS-1 30X30CM
21.	533	Knotless wound clouser device with integrated anchor copolymer of Glycolide and e-caprolactone unidirectional	2/0, 1/2 CIRCLE,36MM,Taper point MH 14X14CM
22.	534	Knotless wound clouser device with integrated anchor copolymer of Glycolide and e-caprolactone unidirectional	2/0, 1/2 CIRCLE,36MM,Taper point MH 36X36CM
23.	535	Knotless wound clouser device with integrated anchor copolymer of Glycolide and e-caprolactone unidirectional	2/0, 1/2 CIRCLE,17MM,Taper point RB-1, 16X16CM
24.	536	Knotless wound clouser device with integrated anchor copolymer of Glycolide and e-caprolactone unidirectional	4/0, 3/8 CIRCLE,19MM,RC, FS-2, 16X16CM
25.	537	Knotless wound clouser device with integrated anchor copolymer of Glycolide and e-caprolactone unidirectional	3/0, 3/8 CIRCLE,19MM,RC, FS-2, 7X7CM



ALL INDIA INSTITUTE OF MEDICAL SCIENCES, JODHPUR

S. No.	Tender Ref. No.	Item Name	Specification
26.	538	Knotless wound clouser device with integrated anchor copolymer of Glycolide and e-caprolactone unidirectional	3/0, 3/8 CIRCLE,19MM,RC, FS-2, 7X7CM
27.	539	Knotless wound clouser device with integrated anchor copolymer of Glycolide and e-caprolactone unidirectional	3/0, 3/8 CIRCLE,19MM,RC, FS-2, 14X14CM
28.	540	Knotless wound clouser device with integrated anchor copolymer of Glycolide and e-caprolactone unidirectional	4/0, 3/8 CIRCLE,19MM,RC, FS-2, 14X14CM
29.	541	Knotless wound clouser device with integrated anchor copolymer of Glycolide and e-caprolactone unidirectional	4/0, 3/8 CIRCLE,19MM,RC, FS-2, 30X30CM
30.	542	Knotless wound clouser device with integrated anchor copolymer of Glycolide and e-caprolactone unidirectional	3/0, 3/8 CIRCLE,24MM,RC, FS-1, 30X30CM
31.	543	Knotless wound clouser device with integrated anchor copolymer of Glycolide and e-caprolactone unidirectional	3/0, 3/8 CIRCLE,26MM,RC, FS, 14X14CM
32.	544	Knotless wound clouser device with integrated anchor copolymer of Glycolide and e-caprolactone unidirectional	3/0, 3/8 CIRCLE,26MM,RC, FS, 30X30CM
33.	545	Knotless wound clouser device with integrated anchor copolymer of Glycolide and e-caprolactone unidirectional	4/0, 3/8 CIRCLE,26MM,RC, FS, 30X30CM
34.	546	Knotless wound clouser device with integrated anchor copolymer of Glycolide and e-caprolactone unidirectional	2/0, 1/2 CIRCLE,26MM,RC, CP-2, 14X14CM

Page No.: 5 > Point No.: 7 > DOCUMENTS COMPRISING THE BID > Technical Bid > Point No. (e) >

For:

Financial Status: - The average annual turnover from similar jobs, of the manufacturer should not be less than 150 crores in the last three consecutive years (2012-13, 2013-14, 2014-15). Copies of profit & loss account and balance sheets duly authenticate by a Chartered Accountant for the last three years should be enclosed.

Read:

Financial Status: - The annual turnover from similar jobs, of the manufacturer should not be less than Rs. 150 crores per annum in the last three consecutive years. Copies of profit & loss account and balance sheets duly authenticate by a Chartered Accountant for the last three years should be enclosed.

Page No.: 11 > Point No.: 38 >

For:

If the Local Authorized Dealer of any Manufacturing Company is participating in this Tender, he will allowed to be submit the Manufacturer's Authorization Certificate, Manufacturer's Companies duly



ALL INDIA INSTITUTE OF MEDICAL SCIENCES, JODHPUR

certified Audited Accounts, Copy of Income Tax Return for Last Three Financial Years. Rest document like Affidavit, EMD, TIN No., VAT No., Registration Certificate and Annual Turnover of Rs. 1 Crore for last three consecutive year (2012-13, 2013-14 and 2014-15) of the Firm shall be submitted by Local Authorized Dealer / Firm of his own.

Read:

If the Local Authorized Dealer of any Manufacturing Company is participating in this Tender, he will allowed to be submit the Manufacturer's Authorization Certificate, Manufacturer's Companies duly certified Audited Accounts, Copy of Income Tax Return for Last Three Financial Years. Rest document like Affidavit, EMD, TIN No., VAT No., Registration Certificate and Annual Turnover of Rs. 1 Crore per annum for last three consecutive year of the Firm shall be submitted by Local Authorized Dealer / Firm of his own.

Page No.: 16 > TECHNICAL INFORMATION AND UNDERTAKING > Point No.: 22 >

For:

Proof of the turnover of the manufacturer; which should not be less than Rs. 150 Crores for the preceding last three years (2012-13, 2013-14 & 2014-15)

Read:

Proof of the turnover of the manufacturer; which should not be less than Rs. 150 Crores per annum for the preceding last three years.

Page No.: 16 > TECHNICAL INFORMATION AND UNDERTAKING > Point No.: 22(b) >

For:

Proof of turnover of the distributor; which should not be less than Rs. One (01) Crore for the preceding last three years (2012-13, 2013-14 & 2014-15).

Read:

Proof of turnover of the distributor; which should not be less than Rs. One (01) Crore per annum for the preceding last three years.

Page No.: 18 > FORMAT FOR DISTRIBUTOR'S AUTHORIZATION > Note > Point No.: 3:

Added:

Turnover of distributor should not be less than Rupees 1 crore per annum for last three consecutive year.

Administrative Officer