

All India Institute of Medical Sciences

Jodhpur

Admn/Prop/107/2021-AIIMS.JDH

Dated: 26th February 2022

Subject: Purchase of Tumor Fluorescence YELLOW 560 for Operating Microscope for the

department of Neurosurgery at AIIMS, Jodhpur on proprietary basis - **Inviting comments thereon.**

The Institute is in the purchase of Tumor Fluorescence YELLOW 560 for the department of

Neurosurgery at AIIMS, Jodhpur from M/s Carl Zeiss India (Bangalore) Pvt. Ltd, Plot No. 3, Jigani,

Kink Road, Bommasandra Industrial Area, Bangalore- 560099, India on proprietary basis. The

proposal submitted by M/ Carl Zeiss India (Bangalore) Pvt. Ltd., Bangalore and PAC certification

by user are attached.

The above document are being uploaded for open information to submit objection,

comments, if any from any manufacturer regarding proprietary nature of the equipment within

21days of issue giving reference Admn/Prop/107/2021-AIIMS.JDH. The comments should be

received by office of Deputy Director (Admin), Medical College at AIIMS, Jodhpur on or before

21st March 2022 upto 03:00 PM failing which it will be presumed that any other vendor is having

no comment to offer and case will be decided on merits.

Yours faithfully,

Deputy Director (Admin)

Enclosed: Related documents enclosed.



All India Institute of Medical Sciences **Jodhpur**



Date: 09.02.2022

The Deputy Director (Admin) All India Institute of Medical Sciences Basni, Phase II Jodhpur Rajasthan- 342005

Carl Zeiss India (Bangalore) Pvt. Ltd. Regd. Office Plot No. 3, Jigani Link road Bommasandra Industral Area Banglaore - 560 099, India

: 91-80-43438000 : 91-80-43438229 Tel Fax Web : www.zeiss.co.in

CIN: U33125KA2009PTC049465

Ref: Tumour fluorescence Yellow 560 Accessory Upgrade for Zeiss PENTERO Series Microscope

Sub: Proprietary Article Certificate

Dear Sir,

This is to certify & confirm that ZEISS OPMI PENTERO accessories model mentioned below is being solely manufactured by M/s Carl Zeiss Meditec AG- Germany, is our proprietary item and compatible to use.

OPMI PENTERO ACCESSORIES, consisting of; Fluorescence Yellow 560 Module for OPMI PENTERO

However, should you require any further information/ clarification, please feel free to contact us.

Thanking you and assuring you of our best of services always.

Yours sincerely,

For CARL ZEISS INDIA (BANGALORE) PVT LTD

Dixit k INADI

Digitally signed by Dixit Abhishe Abhishek INADI Date: 2022.02.09 12:13:54 +05'30'

Authorized Signatory

101, 1st Floor Sun Square Building Near Nest Hotel Off C. G. Road, Navrangpura Ahmedabad-380009, INDIA Tel.: 91-79-40320301 Fax.: 91-79-40320303

SP 76, Ambattur Industrial Estate, Ambattur Taluk Tiruvallur District, Tiruvallur Chennai - 600058, INDIA Tel.: 91-44-61750100

Hyderabad: Hyderadad; Krishnama House, No, 8-2-418 5th Floor, Road No 7 Banjara Hills Hyderabad - 500 034, INDIA Tel. : 91-40-23354191 Tel. : 91-40-23354196 Fax.: 91-40-23354077 Kolkata: KOIKATA: Victoria Park Plot 37/2, Block GN 2nd Floor, Sector V, Salt Lake Kolkata 700 091. INDIA Tel.: 91-33-40612800 Fax.: 91-33-40612831 Mumbai: Unit No. 331 6 332 Solitaire Corporate Park Building No. 03 Andheri Kurla Road Andheri (East) Mumbai - 400059 INDIA Tel. : 91 22 68392222

A-26/6, Mohan Co-operative Industrial Estate Mathura Road New Delhi – 110044, India Tel.: 91-11-45156000 Fax.: 91-11-45156010 / 11

CTS No. 4270 Elpro Campus Chinchwad Gaon Chinchwad Pune - 411033, INDIA Tel.: + 91 20 27353926 / 27



All India Institute of Medical Sciences Jodhpur

Tumor Fluorescence YELLOW 560

Tumor Fluorescence module of Zeiss Yellow 560 in series of Pentero 900 Operating Microscope

YELLOW 560 A fluorescence mode, where fluorescent objects are emphasized in a greenish yellow color and the fluorescence can be observed looking through the eyepiece while simultaneously objects that are not fluorescent almost completely keep their natural color.

It should have following features:

- 1. The system must offer an option which can be used to visualize fluorescent areas with excitation in the wavelength range from 460 to 500 nm and observation in the wavelength range from 540 to 690 nm.
- 2. The fluorescence module must be fully integrated for easy disinfection and cleaning.
- The fluorescence module must be fully programmable and controllable via the central touchscreen user interface.
- The module must not change shape or building height of the microscope or add enteral weight.
- 5. The module must allow to see the non-fluorescent areas in almost natural like colors.

Ma Stri SB