

Admn/Prop/32/2018-AIIMS.JDH

Dated: - 21st August, 2018.

Subject: Purchase of accessories of Micro Drill with Burr Set and Bone Mill for the Stryker

Arthroscopy System for the department of Orthopedics at AIIMS, Jodhpur on proprietary basis -

Inviting comments thereon.

The Institute is in the purchase of accessories of Micro Drill with Burr Set and Bone Mill for

the department of Orthopedics at AIIMS, Jodhpur from M/s Stryker Instruments, USA and PAC

certification by user are attached.

The above document are being uploaded for open information to submit subjection,

comments, if any from any manufacturer regarding proprietary nature of the equipment within

21days of issue giving reference Admn/Prop/32/2018-AIIMS.JDH. The comments should be

received by office of Administrative Officer, Medical College at AIIMS, Jodhpur on or before 20th

September, 2018 upto 03:00 PM failing which it will be presumed that any other vendor is having

no comment to offer and case will be decided on merits.

Yours faithfully,

Administrative Officer

Enclosed: Related documents enclosed.



Vatika Business Park 10th Floor, Block- Two, Sect-49, Shona Road Gurgaon- 122002, Haryana, India t. +91-124-4850500, 600 f: +91-124-4850666

stryker

April 28, 2018

PROPRIETARY CERTIFICATE

This is to inform you that below mentioned products are the registered trademark of Stryker instruments, USA. These are proprietary items of Stryker Corporation, USA:

Sr. No.	Cat No.	Product Description	-
		Bone Mill	-
1	5400-700-000	The Bone Mill	
2	5400-704-000	The Mill Cable	*************
3	5400-702-000	Fine Blade, 3.2mm (5/pkg)	-
4	5400-703-000	Coarse Blade, 8.0mm (5/pkg)	-
5	5400-705-000	Sterilization Container	
		Micro Drill	
6	5400-130-000	Sumex Drill Handpiece	
7	5100-120-472	Angled Long	
8	5100-120-452	Angled Medium	-
9	5100-120-450	Straight Medium	
10	5100-120-470	Straight Long	
11	5820-XXX-XXX	Elite Burs	
12	6400-034-000	Micro Sagittal Saw REMB	
13	6400-031-000	Micro Oscillating Saw REMB	-
14	6400-037-000	Micro Reciprocating Saw REMB	
		Reciprocating Blades	-
15	5100-XXX-XXX	Reciprocating Blades	
		Oscillating Blades	
16	2296-XXX-XXX	Oscillating Blades	
17	5400-XXX-XXX	Oscillating Blades	
		Sagittal Saw Blades	in column contract
18	2296-XXX-XXX	Oscillating Blades	-
19	5400-XXX-XXX	Oscillating Blades	
		Wire and Pin Driver	-
20	6400-099-000	Micro Driver System REMB	
21	4100-125-000	Pin Collet	
22	4100-062-000	Wire Collet	
23	4100-131-000	1/4 inch Drill with Jacobs Chuck	
24	5100-004-000	Handpiece Connecting Cord	7110000
		Irrigation Accessories	
25	5290-075-000	Irrigation Casette (Box of 10)	

Stryker India is 100% subsidiary of Stryker Corporation, USA.

[Vivek Malhetra]

Stryker India Pvt. Ltd Regd. Office: C-5, Safdarjung Development Area, Commercial Complex, New Delhi -110016 www.stryker.com/ CIN. U51505DL1999PTC100985



	Accessories for the Stryker Arthroscopy Core Co	onsole	
1. 1	Micro Drill with Burrs		1
1	Drill Handpiece1		
	Maximum Speed not less than 60000 RPM		
.00	Should accept straight, angled attachments and control and attachments		
	Diffound flave facility of hand controlled hand and a later		
	Should be able to mount accessories/ attachments without		
	DC orusiness motors		
2	Hand trigger		
	should preferably have speed control		
3	burr attachment 01 Each		
	Angled Long		
	Angled Medium		
	Straight Medium		
	Straight Long		_
			_
4	Burrs		-
	Carbide metal Cutting burrs - 05		
1	and cutting builts - 03		
-		3mm	
-		4mm	
-	2 Medium burs Round	5mm	+
-		6mm	
-		7mm	-
+		8mm	- 5
-			- 5
_		3mm	_ 5
13	3. Medium Burs Diamond	4mm	5
	and David Data Data Data Data Data Data Data Dat	5mm	5
		6mm	5
		7mm	5
		8mm	5
1		3mm	5
٦.		4mm	5
74	Large burs Round	5mm	5
		6mm	5
		7mm	5
		8min	5
-			
-		3mm	5
-		4mm	5
-5	. Large Burs Diamond	5mm	5
-		6mm	5
-		7mm	5
+		8mm	5
-	C.	-	3
	liero saws 01 Each		-
	agittal Saw		-
- N	faximum speed of 23000 cpm		-
Si	nap - lock assembly and disassembly of all attachments		-
M	faintenance free DC brushless motor		-
-			-
0	scillating Saw		
M	faximum speed of 22000 cpm		-
Si	nap - lock assembly and disassembly of all attachments		-
M	laintenance free DC brushless motor		
R	eciprocating Saw		
M	aximum speed of 18000 cpm		
Sn	nap - lock assembly and disassembly of all attachments		
M	aintenance free DC brushless motor		
+	The tree factoriness motor		
+			
4			
A -	ssorted Blades		



	Sagittal	(Short, Medium, Long in Both Narrow and Wide Variant)	5 Each
	Oscillating	(Short, Medium, Long in Both Narrow and Wide Variant)	5 Each
	Reciprocating	(Short, Medium, Long in Both Narrow and Wide Variant)	5 Each
	All sizes (Short, Medium, Long in Both Narrow and Wide Variant) - 5 Each		
7	Jacobs Chuck with key 01		
8	Connecting cord02		
_	10ft long, 3/8" diameter flexible electrical connecting cord.		
	Dot-to-Dot type push - pull connectors at both ends. Autoclavable		
	r tallocar app		
9	Compatible Irrigation tubings 20		
10	Instruments must be ISO/EN ISO/BS - EN - ISO certified and copy should be enclosed		
11	Copy of the European CE / US FDA certificate must be attached		
b	All the motors should be maintenance free D.C. brushless motors		
c	Should have operation from both hand switch and foot switch		
d	All Attachments, handpiece etc should be sterilizable through Steam and Flash Autoclave.		
e	Prior demo to be provided if needed.		
1	All above accessories must be compatible with the existing Stryker Core Console.	- 10 mg	