

All India Institute of Medical Sciences Jodhpur

Admn/Prop/47/2019-AIIMS.JDH

Dated: - 03rd October 2019.

Subject: Purchase of Rotablator for the department of Cardiology at AIIMS, Jodhpur on proprietary

basis - Inviting comments thereon.

The Institute is in the purchase of Rotablator for the department of Cardiology at AIIMS,

Jodhpur from M/s Boston Scientific Corporation, 300 Boston Scientific, 300 Boston Scientific

Way, Marlborough, MA 01752-1234, 508-683-4000 on proprietary basis. The proposal submitted

by M/s Boston Scientific Corporation, Marlborough and PAC certification by user are attached.

The above document are being uploaded for open information to submit subjection,

comments, if any from any manufacturer regarding proprietary nature of the equipment within

21days of issue giving reference Admn/Prop/47/2019-AIIMS.JDH. The comments should be

received by office of Administrative Officer, Medical College at AIIMS, Jodhpur on or before 31st

October 2019 upto 03:00 PM failing which it will be presumed that any other vendor is having no

comment to offer and case will be decided on merits.

Yours faithfully,

Administrative Officer

Enclosed: Related documents enclosed.



All India Institute of Medical Sciences Jodhpur



11-Jul-2019

300 Boston Scientific Way Marlborough, MA 01752-1234 508-683-4000

www.bostonscientific.com

To Whomsoever It May Concern:

This is to certify and confirm that Boston Scientific Corporation is the sole manufacturer of following products of "RotablatorTM Rotational Atherectomy System", which are proprietary products of Boston Scientific Corporation:

- 1. RotaLinkTM Burr- Exchangeable Burr Catheter
- 2. RotaLinkTM Plus Pre-Connected Exchangeable Burr Catheter and Burr Advancing Device
- 3. RotaLink™ Advancer Catheter Advancing Device

Yours Sincerely,

Katy Peterson

Director- Corporate Regulatory Affairs

Boston Scientific Corporation

Austria IV

De N



All India Institute of Medical Sciences Jodhpur

ROTABLATOR

Technical Specification

- 1. Percutaneous rotational coronary atherectomy device.
- 2. To perform highly calcific coronary lesions and diffuse disease.
- 3. 220-240 V A.C Voltage with the frequency of 50-60 Hz
- 4. Multiple Rotalink Catheters of varying sizes and with Rotalink Advancer for easier more effective debulking
- 5. Rotational speed of 0-2,50,000 rpm
- 6. Console compatibility with Dyna Glide system.
- 7. Diamond coated elliptical burr with sizes 1.25mm, 1.5 mm, 1.75mm, 2.00mm and 2.25 mm,2.38mm and 2.5 mm and with Catheter Length of 135 cm in length.
- Compatibility with 0.014(tip)/.009" Rota wire with 325 cm in length and Floppy, Standard and Extra Support System.
- 9. Accessories:
- Pressure bags 5
- Burr 1.25 mm, 1.5 mm two each
- All relevant accesories for smooth functioning of the device.

Busin.