Tender

For

Equipments required for Department of Forensic Medicine

At

All India Institute of Medical Sciences, Jodhpur

NIT Issue Date : 15th January, 2016

NIT No. : Admn/Tender/Forensic Medicine/2015-AIIMS.JDH

Pre-Bid Meeting : 02nd February, 2016 at 03:00 PM.

Last Date of Submission : 18th February, 2016 at 03:00 PM.



All India Institute of Medical Sciences, Jodhpur

Basni Phase - II, Jodhpur, Rajasthan-342005. Telephone: 0291- 2012978, email: <u>aoadmin@aiimsjodhpur.edu.in</u> www.aiimsjodhpur.edu.in All India Institute of Medical Sciences (AIIMS), Jodhpur, Rajasthan, an apex healthcare institute being established by an Act of Parliament of India under aegis of Ministry of Health & Family Welfare, Government of India, invites sealed tenders for supply & installation of the following items for the Department of Forensic Medicine at the institute. You are requested to quote your best offer along with the complete details of specifications, terms & conditions.

Chapter-I

S.No	NIT No.	Item Description	Qty	EMD (Rs.)
01.	Admn/Tender/Forensic Medicine/1/ 2015-AIIMS.JDH	Down Draft Ventilated Autopsy Table with integral Sink with head rest	1	30,000
02.	Admn/Tender/Forensic Medicine/2/ 2015-AIIMS.JDH	Air Purifier / Odour Control System	2	10,000
03.	Admn/Tender/Forensic Medicine/3/ 2015-AIIMS.JDH	Cadaver lift Conveyor style	2	88,000
04.	Admn/Tender/Forensic Medicine/4/ 2015-AIIMS.JDH	Oscillating Electric Autopsy Saw (Bone cutting, with blades and dust collector)	2	20,000
05.	Admn/Tender/Forensic Medicine/5/ 2015-AIIMS.JDH	Cadaver / Autopsy Carrier (Non-elevating)	2	32,000
06.	Admn/Tender/Forensic Medicine/6/ 2015-AIIMS.JDH	Dissecting Lights (Double Floor Mounts)	1	10,000
07.	Admn/Tender/Forensic Medicine/7/ 2015-AIIMS.JDH	Direct Mobile X-ray system	1	16,000
08.	Admn/Tender/Forensic Medicine/8/ 2015-AIIMS.JDH	Stretcher trolley covered (for carrying dead body from wards)	4	80,000

Quotation should be sealed and super-scribed with tender number and address to:

"Administrative Officer
All India Institute of Medical Sciences, Jodhpur
Basni, Phase-II
Jodhpur-342005, Rajasthan".

The sealed quotations should reach the Institute, latest by 18th February, 2016 at 03:00 PM and it will be opened on same day at 03:30 PM in the Conference Hall, Academic Block, AIIMS Jodhpur in the presence of the bidder(s) or their authorized representative(s), who will present at the scheduled date and time.

Terms & Conditions:

- 1. Preparation and Submission of Tender: The tender should be submitted in two parts i.e. Technical Bid and Financial Bid. The Technical Bid and the Financial Bid should be sealed by the bidder in two separate covers "Technical Bid for Tender for Supply of (Item Name)" and "Financial Bid for Tender for Supply of (Item Name)". Both Sealed Envelopes (separate for each NIT) should be kept in a main/bigger envelope super-scribed as "Tender for Supply of (Item Name)".
- 2. Earnest Money Deposit: Earnest Money Deposit: The bidder shall be required to submit the Earnest Money Deposit (EMD) for an amount as per Chapter-I by way of demand drafts and Bank Guarantee only. The demand drafts shall be drawn in favour of "All India Institute of Medical Sciences, Jodhpur". The demand drafts and Bank Guarantee for earnest money deposit must be enclosed in the envelope containing the technical bid. The EMD of the successful bidder shall be returned after the successful submission of Bank Guarantee/ Security Deposit and for unsuccessful bidder(s) it would be returned after award of the contract. Bid(s) received without demand drafts of EMD will be rejected.

The firms who are registered with National Small Industries Corporation (NSIC) / OR Small Scale Industrial (SSI) are exempted to submit the EMD (copy of registration must be provide along with).

- 3. Tender Fee: Tender fee will be Non-refundable amount of Rs. 1,000/- (Rupees One Thousand only) for Each Item by way of demand drafts only. The demand drafts shall be drawn in favour of "All India Institute of Medical Sciences, Jodhpur". Bids received without demand draft of tender will be rejected.
- **4. Validity:** The quoted rates must be valid for a period for 180 days from the date of closing of the tender. The overall offer for the assignment and bidder(s) quoted price shall remain unchanged during the period of validity. If the bidder quoted the validity shorter than the required period, the same will be treated as unresponsive and it may be rejected.
- 5. "PRE –BID Meeting" with the intending bidders shall be held on 02nd February, 2016 from 03:00 P.M. onwards at AIIMS, Jodhpur. All the prospective bidders are requested to send comments/ representations on or before pre-bid meeting. Intending bidder will be allowed to seek clarification on specification, Conditions of Contract, etc. in writing to AIIMS, Jodhpur, within 48 hours after the pre-bid meeting.
- **6.** In case the tenderer withdraws, modifies or change his offer during the validity period, bid is liable to be rejected and the earnest money deposit shall be forfeited without assigning any reason thereof. The tenderer should also be ready to extend the validity, if required, without changing any terms, conditions etc. of their original tender.

7. Delivery and Installation:

i) For goods supplied from India:

All the goods ordered shall be delivered and Installed at AIIMS, Jodhpur within **30 days** from the date of issue of supply order.

ii) For goods imported directly from abroad:

All the goods ordered shall be delivered and Installed at AIIMS, Jodhpur within **60 days** from the date of opening of Letter of Credit for shipment.

All the aspects of safe delivery, installation and commissioning shall be the exclusive responsibility of the supplier. If the supplier fails to deliver, install and commission the goods on or before the stipulated date, then a penalty at the rate of 0.5% per week of the total order value shall be levied subject to maximum of 10% of the total order value. The successful tenderer will also provide required training for supplied items at AIIMS Jodhpur. The goods should be manufactured after adoption of latest technology.

If at any time during the currency of the contract, the supplier encounters conditions hindering timely of the goods and performance of services, the supplier shall promptly inform the AIIMS, Jodhpur for extension of the delivery schedule accordingly. On receiving the supplier's communication, the AIIMS, Jodhpur shall examine the situation as soon as possible and, at its discretion, may agree to extend the delivery schedule, with or without liquidated damages for completion of supplier's contractual obligations by issuing an amendment to the contract.

In the case of package supply where the delayed portion of supply materially hampers installation and commissioning of the systems, liquidated damages charges shall be levied as above on the total value of the concerned package of the purchase order. Quantum of liquidated damages assessed and levied by the purchaser shall be final and not challengeable by the supplier.

4. Signing the Contract: - The successful bidder shall be required to execute the Contract Agreement accepting all terms and conditions stipulated herein on a non-judicial stamp paper of Rs. 100/- (Rs. One Hundred only) along with performance security within fifteen days of the issue of the Letter of notification of award. In the event of failure on the part of the successful bidder to sign the Contract

Supply, Installation and Commissioning of Equipment required in Forensic Medicine Department within the period stipulated above, the EMD shall be forfeited and the acceptance of BID shall be considered as cancelled.

- **5. Performance Security:** As a guarantee towards due performance and compliance of the contract work, the successful bidder (contractor) will deposit an amount equal to 10% of order value and should be kept valid for a period of 60 day beyond completion of all the contractual obligation, including CMC period towards security deposit by way of demand draft/ bank Guarantee in favour of "All India Institute of Medical Sciences, Jodhpur "drawn on any Nationalized Bank/Scheduled Bank and payable at Jodhpur within fifteen days of the issue of the Letter of notification of award along with non-judicial stamp paper of Rs. 100/- (Contract agreement).
- 8. Incidental Services: The supplier shall be required to perform the following services:
 - a. Installation & Commissioning, Supervision and Demonstration of the goods.
 - b. Providing required jigs and tools for assembly, minor civil works required for the completion of the installation.
 - c. On Site Training to Doctors/ Technicians/ Staff is to be provided by Supplier for operation and maintenance of the equipment for a period of 30 working days after successful installation of the machine, as per direction of user department.
 - d. Supplying required number of operation & maintenance manual for the goods.
 - e. To provide non-locked open software and standard interface inter-operability conditions for networked equipment's in hospital management information system, wherever applicable.
- **9.** Accessories & Consumables: The separate price list of all accessories and consumables, if any, must be attached/ enclosed along with the Financial Bid.
- **10. After Sales Service:** After sales service centre should be available on 24 (hrs.) X 7 (days) X 365 (days) basis. Complaints should be attended properly, maximum within 24 hrs to ensure an uptime of minimum 95%, wherever applicable, failing which the necessary penalty measures shall be enforced.

11. Inspection:

- a. AIIMS, Jodhpur shall have the right to inspect and/or to test the goods to confirm their conformity to the NIT Specifications at no extra cost to the Purchaser.
- b. AIIMS, Jodhpur right to inspect, test and, where necessary, reject the Goods after the goods arrival at the final destination shall in no way be limited or waived by reason of the Goods having previously been inspected, tested and passed by AIIMS, Jodhpur prior to the goods shipment.
- c. The Director, AIIMS Jodhpur shall be the final authority to reject full or any part of the supply which is not confirming to the specification and other terms and conditions.
- d. No payment shall be made for rejected Stores. Rejected items must be removed by the Bidders within two weeks of the date of rejection at their own cost and replaced immediately. In case these are not removed, these will be auctioned at the risk and responsibility of the suppliers without any further notice.

12. Documents:

- a. All pages of the Tender should be numbered and indexed.
- b. The bidder shall provide in its tender the required as well as the relevant documents like technical data, literature, drawings etc. to establish that the goods and services offered in the tender fully confirm to the goods and services specified by the purchaser in the tender documents. For this purpose the bidder shall also provide a clause-by-clause commentary on the technical specifications and other technical details incorporated by the purchaser in the tender documents to establish technical responsiveness of the goods and services offered in its tender duly indicating relevant page numbers in the product literature.
- c. The bidder shall provide a list of major Government and Private Institutions where its relevant bid item has been supplied during last one year.

- **13. Manufacturer Authorisation:** The bidder (if not original equipment manufacturer must submit Original Equipment Manufacturer authorization certificate that the tenderer is authorized for selling and maintain the equipment quoted for. Performa attached at **Annexure-III.**
- **14.** The bidders are required to submit user certificate for the relevant equipment on the letter head of the institution (Government/ Private).
- **15.** The successful bidder will be required to submit order copies of the supply of the equipment in Government institutions in last 12 month for rate reasonability purpose.
- 16. Insurance: The supplier shall make arrangements for insuring the goods against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery. If the equipment's is not commissioned and handed over to AIIMS, Jodhpur within specified period, the insurance will have to be extended by the supplier at their cost till the successful installation, testing, commissioning and handing over of the goods to the AIIMS, Jodhpur.

17. Tender Currencies:

- a. The bidder supplying indigenous goods or already imported goods shall quote only in Indian Rupees. Further, imported goods to be imported and supplied by the bidder are also required to be quoted in Indian Rupees.
- b. For imported goods if supplied directly from abroad, prices shall be quoted in any freely convertible currency say US Dollar, Euro, GBP or Yen. As regards price(s) for allied services, if any, required with the goods, the same shall be quoted in Indian Rupees only, if such services are to be performed /undertaken in India.
- c. Tenders, where prices are quoted in any other way shall be treated as non -responsive and rejected.
- **18. Tender Prices:** While filling up the columns of the Financial Bid, the following aspects should be noted for compliance:

For domestic goods or goods of foreign origin located within India, the prices in the corresponding Financial Bid shall be entered separately in the following manner:

- a. The price of the goods, quoted ex-factory/ ex-showroom/ ex-warehouse/ off-the-shelf, as applicable, including all taxes and duties like sales tax, CST/ VAT, CENVAT, Custom Duty, Excise Duty etc. already paid or payable on the components and raw material used in the manufacture or assembly of the goods quoted ex-factory etc. or on the previously imported goods of foreign origin quoted ex-showroom etc.;
- b. Any sales tax or other taxes and any duties including excise duty, which will be payable on the goods in India if the contract is awarded;
- c. Charges towards Packing & Forwarding, Inland Transportation, Insurance, Loading/Unloading and other local costs incidental to delivery of the goods to their final destination as specified in the List of Requirements and Financial Bid;
- d. The price of Incidental Services, as mentioned in List of Requirements and Financial Bid;
- e. The prices of Turnkey (if any), as mentioned in List of Requirements, Technical Specification and Financial Bid; and
- f. The price of annual CMC, as mentioned in List of Requirements, Technical Specification and Financial Bid.

For goods offered from abroad, the prices in the corresponding Financial Bid shall be entered separately in the following manner:

- a. The price of goods quoted FOB port of shipment, as indicated in the List of Requirements and Financial Bid;
- b. The price of goods quoted CIF port of entry in India as indicated in the List of Requirements and Financial Bid;
- c. The price of goods quoted for delivery at AIIMS, Jodhpur as indicated in the List of Requirements, Financial Bid and Consignee List;
- d. Wherever applicable, the amount of custom duty with CDEC applicable on CIF value on the goods to be imported;

- e. The charges for Loading/Unloading, Inland transportation, Insurance and other local costs, Incidental cost to delivery of the goods from the port of entry in India to AIIMS, Jodhpur, as specified in the List of Requirements and Financial Bid;
- f. The charges for Incidental Services, as in the List of Requirements and Financial Bid;
- g. The prices of Turnkey (if any), as mentioned in List of Requirements, Technical Specification and Financial Bid; and
- h. The price of annual CMC, as mentioned in List of Requirements, Technical Specification and Financial Bid.

Additional information and instruction on Duties and Taxes: If the Bidder desires to ask for excise duty, sales tax/CST / VAT/ CENVAT, Custom Duty, Service Tax, Works Contract Tax etc. to be paid extra, the same must be specifically stated. In the absence of any such stipulation the price will be taken inclusive of such duties and taxes and no claim for the same will be entertained later.

Excise Duty:

- a. If reimbursement of excise duty is intended as extra over the quoted prices, the supplier must specifically say so also indicating the rate, quantum and nature of the duty applicable. In the absence of any such stipulation it will be presumed that the prices quoted are firm and final and no claim on account of excise duty will be entertained after the opening of tenders.
- b. If a Bidder chooses to quote a price inclusive of excise duty and also desires to be reimbursed for variation, if any, in the excise duty during the time of supply, the Bidder must clearly mention the same and also indicate the rate and quantum of excise duty included in its price. Failure to indicate all such details in clear terms may result in rejection of that tender.
- c. Subject to sub clauses (i) & (ii) above, any change in excise duty upward/downward as a result of any statutory variation in excise duty taking place within contract terms shall be allowed to the extent of actual quantum of excise duty paid by the supplier. In case of downward revision in excise duty, the actual quantum of reduction of excise duty shall be reimbursed to the purchaser by the supplier. All such adjustments shall include all reliefs, exemptions, rebates, concession etc. if any obtained by the supplier.

<u>Sales Tax: -</u> If a bidder asks for sales tax/CST / VAT/CENVAT, Service Tax and Works Contract Tax to be paid extra, the rate and nature of sales tax applicable should be shown separately. The CST / VAT/CENVAT, Service Tax and Works Contract Tax will be paid as per the rate at which it is liable to be assessed or has actually been assessed provided the transaction of sale is legally liable to sales tax/ CST / VAT/CENVAT, Service Tax and Works Contract Tax and is payable as per the terms of the contract.

Octroi Duty and Local Duties & Taxes: Normally, goods to be supplied to Government departments against Government contracts are exempted from levy of town duty, Octroi duty, terminal tax and other levies of local bodies. However, on some occasions, the local bodies (like town body, municipal body etc.) as per their regulations allow such exemptions only on production of certificate to this effect from the concerned Government department. Keeping this in view, the supplier shall ensure that the goods to be supplied by the supplier against the contract placed by the AIIMS, Jodhpur are exempted from levy of any such duty or tax and, wherever necessary, obtain the exemption certificate from the AIIMS, Jodhpur. However, if a local body still insists upon payment of such local duties and taxes, the same should be paid by the supplier to the local body to avoid delay in supplies and possible demurrage charges and obtain a receipt for the same. The supplier should forward the receipt obtained for such payment to the AIIMS, Jodhpur to enable the AIIMS, Jodhpur reimburse the supplier and take other necessary action in the matter.

<u>Customs Duty:</u> In respect of imported goods offered from abroad, the bidder shall specify the rate as well as the total amount of customs duty payable with Custom Duty Exemption Certificate, if applicable, on the quoted goods in the Financial Bid. The bidder shall also indicate the corresponding Indian Customs Tariff Number applicable for the goods.

a. For transportation of imported goods offered from abroad, relevant instructions as incorporated shall be followed.

- b. For insurance of goods to be supplied, relevant instructions as provided shall be followed.
- c. Unless otherwise specifically indicated in this NIT document, the terms FCA, FOB, FAS, CIF, CIP etc. for imported goods offered from abroad, shall be governed by the rules & regulations prescribed in the current edition of INCOTERMS, published by the International Chamber of Commerce, Paris.
- d. The need for indication of all such price components by the bidders, as required in this clause is for the purpose of comparison of the tenders by the purchaser and will no way restrict the AIIMS, Jodhpur right to award the contract on the selected bidder on any of the terms offered.
- 19. Indian Agent:- If a foreign bidder has engaged an agent in India in connection with its bid, the foreign bidder, in addition to indicating Indian agent's commission, if any, shall also furnish the following information:
 - a. The complete name and address of the Indian Agent and its Permanent Account Number as allotted by the Indian Income Tax authority.
 - b. The details of the services to be rendered by the agent for the subject requirement.
 - c. Details of Service outlets in India, nearest to the AIIMS, Jodhpur to render services during Warranty and CMC period.

20. Firm Price

- a. Unless otherwise specified in the NIT, prices quoted by the bidder shall remain firm and fixed during the currency of the contract and not subject to variation on any account.
- b. However, as regards taxes and duties, if any, chargeable on the goods and payable, the conditions stipulated will apply.
- 21. Conversion of tender currencies to Indian Rupees: In case the bid document permits the bidders to quote their prices in different currencies, all such quoted prices of the responsive bidders will be converted to a single currency viz., Indian Rupees for the purpose of equitable comparison and evaluation, as per the closing exchange rates established by the Reserve Bank of India for similar transactions, as on the date of 'Last Date of Submission of Tender'.

22. Payment Terms:

i) Payment for goods supplied from India:

100% payment of the total order value shall be released after the successful installation/commissioning of the ordered goods against the submission of the inspection report.

ii) Payment for Imported goods:

For imported goods payment shall be made in the following manner:

- a) On shipment: 75 % payment of the contract price shall be paid 60 days after presentation of shipping documents {goods shipped shall be paid through irrevocable, non-transferable Letter of Credit (LC) opened in favour of the supplier in a bank in his country} and upon the submission of the following documents:
 - i. Four copies of Supplier's invoice showing contract number, goods description, quantity, unit price and total amount;
 - ii. Original and four copies of the clean, on-board Bill of Lading/Airway bill, marked freight prepaid and four copies of non-negotiable Bill of Lading/Airway bill.
 - iii. Insurance Certificate;
 - iv. Certificate of origin by the chamber of commerce of the concerned country;
 - v. Certificate of country of origin;
 - vi. Manufacture's / Supplier's warranty certificate;
 - vii. Manufacturer's own factory inspection report.
- **b)** On Acceptance: 25 % payment would be made after satisfactory installation & commissioning on issuance of Inspection certificate by the AIIMS, Jodhpur.

Note:-The supplier shall not claim any interest or any other payment under the contract.

23. Custom Clearance: For the Goods to be imported and supplied, the Institute will provide Custom Duty Exemption Certificate (CDEC) to successful bidder for availing concessional rate of duty as per prevailing Custom Tariff. In case, the bidder requires CDEC certificate, then the same should be specifically mentioned in the bid. The supplier is solely responsible for getting the material clearance from customs. Institute will provide all custom documents for custom clearance on the demand of supplier. Transportation of goods up to AIIMS, Jodhpur and its successful installation and commissioning is also the responsibility of the supplier. All charges/ expenses incurred in this process will be borne by the supplier. NO DEMURRAGE / WHARFAGE CHARGES WILL BE PAYBALE BY THE INSTITUTE UNDER ANY CIRCUMSTANCES. NO ADVANCE PAYMENT WILL BE PAYABLE FOR CUSTOM CLEARANCE/ FREIGHT/INSURANCE ETC.

24. Guarantee / Warrantee Period:

- **24.1 For the equipment value upto Rs. 5 Lakh:** The Tenderers must quote for **02 years** comprehensive warranty (Including all Spares, Accessories and Labour) from the date of completion of the satisfactory installation. The warranty charges shall not be quoted separately otherwise the offer shall be summarily rejected. Also the bidders are requested to submit their quote (Rates) for subsequent **03 years** Comprehensive Maintenance Contract (CMC) (Including All Spares, Accessories and Labour). Failure to comply this condition will entail the rejection of the bids. The price comparison shall be taking into account on basic price and post warranty CMC.
- **24.2 For the equipment value above Rs. 5 Lakh:** The Tenderers must quote for **05 years** comprehensive warranty (Including all Spares, Accessories and Labour) from the date of completion of the satisfactory installation. The warranty charges shall not be quoted separately otherwise the offer shall be summarily rejected. Also the bidders are requested to submit their quote (Rates) for subsequent **05 years** Comprehensive Maintenance Contract (CMC) (Including All Spares, Accessories and Labour). Failure to comply this condition will entail the rejection of the bids. The price comparison shall be taking into account on basic price and post warranty CMC.
- **25. Uptime guarantee:** The firm should provide uptime guarantee of 95%

26. Downtime penalty Clause

- a. During the comprehensive warranty period, the guarantee uptime of 95% of 365 days will be ensured. In case the down time exceeds the 5% limit penalty of extension of guaranty period by two days for each additional day of down time will be enforced. The vendor must undertake to supply all spares for optimal upkeep of the equipment for at least FIVE YEARS after handling over the unit to the Institute. If accessories / other attachment of the system are procured from the third party, then the vendor must produce cost of accessory / other attachment and the CMC from the third party separately along with the main offer and the third party will have to sign the CMC with the Institute if required.
- b. The principals or their authorized service providers are required to submit a certificate that they have satisfactory service arrangements and fully trained staff available to support the uptime guarantee.
- 27. Arbitration: If any difference arises concerning this agreement, its interpretation on payment to the made there-under, the same shall be settled out by mutual consultation and negotiation. If attempts for conciliation do not yield any result within a period of 30 days, either of the parties may make a request to the other party for submission of the dispute for decision by an Arbitral Tribunal containing Sole Arbitrator to be appointed by the Secretary, Department of Legal Affairs. Such requests shall be accompanied with a panel of names of three persons to act as the sole arbitrator. In case of such arbitrator refusing, unwilling or becoming incapable to act or his mandate having been terminated under law, another arbitrator shall be appointed in the same manner from among the panel of three persons to be submitted by the claimant. The provision of Arbitration and Conciliation Act, 1990 and the rule framed there under and in force shall be applicable to such proceedings.
- 28. Subletting of Work: The firm shall not assign or sublet the work/job or any part of it to any other person or party without having first obtained permission in writing of AIIMS, Jodhpur, which will be

Supply, Installation and Commissioning of Equipment required in Forensic Medicine Department at liberty to refuse if thinks fit. The tender is not transferable. Only one tender shall be submitted by one tenderer.

- **29. Breach of Terms and Conditions:** In case of breach of any terms and conditions as mentioned above, the Competent Authority, will have the right to cancel the work order/ job without assigning any reason thereof and nothing will be payable by AIIMS, Jodhpur in that event the security deposit shall also stands forfeited.
- **30. Insolvency etc:** In the event of the firm being adjudged insolvent or having a receiver appointed for it by a court or any other order under the Insolvency Act made against them or in the case of a company the passing any resolution or making of any order for winding up, whether voluntary or otherwise, or in the event of the firm failing to comply with any of the conditions herein specified AIIMS, Jodhpur shall have the power to terminate the contract without any prior notice.
- 31. Force Majeure: If, at any time during the subsistence of this contract, the performance in whole or in part by either party of any obligation under this contract is prevented or delayed by reasons of any war or hostility, act of public enemy, civil commotion, sabotage, fire, floods, explosion, epidemics, quarantine restriction, strikers lockout or act of God (hereinafter referred to as events) provided notice of happening of any such eventuality is given by party to other within 21 days from the date of occurrence thereof, neither party hall by reason of such event be entitled to terminate this contract nor shall either party have any claim for damages against other in respect of such non-performance or delay in performance, and deliveries have been so resumed or not shall be final and conclusive.

Further, that if the performance in whole or in part of any obligation under this contract is prevented or delayed by reason of any such event for a period exceeding 60 days, either party may, at least option to terminate the contract.

- **32.** Bidder shall submit a copy of the tender document and addenda thereto, if any, with each page of this document should be signed and stamped to confirm the acceptance of the entire terms & conditions as mentioned in the tender enquiry document.
- **33.** The quantity of item given in the tender is tentative, which may be increased or decreased as per the institute's requirement.
- **34.** Signed & stamped compliance sheet of the technical specification of the goods with technical printed literature must be enclosed with the bid.
- **35.** After due evaluation of the bid(s) Institute will award the contract to the lowest evaluated responsive tenderer
- **36.** Conditional bid will be treated as unresponsive and it may be rejected.
- **37. Demonstration:** AIIMS Jodhpur reserves the right to ask the tenderers for arranging demonstration of their equipment for which rates have been quoted, to the concerned committee, if required.
- **38.** The Institute reserves the right to accept in part or in full or reject any or more tender(s) without assigning any reasons or cancel the tendering process and reject all tender(s) at any time prior to award of contract, without incurring any liability, whatsoever to the affected bidder or bidder(s).

39. Applicable Law:

- The contract shall be governed by the laws and procedures established by Govt. of India, within the framework of applicable legislation and enactment made from time to time concerning such Commercial dealings / processing.
- Any disputes are subject to exclusive jurisdiction of Competent Court and Forum in Jodhpur, Rajasthan, India only.

- The Arbitration shall be held in accordance with the provisions of the Arbitration and Conciliation Act, 1996 and the venue of arbitration shall be at Jodhpur. The decision of the Arbitrator shall be final and binding on both the partied.
- Force Majeure: Any delay due to Force Majeure will not be attributable to the supplier.

Administrative Officer AIIMS, Jodhpur

S.No	Item		Technical Specifications	Qty.
01.	Down	1.	Should be a Height Adjustable Pedestal Autopsy Table.	1
	Draft	2.	Complete Type 304 stainless steel construction with a polished No.	
	Ventilated	_	4 finish with large radius inside corners for easy clean-up.	
	Autopsy Table	3.	Should have Heliarc-welded seams and joints, ground and polished	
	with	4	to match adjoining surfaces.	
	integral	4.	Should have the facility of Height adjustment via electro hydraulic mechanism. The minimum height should be between 750-820 mm	
	Sink with		and should be adjustable by minimum of 140 mm.	
	head rest	5.	Should have Full Length stainless steel body supports.	
		6.	Should have removable access panel.	
		7.	Should have GFCI duplex receptacle with water proof cover.	
		8.	Plumbing and electrical lines should be factory installed and	
		0.	require only single point connection at the project location.	
		9.	Should have backflow protection for all plumbing fixtures to	
			prevent backflow of contaminated water.	
		10.	Should have Deluxe hydro-aspirator with reverse flow, cold water	
			control valve and 10 feet/3 meter of hose.	
		11.	Should have Spray hose assembly with cold water control valve,	
		10	nozzle, 10 feet/3 meter of flexible hose.	
		12.	Should have mixing faucet with gooseneck spout and wrist blade handles.	
		13.	Should have 1/2 hp Heavy-duty commercial waste disposal system	
		13.	with switch.	
		14.	Should have large single compartment sink basin, 14 inc./35 cm X	
		14.	12 inc./30 cm X 8 inc./20 cm Depth.	
		15.	Should have rapid and positive drainage.	
		16.	Should have engraved/ SS Removable ruler of minimum198 cm	
			length	
		17.	Should have Table end rinse with cold water control valve.	
		18.	Should have European CE certificate.	
		19.	Should have regulated sprinkler system for table surface, ensuring continuous self-cleaning.	
		20.	Should have 3/4 piece perforated body support grid plates.	
		21.	Should have chemical resistant wooden/plastic head rest	
		22.	Should be manufactured without rivets, bolts or other devices on	
			the work surface so that it remains smooth and prevents	
		•	accumulation of bacteria	
		23.	Table length should be minimum 2600 mm (including sink) and	
		24.	width should be minimum 760 mm All electrical outlets should be splash proof	
02.	Air	1.	Should be noiseless while running	2
02.	Purifier /	2.	Spraying solution should be environment friendly, non-toxic, ozone	
	Odour	۷.	safe and biodegradable	
	Control	3.	Spraying solution should be able to breakdown and neutralize odour	
	System	<i>J</i> .	causing bacteria and molecules	
		4.	System should have at least four spraying units	
		5.	Spraying solution should be readily available on a recurring basis	
			Shall meet IEC – 60601 – 1 – 2:2001 (Or Equivalent BIS) General	
		6.	requirements of safety for Electromagnetic Compatibility or should comply with 89 / 366 / EEC; EMC – directive	

		7 The unit shall be complete of exercises continuously in ambient	
		7. The unit shall be capable of operating continuously in ambient	
		temperature of 20 – 30 deg C and relative humidity of 15 – 90% 8. The unit shall be capable of being stored continuously in ambient	
		temperature of 0 – 50 deg C and relative humidity of 15 – 90 %	
		9. Power input to be 220 – 240 VAC, 50 Hz fitted with Indian plug	
		10. UPS of suitable rating with voltage regulation, spike protection and	
		maintenance free batteries for 60 minutes back up	
		11. Should be USFDA, European CE, UL or BIS approved product	
		12. Manufacturer should have relevant ISO certification for quality	
		standards	
03.	Cadaver	Should be a portable cadaver SCISSOR Lift with Rollers.	2
	lift	2. Should have smooth and quiet electro mechanical actuator power.	
	Conveyor	lifting system with integral battery charger to eliminate manual	
	style	lifting and transporting.	
		3. Should be easy to operate and highly manoeuvrable.	
		4. The lift should be able to elevate all size bodies to most five tier	
		storage rack heights.	
		5. The battery-operated electro mechanical lifting system can be	
		activated by two control switches to raise and lower body laden	
		trays.	
		6. The lift should be supplied with an integral dual voltage battery	
		charger which can be connected to a standard mains socket.	
		7. The lift should be manufactured using heavy-duty stainless-steel	
		tubular sections.	
		8. Should have flip latch to secure loads and to help prevent shifting.	
		9. Should be able to carry minimum 200 Kg weight.	
		10. Should have conveyor platform with at least FIVE (5) rollers for	
		smooth loading action.	
		11. Should have FOUR (4) 5 inch/12 cm full-swivel solid casters to	
		provide smooth manoeuvrability into and out of tight spaces.	
		12. Maximum Elevation: 93 inc./236cm.	
		13. Minimum Elevation: 15.25 inc./38 cm.	
		14. Should accommodates body trays that are 64 cm wide with flat bottoms.	
		15. All wheels should have brake.	
		(i) Fabricated from 14 gauge 304 stainless steel with No. 4 finish.	
		(ii) Interior long sides should be angled to allow for easier body transfer.	
		(iii) Length: 82 inc./208 cm.	
		(iv) Height/Overall: 1.5 inc./3 cm.	
		(v) Width: 31 inc./78 cm.	
		(vi) Design Load: 227 Kg.	
		17. Should have European CE certificate.	
04.	Oscillatin	Should have European CE certificate. Should be a well balanced, lightweight, efficient and durable	2
04.	g Electric	autopsy saw.	4
	Autopsy	2. Strong motor with atleast 13000 rpm	
	Saw	3. Should have high speed oscillation, 12000 – 21000 opm	
	(Bone	8 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	
	cutting,	· · · · · · · · · · · · · · · · · · ·	
	with	5. Should have cool operation for greater user comfort.	
	blades	6. Should have integrated motor and hand piece	
	and dust	7. Should have reduced noise level.	
	collector)	8. Should have Teflon housing for easy cleaning.	

	,, =::::::::::::	and Commissioning of Equipment required in Forensic Medicine Department			
		9. Should have Ten (10) foot cord for greater mobility.			
		10. Suction performance: 1.380 watts			
		Air flow rate: 571/min			
		Vacuum: 235 mbar			
		Main supply: 230 volts, 50 Hz			
		Noise level: less than 65 db			
		11. Should be able to connect directly to bone vacuum dust collector.			
		12. Should be supplied with following:			
		(i) Round Blade without arbour: 15 Nos.			
		(ii) Section Blade without arbour: 15 Nos.			
		(iii) Saw Arbor: 3 Nos.			
		BONE VACUUM DUST COLLECTOR SPECIFICATION:			
		1. Should be powerful enough for even the smallest particles.			
		2. Should have reduced noise level.			
		3. Should have disposable filter cartridge which traps more dust			
		particles without clogging and is easy and safe to replace.			
		4. Should have 10 foot power cord.			
		5. Width: 15 inc./ 38 cm			
		Length: 23 inc./ 58 cm			
		Height: 23.5 inc./ 59 cm			
		6. Should be supplied with total FIVE (05) filter cartridges.			
		7. Should have European CE certificate.			
05.	Cadaver /	1 The Cadaver/Autopsy carrier is to be used for transportation of dead	2		
	Autopsy	bodies and have the following specification:			
	Carrier	2 CHASIS Specification:			
	(Non-	(i) Should be specifically designed for use with C-arm style X-			
	alarating)	(1) Should be specifically designed for disc with a drift style if			
	elevating)	ray machines.			
	elevating)	ray machines. (ii) Should have open frame construction which allows the c-			
	elevating)	(ii) Should have open frame construction which allows the c-			
	elevating)	(ii) Should have open frame construction which allows the carm clear travel for nearly the entire length of the carrier.			
	elevating)	 (ii) Should have open frame construction which allows the carm clear travel for nearly the entire length of the carrier. (iii) The carrier should allow the case to remain on one tray for 			
	elevating)	 (ii) Should have open frame construction which allows the carm clear travel for nearly the entire length of the carrier. (iii) The carrier should allow the case to remain on one tray for both the X-ray and autopsy procedures. 			
	elevating)	 (ii) Should have open frame construction which allows the carm clear travel for nearly the entire length of the carrier. (iii) The carrier should allow the case to remain on one tray for both the X-ray and autopsy procedures. (iv) The frame should be fabricated from 2 inc./ 3cm X 3 inc./7 			
	elevating)	 (ii) Should have open frame construction which allows the carm clear travel for nearly the entire length of the carrier. (iii) The carrier should allow the case to remain on one tray for both the X-ray and autopsy procedures. (iv) The frame should be fabricated from 2 inc./ 3cm X 3 inc./7 cm, 0.12 tubing thickness, 304 stainless steel tubing. 			
	elevating)	 (ii) Should have open frame construction which allows the carm clear travel for nearly the entire length of the carrier. (iii) The carrier should allow the case to remain on one tray for both the X-ray and autopsy procedures. (iv) The frame should be fabricated from 2 inc./ 3cm X 3 inc./7 cm, 0.12 tubing thickness, 304 stainless steel tubing. (v) Top tray holder should be fabricated from 1 inc./2 cm 			
	elevating)	 (ii) Should have open frame construction which allows the carm clear travel for nearly the entire length of the carrier. (iii) The carrier should allow the case to remain on one tray for both the X-ray and autopsy procedures. (iv) The frame should be fabricated from 2 inc./ 3cm X 3 inc./7 cm, 0.12 tubing thickness, 304 stainless steel tubing. (v) Top tray holder should be fabricated from 1 inc./2 cm stainless steel tubing. 			
	elevating	 (ii) Should have open frame construction which allows the carm clear travel for nearly the entire length of the carrier. (iii) The carrier should allow the case to remain on one tray for both the X-ray and autopsy procedures. (iv) The frame should be fabricated from 2 inc./ 3cm X 3 inc./7 cm, 0.12 tubing thickness, 304 stainless steel tubing. (v) Top tray holder should be fabricated from 1 inc./2 cm stainless steel tubing. (vi) Should be designed with 2 inc./5 cm permanent slope. 			
	elevating	 (ii) Should have open frame construction which allows the carm clear travel for nearly the entire length of the carrier. (iii) The carrier should allow the case to remain on one tray for both the X-ray and autopsy procedures. (iv) The frame should be fabricated from 2 inc./ 3cm X 3 inc./7 cm, 0.12 tubing thickness, 304 stainless steel tubing. (v) Top tray holder should be fabricated from 1 inc./2 cm stainless steel tubing. (vi) Should be designed with 2 inc./5 cm permanent slope. (vii) Stainless steel should have a grained finish and all welds 			
	elevating	 (ii) Should have open frame construction which allows the carm clear travel for nearly the entire length of the carrier. (iii) The carrier should allow the case to remain on one tray for both the X-ray and autopsy procedures. (iv) The frame should be fabricated from 2 inc./ 3cm X 3 inc./7 cm, 0.12 tubing thickness, 304 stainless steel tubing. (v) Top tray holder should be fabricated from 1 inc./2 cm stainless steel tubing. (vi) Should be designed with 2 inc./5 cm permanent slope. (vii) Stainless steel should have a grained finish and all welds should match adjoining surfaces. 			
	elevating	 (ii) Should have open frame construction which allows the carm clear travel for nearly the entire length of the carrier. (iii) The carrier should allow the case to remain on one tray for both the X-ray and autopsy procedures. (iv) The frame should be fabricated from 2 inc./ 3cm X 3 inc./7 cm, 0.12 tubing thickness, 304 stainless steel tubing. (v) Top tray holder should be fabricated from 1 inc./2 cm stainless steel tubing. (vi) Should be designed with 2 inc./5 cm permanent slope. (vii) Stainless steel should have a grained finish and all welds should match adjoining surfaces. (viii) Should have 6 inc./15 cm casters all with brake mechanism. 			
	elevating	 (ii) Should have open frame construction which allows the carm clear travel for nearly the entire length of the carrier. (iii) The carrier should allow the case to remain on one tray for both the X-ray and autopsy procedures. (iv) The frame should be fabricated from 2 inc./ 3cm X 3 inc./7 cm, 0.12 tubing thickness, 304 stainless steel tubing. (v) Top tray holder should be fabricated from 1 inc./2 cm stainless steel tubing. (vi) Should be designed with 2 inc./5 cm permanent slope. (vii) Stainless steel should have a grained finish and all welds should match adjoining surfaces. (viii) Should have 6 inc./15 cm casters all with brake mechanism. (ix) Minimum Dimension: 			
	elevating	 (ii) Should have open frame construction which allows the carm clear travel for nearly the entire length of the carrier. (iii) The carrier should allow the case to remain on one tray for both the X-ray and autopsy procedures. (iv) The frame should be fabricated from 2 inc./ 3cm X 3 inc./7 cm, 0.12 tubing thickness, 304 stainless steel tubing. (v) Top tray holder should be fabricated from 1 inc./2 cm stainless steel tubing. (vi) Should be designed with 2 inc./5 cm permanent slope. (vii) Stainless steel should have a grained finish and all welds should match adjoining surfaces. (viii) Should have 6 inc./15 cm casters all with brake mechanism. (ix) Minimum Dimension: Width: 30.5 inc./77 cm 			
	elevating	 (ii) Should have open frame construction which allows the carm clear travel for nearly the entire length of the carrier. (iii) The carrier should allow the case to remain on one tray for both the X-ray and autopsy procedures. (iv) The frame should be fabricated from 2 inc./ 3cm X 3 inc./7 cm, 0.12 tubing thickness, 304 stainless steel tubing. (v) Top tray holder should be fabricated from 1 inc./2 cm stainless steel tubing. (vi) Should be designed with 2 inc./5 cm permanent slope. (vii) Stainless steel should have a grained finish and all welds should match adjoining surfaces. (viii) Should have 6 inc./15 cm casters all with brake mechanism. (ix) Minimum Dimension: Width: 30.5 inc./77 cm Length: 82 inc./ 208 cm 			
	elevating	 (ii) Should have open frame construction which allows the carm clear travel for nearly the entire length of the carrier. (iii) The carrier should allow the case to remain on one tray for both the X-ray and autopsy procedures. (iv) The frame should be fabricated from 2 inc./ 3cm X 3 inc./7 cm, 0.12 tubing thickness, 304 stainless steel tubing. (v) Top tray holder should be fabricated from 1 inc./2 cm stainless steel tubing. (vi) Should be designed with 2 inc./5 cm permanent slope. (vii) Stainless steel should have a grained finish and all welds should match adjoining surfaces. (viii) Should have 6 inc./15 cm casters all with brake mechanism. (ix) Minimum Dimension: Width: 30.5 inc./77 cm Length: 82 inc./ 208 cm Height (Foot): 35.75 inc./ 90 cm 			
	elevating	(ii) Should have open frame construction which allows the carm clear travel for nearly the entire length of the carrier. (iii) The carrier should allow the case to remain on one tray for both the X-ray and autopsy procedures. (iv) The frame should be fabricated from 2 inc./ 3cm X 3 inc./7 cm, 0.12 tubing thickness, 304 stainless steel tubing. (v) Top tray holder should be fabricated from 1 inc./2 cm stainless steel tubing. (vi) Should be designed with 2 inc./5 cm permanent slope. (vii) Stainless steel should have a grained finish and all welds should match adjoining surfaces. (viii) Should have 6 inc./15 cm casters all with brake mechanism. (ix) Minimum Dimension: Width: 30.5 inc./77 cm Length: 82 inc./ 208 cm Height (Foot): 35.75 inc./ 90 cm Height (Head): 37.75 inc./ 95 cm			
	elevating	(ii) Should have open frame construction which allows the carm clear travel for nearly the entire length of the carrier. (iii) The carrier should allow the case to remain on one tray for both the X-ray and autopsy procedures. (iv) The frame should be fabricated from 2 inc./ 3cm X 3 inc./7 cm, 0.12 tubing thickness, 304 stainless steel tubing. (v) Top tray holder should be fabricated from 1 inc./2 cm stainless steel tubing. (vi) Should be designed with 2 inc./5 cm permanent slope. (vii) Stainless steel should have a grained finish and all welds should match adjoining surfaces. (viii) Should have 6 inc./15 cm casters all with brake mechanism. (ix) Minimum Dimension: Width: 30.5 inc./77 cm Length: 82 inc./ 208 cm Height (Foot): 35.75 inc./ 90 cm Height (Head): 37.75 inc./ 95 cm Design Load: 227 Kg			
	elevating	(ii) Should have open frame construction which allows the carm clear travel for nearly the entire length of the carrier. (iii) The carrier should allow the case to remain on one tray for both the X-ray and autopsy procedures. (iv) The frame should be fabricated from 2 inc./ 3cm X 3 inc./7 cm, 0.12 tubing thickness, 304 stainless steel tubing. (v) Top tray holder should be fabricated from 1 inc./2 cm stainless steel tubing. (vi) Should be designed with 2 inc./5 cm permanent slope. (vii) Stainless steel should have a grained finish and all welds should match adjoining surfaces. (viii) Should have 6 inc./15 cm casters all with brake mechanism. (ix) Minimum Dimension: Width: 30.5 inc./77 cm Length: 82 inc./ 208 cm Height (Foot): 35.75 inc./ 90 cm Height (Head): 37.75 inc./ 95 cm Design Load: 227 Kg TRAY Specification:			
	elevating	(ii) Should have open frame construction which allows the carm clear travel for nearly the entire length of the carrier. (iii) The carrier should allow the case to remain on one tray for both the X-ray and autopsy procedures. (iv) The frame should be fabricated from 2 inc./ 3cm X 3 inc./7 cm, 0.12 tubing thickness, 304 stainless steel tubing. (v) Top tray holder should be fabricated from 1 inc./2 cm stainless steel tubing. (vi) Should be designed with 2 inc./5 cm permanent slope. (vii) Stainless steel should have a grained finish and all welds should match adjoining surfaces. (viii) Should have 6 inc./15 cm casters all with brake mechanism. (ix) Minimum Dimension: Width: 30.5 inc./77 cm Length: 82 inc./ 208 cm Height (Foot): 35.75 inc./ 90 cm Height (Head): 37.75 inc./ 95 cm Design Load: 227 Kg			

~ "FF".			
		(ii) The slide rails should be permanently attached to the	
		underside of the table and should work with all standard size	
		cartridge systems.	
		(iii) X-rays can be taken without removal of the cadaver from	
		the autopsy carrier by simply locating the X-ray cartridge in the	
		desired position.	
		(iv) Slide rails should fit cartridges from 17.875 inc./45 cm to	
		18.875 inc./47 cm in width.	
		(v) Minimum Dimension:	
		· Length: 82 inc./ 208 cm	
		· Height: 3.625 inc./9 cm	
		· Width: 30.5 inc./77 cm	
		· Design Load: 227 Kg	
		4 Should have European CE certificate.	
06.	Dissecting	It should be a mobile Examination Light based on latest LED	1
	Lights	Technology.	
	(Double	2. It should be a homogenous White light dome mounted on mobile	
	Floor	stand.	
	Mounts)	3. Central luminance at 1.0 m distance (lux): 1,60,000.	
		4. Colour Temperature (K): 4,500.	
		<u> </u>	
		5. Colour Rendering Index(CRI): 93 or more.	
		6. Irradiance (W/m ²): 600	
		7. Irradiance / Intensity ratio: 3.3	
		8. Average service life of the LEDs (h): >40,000	
		9. Power pack supply voltage 100 – 240 V AC: 50/60 Hz	
		10. It should be supplied with 3 nos. sterilizable handles	
		11. It should have possibility to replace a single Faulty LED	
		12. It should be European CE and UL certified	
07.	Direct	1. The mobile x ray equipment would be required to perform x ray	1
	Mobile X-	studies in the mortuary. The unit should be compact, lightweight and	_
	ray	easily transportable. It should have following specifications:	
	system	Generator: A high frequency generator with the following	
		features:	
		a. Power : 4 kW or more	
		b. kVp Range : 40 – 100 kVp or more	
		c. mAS Range : 250 m As or more.	
		d. m A range : 10 mA to 100 mA or more	
		e. Exposure Time: 10 ms to 5 sec.	
		Digital display	
		kV and mAs parameters, System ON, System OFF, status and fault	
		messages on	
		the kV and mAs area	
		X-ray Tube	
		Stationary/Rotating Anode tube with focal spot 1.8 X 1.8 mm or	
		better.	
		Tube stand	
		The tube stand should be fully counterbalanced with rotation in all	
		directions.	
		Collimator	
		Collimator rotation should be +90 to -90 degrees with auto shut off	
	1	2011111atol 10 and of 100 to 20 doglood with add blint off	

			Cassette storage box	
			The equipment should have cassette storage box for minimum of 2	
			cassettes.	
			Electrical requirement: The unit should be operational on main	
			voltage from single phase 180-260 v AC with automatic main	
			compensation.	
			Ergonomics:	
			The unit should have small foot print. The height of the column stand should not be more than 150 cm for easy transportation in the	
			y 1	
			lift etc. and areas with small height doors. The equipment should be	
			light weight, not more than 160 kg.	
			Breaking system	
			The unit should have effective breaking system for parking.	
			Warranty	
			5 Years comprehensive warranty for complete system including X-	
			ray tubes.	
			CMC Charges: The bidders should quote year-wise CMC charges	
			for five years after completion of warrantee .Uptime warranty	
			should be 98%.	
			Installations	
			The bidder should have installed same model successfully in India.	
			The copy of the satisfactory performance certificate of same model	
			to be enclosed along with the bid.	
			Certification	
			System shall have valid AERB certificate of the quoted model. The	
			bidder to provide any other certificate required for importing the	
			equipment in case of imported models.	
			Service Centre	
			Company should have an established registered service centre in	
			Rajasthan. The bidder should provide the address and phone	
			numbers of the service centre.	
			Product Data Sheet	
			All technical specification should be supported with original data	
			sheet highlighting the page number in the compliance sheet.	
			Photocopy/computer print will not be acceptable.	
			Spare parts availability	
			The principal should give undertaking regarding the availability of	
			spare parts for the next 10 Years.	
		2.	Should be provided with Fuji Capsula CR System plates of size 11	
			inch X 14 inch	
08.	Stretcher	1	The stretcher trolley should provide manoeuvrability, convenient	4
	trolley		transportation and assists in the control of debris.	
	covered	2	Should have TWO (2) section hinged covers which can be	
	(for		securely closed and fastened beneath the table top when opened.	
	carrying	3	Should have all stainless steel construction.]
	dead body	4	Should be fabricated from heavy gauge 304 stainless steel with a	
	from		No. 4 finish.	
	wards)	5	Should have recessed table top, creased toward drain for added	
			fluid flow.	1
		6	Should have minimum 6 inc./ 15 cm casters, all with brake	
			mechanism.	4
		7	Should have latches to securely hold covers in up/down position.]
		8	Should have draw latches to hold hoods in closed position.	

9	Should have stainless steel pail holder	
10	Should have .75 inc./1 cm Ball valve on drain for hose attachment	
	and fluid control.	
11	Should have Hand crank height adjustable system mechanism for	
	adjusting height on one end starting from minimum height of 830	
	mm and adjustable by minimum of 300 mm.	
12	Should have European CE certificate.	

TECHNICAL BID

Name of Firm/Contractor/Supplier	
Complete Address & Telephone No.	
Name of Proprietor/Partner/Managing Director/Director.	
Phone No:-	
Mobile No:-	
Email Id:-	
Name and address of service centre nearby Jodhpur.	
Whether the firm is a registered firm Yes/No (attached copy of certificate).	
PAN No. (enclose the attested copy of PAN Card).	
Service Tax No. (enclose the attested copy of Service Tax Certificate).	
VAT No. (enclose the attested copy of VAT Certificate).	
Whether the firm has enclosed the Bank Draft/Pay Order/Banker's cheque of Earnest Money Deposit.	
Whether the Firm/Agency has signed each and every page of Tender/NIT.	
Please provide full list of consumables.	
Any other information, if necessary.	

Authorized signatory of the bidder with seal.

MANUFACTURER'S / PRINCIPAL'S AUTHORIZATION FORM

То		
The Administrative Officer, All India Institute of Medica	al Sciences, Jodhpur	
Sir,		
TENDER:	,	
we,		,who are
established and reputable r	manufacturers of	, having
factories at	and	, hereby
authorize Messrs	(name and	d address of agents)
to bid, negotiate and conclu	ude the contract with you against Tender	
No	for the above goo	ods manufactured by
us. No company or firm or	individual other than Messrs	are
authorized to bid, negotiate	e and conclude the contract in regard to t	this business
against this specific tender		
We hereby extend our full	guarantee and warranty as per the con	ditions of tender for
the goods offered for supply	y against this tender by the above firm.	
The authorization is valid u	ıp to	
		Yours faithfully,
	For and on behalf of Me	(Name)
		facturers)/Principal.

Annexure-IV

Financial Bid

A) FINANCIAL BID FOR DOMESTIC GOODS OR GOODS OF FOREIGN ORIGIN LOCATED WITHIN INDIA OR GOODS TO BE IMPORTED AND SUPPLIED AGAINST PAYMENT IN INDIAN RUPEES

1	2	3	4		5				6		
Schedule	Brief Description of Goods	Country of Origin	Quantity (Nos.)	Ex - factory/ Ex- warehous e /Ex- showroo m /Off- the shelf (a)	Excise Duty(if any) [%age & & value] (b)	Sales Tax/ VAT(if any) [%age & value] (c)	Packing and Forwarding charges (d)	Inland Transportation, Insurance, loading/ unloading and Incidental costs at AIIMS- Jodhpur (e)	Incidental Services (including Installation & Commissioning, Supervision, Demonstration and Training) at AIIMS- Jodhpur (f)	Unit Price (at AIIMS- Jodhpur) basis (g)= (a+b+c+d+e+ f)	Total Price (at AIIMS- Jodhpur) basis (Rs.) = {4 x 5(g)}

Total Tender price in Rupees:	 	
In words:		

Note: -

- 1. If there is a discrepancy between the unit price and total price THE UNIT PRICE shall prevail.
- 2. The charges for Annual CMC after warranty shall be quoted separately.
- 3. The Bidder must quote price for "GOODS TO BE IMPORTED AND SUPPLIED AGAINST PAYMENT IN INDIAN RUPEES" after having taken in to account, the provision of Custom Duty Exemption Certificate (CDEC) by the Purchaser, as per Customs Tariff Act.

Place:	Name:
Date:	Business Address:
	Signature of Bidde
	Seal of the Ridder

Financial Bid B) FINANCIAL BID FOR GOODS TO BE IMPORTED FROM ABROAD

1	2	3	4	5				
				Price per unit (Rs.)				Total price on
Schedule	Brief Description of Goods	Country of Origin	Quantity (Nos.)	FOB price at port/ airport of Lading (a)	Carriage & Insurance (port of loading to port of entry) and other Incidental costs** (b)	Incidental Services (including Installation & Commissioning, Supervision, Demonstration and Training) at AIIMS-Jodhpur **	Unit Price on DDP AIIMS- Jodhpur + Extended Insurance (local transportation and storage) (d) = a+b+c	Destination + Insurance (local transportation and storage) $= \{4X \ 5 \ (d)\}$

To be paid in Indian Currency (Rs.)	
tal Tender price in foreign currency:	
words:	
te: -	

- 1. If there is a discrepancy between the unit price and total price THE UNIT PRICE shall prevail.
- 2. The charges for Annual CMC after warranty shall be quoted.
- 3. The Bidder will be fully responsible for the safe arrival of the goods AIIMS-Jodhpur in good condition as per terms of DDP as per INCOTERMS, if applicable.

Indian Agent:	
Indian Agency Commission% of FOB	
Place:	Name:
Date:	Business Address:
	Signature of Bidder:
	Seal of the Bidder:

Financial Bid

C) FINANCIAL BID FOR ANNUAL COMPREHENSIVE MAINTENANCE CONTRACT AFTER WARRANTY PERIOD:

1. S.No.	2. DESCRIPTION OF GOODS	3. QUANTITY. (Nos.)	4. Annual Comprehensive Maintenance Contract Cost for Each Unit year wise*. 1st 2nd 3rd 4th 5th				5. Total Annual Comprehensive Maintenance Contract Cost for 5 Years	
			a	b	С	d	e	[3 x (4a+4b+4c+4d+4e)]

^{*} After completion of Warranty period.

Service Tax: Whether extra or inclusive, if extra, indicates the rate_____.

NOTE:-.

- 1. In case of discrepancy between unit price and total prices, THE UNIT PRICE shall prevail.
- 2. The cost of Comprehensive Maintenance Contract (CMC) which includes preventive maintenance including testing & calibration as per technical/ service /operational manual, labour and spares, after satisfactory completion of Warranty period may be quoted as per NIT conditions on yearly basis for complete equipment and Turnkey (if any).
- 3. The cost of CMC may be quoted along with taxes applicable. The taxes to be paid extra, to be specifically stated. In the absence of any such stipulation the price will be taken inclusive of such taxes and no claim for the same will be entertained later.
- 4. Cost of CMC will be added for Ranking/Evaluation purpose.
- 5. All software updates should be provided free of cost during CMC period.
- 6. The stipulations in Technical Specification will supersede above provisions
- 7. The supplier shall keep sufficient stock of spares required during Annual Comprehensive Maintenance Contract period. In case the spares are required to be imported, it would be the responsibility of the supplier to import and get them custom cleared and pay all necessary duties.

Date:	
Place:	Name:
	Business Address:
	Signature of Bidder:
	Seal of the Bidder: