



All India Institute of Medical Sciences Jodhpur

Admn/Prop/58/2020-AIIMS.JDH

Dated: 28th January 2021

Subject: Purchase of Video Laryngoscope with C-MAC Monitors for the department of Anesthesiology at AIIMS, Jodhpur on proprietary basis - **Inviting comments thereon.**

The Institute is in the purchase of Video Laryngoscope with C-MAC Monitors for the department of Anesthesiology at AIIMS, Jodhpur from M/s Karl Storz SE & Co. KG, 78532, Tuttlingen/Germany on proprietary basis. The proposal submitted by M/s Karl Storz-Endoscope India Pvt. Ltd, New Delhi and PAC certification by user are attached.

The above document are being uploaded for open information to submit objection, comments, if any from any manufacturer regarding proprietary nature of the equipment within 21days of issue giving reference Admn/Prop/58/2020-AIIMS.JDH. The comments should be received by office of Deputy Director (Admin), Medical College at AIIMS, Jodhpur on or before 18th February 2021 upto 03:00 PM failing which it will be presumed that any other vendor is having no comment to offer and case will be decided on merits.

Yours faithfully,

Deputy Director (Admin)

Enclosed: Related documents enclosed.



All India Institute of Medical Sciences Jodhpur



ENDOSCOPES FOR MEDICINE AND TECHNICAL SCIENCE
INSTRUMENTS FOR OTO-RHINO-LARYNGOLOGY

KARL STORZ SE & Co. KG • PO Box 230 • 78503 Tuttlingen/Germany

To whom it may concern



Your ref.

Date of your letter

Our ref.
Exp.I./Jun

Date
17.12.2018


Proprietary Certificate

This is to certify that M/S Karl Storz SE & Co. KG, Dr.-Karl-Storz-Str. 34, D-78532 Tuttlingen, Germany is the legal holders of Proprietary Rights of C-Mac brand and manufacturers of 'C-Mac Video-laryngoscope system with D- blade'.

The design and trademark of 'C-Mac Video-Laryngoscope system with D-Blade' range are exclusive rights of M/S Karl Storz SE & Co. KG, Tuttlingen, Germany. No individual or company is authorized to use 'C-Mac Video-Laryngoscope system with D-Blade' brand or manufacture C-Mac range.

For and on behalf of

KARL STORZ SE & CO.KG

i.V. 
Uwe Junker
Deputy Executive Director
Global Sales Administration

Office Address:
KARL STORZ SE & Co. KG*
Dr.-Karl-Storz-Straße 34
78532 Tuttlingen/Germany
Phone: +49 (0)7461 708-0
Fax: +49 (0)7461 708-105
E-Mail: info@karlstorz.com
www.karlstorz.com

Bank Accounts:
Volksbank Schwarzwald-Donau-Neckar eG
SWIFT: GENO DES1TUT
IBAN: DE97 6439 0130 0000 7720 03

Kreissparkasse Tuttlingen
SWIFT: SOLA DES 1 TUT
IBAN: DE79 6435 0070 0000 0013 22
Deutsche Bank AG Tuttlingen
SWIFT: DEUT 3303
IBAN: DE09 6537 0075 0211 6390 00

Limited Partnership:
KARL STORZ SE & Co. KG
Dr.-Karl-Storz-Straße 34
78532 Tuttlingen/Germany
Place of Business: Tuttlingen
Commercial Register:
Stuttgart HRA 450442
VAT-ID-No. DE 142931059
WEEE Reg.-No. DE 74465858

Unlimited Partner:
KARL STORZ Verwaltungs SE
Dr.-Karl-Storz-Straße 34
78532 Tuttlingen/Germany
Place of Business: Tuttlingen
Commercial Register: Stuttgart HRB 762524
Managing Directors:
Dr. h. c. mult. Sybill Storz, Karl-Christian Storz
Chair of the Supervisory Board:
Dr. h. c. mult. Sybill Storz

* Formerly trading as KARL STORZ GmbH & Co. KG



All India Institute of Medical Sciences Jodhpur

S.No	Item	Technical Specification	Qty
01.	Video Laryngoscope with C-MAC Monitors	<p>Specification of Video Laryngoscope</p> <ul style="list-style-type: none">• The system should allow clear view of laryngeal inlet during intubation under video guidance without manipulation of neck.• It should consist of following features:• Blades: The system should have reusable D-Blade (for adult or pediatric use, as per the requirement) with integrated camera chip with closed metal finish and LED light illumination.• Each Blade should have inbuilt camera and light source with antifogging mechanism and visualization through fluid should be possible.• The blade should be specially designed for difficult airway (intubation) for patients with limited mouth opening & should have an angulation of 80 degrees.• Blades should be fully immersible in disinfection solution and should also be compatible with gas plasma sterilizer.• The blades should be compatible with CMAC display unit, available in the department.• It should be supplied with CMAC connecting cable.• Should be US FDA/CE certified	07
		<p>Specification of C Mac Monitor</p> <ul style="list-style-type: none">• Monitor screen of approx. 6-7 inch or more in size for color TFT display with feature control buttons on the screen with composite output for connecting to another monitor/screen• Video recording and still image recording facility should be available (Minimum 3-4 GB internal memory) on data card or USB with JPEG and MPEG4 format which can be easily transferred to the computer/laptop. Connecting cable should be provided & Should have HDMI port with 2 video outputs• Should have the provision to mount the monitor on movable stand or keep it on IV pole mount. Movable Mount stand should be provided for the monitor• The display unit should have a CMOS/CCD technology with LED illumination. The Light source should be integrated into the display unit. It should be less than 2kgs.• The monitor to include features for the control of BRIGHTNESS, contrast, color, mirror, white balance facility should be available.• Image & video playback on monitor screen should be available.• The Monitor, Scopes, Movable stand and all accessories should be supplied through single OEM	02

(Handwritten signatures and marks)