



All India Institute of Medical Sciences Jodhpur

Date: - 10/09/2014

Corrigendum for ICU Partition curtains.

NIT Issue Date : August 29th, 2014.
Pre Bid Meeting held on : September 08th, 2014 at 11:00 PM
Last Date of Submission : September 19th, 2013 at 03:00 PM

The following revised and additional specification will be added:-

Page No. 07, Annexure-II, Specification, Point No. 3, Runner type:

For

Wheel Type Roller Runner.

Read

Wheel or Glider type.

Page No. 07, Annexure-II, Specification, Point No. 4, Runner material:

For

Teflon with Stainless steel 202 Hook.

Read

Made of Nylon or PVC.

Page No. 07, Annexure-II, Specification, Point No. 5, Hooks:

For

Stainless Steel 202.

Read

Stainless steel grade 202 or more.

Page No. 07, Annexure-II, Specification, Point No. 11, Curtain Removal Point:

For

Made of SS for simple loading & unloading of curtains. (Also serves as an end hook retainer.

Read

Optional: Curtain runner removal point for loading and unloading of runners.

Page No. 07, Annexure-II, Specification, Point No. 14.2, Curtain Type:

For

These Curtains should be of specially coated fabrics which do not allow any bacteria to hold on it.

Read

These Curtains should be made up of fabrics with inherent antibacterial and flame retardant properties.

**Administrative Officer
AIIMS Jodhpur**