

Admn/Prop/63/2022-AIIMS.JDH

Dated: 05th December 2022

Subject: Purchase of Point of Care CD4 Count Machine for the department of General Medicine at AIIMS, Jodhpur on proprietary basis - <u>Inviting comments thereon</u>.

The Institute is in the purchase of Point of Care CD4 Count Machine for the department of General Medicine at AIIMS, Jodhpur from M/s Alere Technologies GmbH, Loebstedter Str 103-105 07749, Jena, Germany on proprietary basis. The proposal submitted by M/s Alere Technologies GmbH, Germany and PAC certification by user are attached.

The above document are being uploaded for open information to submit objection, comments, if any from any manufacturer regarding proprietary nature of the equipment within 21days of issue giving reference Admn/Prop/63/2022-AIIMS.JDH. The comments should be received by office of Deputy Director (Admin), Medical College at AIIMS, Jodhpur on or before 26th December 2022 upto 03:00 PM failing which it will be presumed that any other vendor is having no comment to offer and case will be decided on merits.

Yours faithfully,

Deputy Director (Admin)

Enclosed: Related documents enclosed.



All India Institute of Medical Sciences

Jodhpur

Alere

Alere Technologies GmbH

contact phone fax email Klaus Schindlbeck (+49) 3641-3111-0 (+49) 3641-3111-120 cct home@clondiag com

Alere Technologies GmbH, Loebstedter Str 103-105 07749 Jena, Germany

To Whom It May Concern

15/06/2016

Sub.: PROPRIETARY CERTIFICATE

This is to certify that the below mentioned products along with the catalogue numbers are the proprietary items, manufactured by us, <u>M/S Alere Technologies GmbH, Loebstedter Str. 103-105, 07749 Jena, Germany.</u>

| SL. No. | Product name | Product description | Catalogue number |
|------------|--------------------|--|---------------------|
| 1 | Pima CD4 | 100 cartridges for determination of absolute counts of T-helper cells in capillary or venous whole blood of patients with documented diagnosis of immunodeficiency disease. | 260100100 |
| 2 | Pima CD4 | 25 cartridges for determination of absolute counts of T-helper cells in capillary or venous whole blood of patients with documented diagnosis of immunodeficiency disease. | 260100025 |
| 3 | Pima Analyser | Portable, bench-top, fixed volume cytometer for processing and analysis of Pima CD4 cartridges. | 260300003 |
| 4 | Pima Bead Standard | External control material for daily quality control on the Pima Analyser. Comprises two ready-to-use test cartridges. | 260400011 |
| 5 | Pima Printer | Thermal printer for use with the Pima Analyser | 260400007 |

Thank You

For & On Behalf of

M/S Alere Technologies GmbH

Place: ______ Date: ______ Date: ______

Signature:

Klaus Schindlbeck

(Managing Director)

Alere Technologies GmbH Loebstedter Str. 103-105 07749 JENA / Germany Managing Directors: Klaus Schindlbeck Stewart Wilson Mark Gladwell Avir Pelossof Renuka Uppatun Phone +49(0) 3541 3111 0 Fax +49(0) 3641 3111-120 E-Mail cct.home@clondiag.com WEB www.alere-technologies.com

Company reg HRB 207136 Amisgericht Jena VAT No. DE 194889265

m

Commerzhank AG. Jena Bank code 82040000. acc. 258882000 IBAN DE08820400000258882000 SWIFT (BIC) COBADEFF821 Sparkasse Jena Bank code 83053030 Acc. 142093 IBAN DE33 8305 30 30 0000142093 SWIFT (BIC) HELADEF1JEN



All India Institute of Medical Sciences

Jodhpur

Pima Analyser Specifications

| Pima Analyser | |
|---------------------|---|
| Dimensions | D 22 cm×W 13 cm×H 16 cm |
| Weight | 2.54 kg |
| Detection System | LED illumination and CCD-based detection |
| Controls | sample volume control; reagent control; |
| | automatic control of cartridge expiry date; |
| | internal process controls; automatic test |
| | identification |
| Display | graphical display, monochrome, 128×64 pixel |
| User Interface | 16 button keypad |
| Languages (Display) | English |
| Memory | data storage capacity of approx. 1000 tests |

Operating Conditions

| Operating Temperature | 10 - 40 °C |
|-------------------------------|---|
| Altitude | 0 - 2000 m |
| Relative Humidity | 10 - 95 % (no condensation) |
| Transport/Storage Temperature | 2- 40 °C |
| Environment | protect from direct sunlight, humidity and dust |
| Power | |
| | |

| Power Supply | DC 18 V/ 3.5 A |
|--------------|---|
| | |
| Mains Power | 100 - 240 V <u>+</u> 10 % (A/C) at 47 - 63 Hz |
| ***** | |

Declaration of Conformity

The Pima Analyser complies with the Essential Requirements of the Directive 98/79/EC Annex I and was tested according to EN 61010-1, EN 61010-2-101, EN 61326-1 and EN 61326-2-6.

Pima™ ANALYSER

SER USER GUIDE

Ratte