# Invitation of quotation for SITC of CCTV Surveillance Security Cameras and its allied accessories to be installed at various locations of AIIMS-Jodhpur.

Inquiry No.

AIIMS/Jodh/E.E.(E)/Quotation/2024-25/04

Inquiry Issue Date

: 13th May, 2024

Last Date of Submission

: 17th May, 2024 at 03:00 PM



All India Institute of Medical Sciences, Jodhpur

Basni Phase - II, Jodhpur – 342005, Rajasthan Telefax: 0291- 2012978 <u>www.aiimsjodhpur.edu.in</u>



# ALL INDIA INSTITUTE OF MEDICAL SCIENCES, JODHPUR अखिल भारतीय आयुर्विज्ञान संस्थान, जोधपुर

Inquiry No. AIIMS/Jodh/E.E.(E)/Quotation/2024-25/04

Date: 13th May, 2024

### **QUOTATION NOTICE**

Sealed Quotations are hereby invited from the vendors/supplier/contractor on behalf of the Executive Director, AIIMS, Jodhpur, for the "Supply, Installation, Testing, and Commissioning of CCTV Surveillance Security camera systems at various locations of AIIMS, Jodhpur. The filled quotations, along with all required documents, must be dropped in the "Quotation Box" located in the Administration Block of AIIMS, Jodhpur. On or before 17th May, 2024 up to 3:00 PM. The sealed and super scribed Envelope containing the filled quotation (no Carbon Copy) would be as under: -

"Quotation for Supply, Installation, Testing and Commissioning of CCTV Surveillance Security Cameras system at various locations of AIIMS, Jodhpur". Inquiry no.: AIIMS/Jodh/E.E. (E)/Quotation/2024-25/04

### General Terms and Conditions:

- 1. The quotations received after 17th May, 2024 or Carbon Copy/unsealed and Signed shall not be allowed under any circumstances. In case of postal delay, this Institute will not be responsible. The offer Submitted by/through e-mail shall not be considered and no correspondence will be entertained in this matter.
- 2. Quotations must be in the enclosed prescribed format duly sealed and signed by the Proprietor/Partner/Director or their Authorized Representative; in case of signing of quotation by the authorized representative, a letter of authorization must be attached with the quotation.
- 3. Rates must be quoted in "Indian Rupees," and also showing taxes and levies, if any. Quotations not conforming to these requirements shall be rejected, and no correspondence will be entertained whatsoever.
- 4. Rates must be quoted FOR basis (including Freight charges, Insurance, installation etc.)
- 5. No overwriting or cutting is permitted in the Rates, Quantity, and total amount, if found, the quotation shall be summarily rejected.
- 6. The time allowed to complete the work of SITC as per details mentioned in Annexure-A is 10 Days from the date of issue of the work order.
- 7. The Bidder/Contractor is fully responsible for any damage caused to the govt. property or allottee's property during carrying out the work, the same shall be rectified by the contractor at his own cost.
- 8. RTGS/NEFT details need to be furnished by the supplier with a quotation in Annexure A.
- 9. The lowest one, or L1, will be decided on a composite basis.
- 10. The rates quoted must be valid for 90 days minimum from the date of opening of the quotation.
- 11. Becoming L1 will not be the criteria for awarding of purchase order unless the rates are reasonable & justified.

- 12. Quotations qualified by such vague and indefinite expressions as "subject to prior confirmation," "subject to immediate acceptance," etc., will be treated as vague offers and rejected accordingly. Any conditional quotation shall be rejected summarily.
- 13. The quotation document is non-transferable.
- 14. The Interested Bidder must visit the site before quoting the price.
- 15. The firm/agency may satisfy the following conditions and attach a self-attested copy of the same with the quotation: -
  - The firm shall have valid GST/Other taxes and IT PAN.
  - The firm should not be blacklisted by any Govt. Agency/Dept.
- 16. The bidder submitting bids would be considered to have accepted all the terms & conditions. No inquiry, verbal or written, shall be entertained in acceptance or rejection of the bid.
- 17. **Disputes:** In the event of any dispute or disagreement arising between the bidder and any other department of AIIMS Jodhpur with regard to the interpretation of the "Terms & Conditions" of this inquiry, the same shall be referred to the Executive Director, AIIMS Jodhpur whose decision will be final and binding.
- 18. The decision of the Executive Director, AIIMS Jodhpur, shall be final on all issues/objections, and no inquiry will be entertained once the quotation opens.
- 19. The Executive Director, AIIMS, Jodhpur reserves the right to reject any quotation or part or the whole of the inviting quotation process without assigning any reason. The decision of the Executive Director, AIIMS, Jodhpur, will be final.

### **Special Terms and Conditions:**

- 1. The Bidder must supply, install, and make the entire system and handed over to the engineer in charge.
- 2. The Successful Bidder should inform and shown the material to the Engineer-In-Charge before executing the work.
- 3. The Bidder must execute the work during Office hours only.
- 4. The Bidder must quote the product as per the make and specification provided in Annexure-A.
- 5. The Bidder Must Install the CCTV Cameras and allied accessories as per the Engineer-In-Charge's directions.
- The Bidder/Contractor is fully responsible for the safety of all labor/employee/technicians deployed at the site.
- 7. The Bidder must submit the inventory list after the completion of the work to the Engineer-In-Charge.
- 8. The invoice against the works shall be submitted only after successful completion of the work; the sealed and signed warranty cards, clearly mentioning the details of warranty periods also be submitted along with the invoice to the Engineer in charge.
- 9. The Successful Bidder must arrange all types of tools and special T&P etc. at its own cost to carry out the work, nothing shall be paid extra in this regard.
- 10. There shall be no liability on the AIIMS Jodhpur to pay any compensation in case of a labor dispute or accident etc, at the site.
- 11. The Successful bidder is responsible for watch and ward of their materials. AIIMS Jodhpur shall not be responsible for damage/missing of any material.
- 12. Proper Laying of the CCTV Network Cables inside the false ceiling, Installation of Network Racks, PoE Switches inside all Network Racks, and allied accessories must be installed as per the direction of the Engineer-In-Charge.

13. Liquidated Damage: If the Bidder fails to Execute the works on or before the stipulated date, then a penalty at the rate of 0.5 % per week of the total order value shall be levied subject to a maximum of 10% of the total order value.

14. Payment Terms: Payment will be only after satisfactorily Completion of Works and after the inspection by the Engineer-In-Charge.

Executive Engineer (E)

## Annexure A.

# Price Bid Form and Technical Specifications

To, The Executive Engineer (E) AIIMS, Jodhpur.

| ~ | × |     |  |
|---|---|-----|--|
| • | 쇔 | 164 |  |
| v | л | 2.  |  |

- 1. I/We M/s. \_\_\_\_\_submitting the quotation for Inquiry No. AIIMS/Jodh/E.E.(E)/Quotation/2024-25/04 at AIIMS Jodhpur".
- 2. I/We thoroughly examined, understood, and accepted the terms & conditions given in the inquiry document, failing which my quotation will be rejected out rightly.
- 3. I/We hereby offer to supply at the following rates.

| S.No. | Description of Items with specifications   | Make                         | Unit | Qty. | Price<br>/Unit | Amount |
|-------|--|------------------------------|------|------|----------------|--------|
| 1.    | Supply, Installation, Testing & Commissioning of 4 MP Network Dome Camera @25/30 fps, Fixed Progressive Scan CMOS Sensor, fixed lens of 3.66mm or 2.88mm, dual/triple streaming, H.265+, H.265, & H.264 Compression technology, Support DWDR, Clear image against strong Blackout or dim lights, water & dust resistant (IP67 rating), BLC/HLC/3D DNR/ROI, IR Cut filter, Motion Detection, Object Lock, Minimum IR Range 30m, Alarm Events, Max. Resolution: 2560*1440, ONVIF Profile S & T, 12V/PoE Support, Support all Network Protocols & Securities with all approval of operations & safety, Updated firmware and made Camera viewed in the NVR with recording and as per site engineer. Minimum 02-Years warranty from the OEM and supplier. | CP-Plus<br>/Dahua<br>/ Prama | Nos. | 19   |                |        |
| 2.    | Supply, Installation, Testing & Commissioning of 2 MP Network Dome Camera @ 25/30 fps, Progressive Scan CMOS Sensor, fixed lens 3.6mm or 2.8mm, dual/triple streaming, H.265+, H.265 & H.264 Compression technology, Support DWDR, Clear image against strong Blackout or dim lights, water & dust resistant (IP67 rating), Motion Detection, Object Lock, Minimum IR Range 30m /ONVIF Profile S & T, 12V/PoE Support, Updated firmware made Camera viewed in the NVR with recording and as per site engineer Minimum 02-years warranty from the OEM and supplier.   | CP-Plus<br>/Dahua<br>/Prama  | Nos. | 16   |                |        |

| up<br>suffici<br>and ou<br>future   | access with thes: 4K double to 10TB ent/minimum tracing bands requirement                                     | the Network Violente Nos. Channel-base of the following essent SATA that suppose each, Haven 150Mbps incomment of 12/8/6 ithout any lagging                            | sed<br>rial<br>rts<br>ing<br>ing<br>the<br>MP    |  | (3)   | e daginoc  | Ligopoli o<br>1963, Jodia<br>1963, Jodia  |      |
|---|---|--|--|--|---|--|---|------|
| any s<br>bandw<br>H.264<br>compr  | stoppage in<br>ridth chock<br>/H.265/H.26<br>ession, Mobil  | recording due  k, Must supp  5+ vid  le/Desktop Softw  | ort CP-Plu<br>deo Dahua<br>are Pram              | a/ No  | 01  | presenting which<br>the other to say                 | We then downent down here the best of the   | 2.   |
| Port a suppo protoc alarms loss/p error/suppo playba  | and sufficien rt all the ols, sufficien s(Motion orivacy disconnect rt motion ack(play/paus                   | t USB Ports, Mestandard network audio in/ordetection/vid masking/storacameras) in/ordetection, Suppose/reverse/fast-Updated firmwa                                     | ust<br>ork<br>out,<br>eo-<br>age<br>out,<br>oort | difference of the control of the con | anels   | o metagicae<br>official<br>institution<br>in a cross | orange in the state of the stat  | .48. |
| OEM of War Suppl Config releva Recore Video   | and supplier. ranties. y, Installati guration of a nt settings der of 08 n access with the                    | s warranty from Minimum 02 Ye  ion , Testing Il the Cameras a in Network Vinos. Channel-ba he following essen s SATA that suppo  | & and deo sed tial                               |  | de de la constant de de la constant | Denoucp, iik Ran Nax, Resch Foule                    | Monoral<br>Marcula<br>Monoral<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Ma<br>Marcula<br>Marcula<br>Marcula<br>Marcula<br>Ma<br>Marcula<br>Marcula<br>Marcula |      |
| suffici<br>and o<br>higher<br>any la<br>Must<br>video<br>Softwa<br>HDMI<br>4. Ports,<br>netwo | utgoing band st 6MP Netwo agging or sto support F compressio are to acc /01 VGA Por Must support rk protocols | m 150Mbps income dwidth to access ork cameras with oppage in recording 1.264/H.265/H.265, Mobile/Desk cess remotely, and sufficient to tall the stands, sufficient and | the out one, 55+ top 01 CP-Plu Dahu ard Pramible | a/ No  | 01  |  | 4   |      |
| detect<br>mask<br>camer<br>detect<br>playb  | ion/video ing/storage ras) in/out ion, ack(play/pau rding. etc),  | Supplese/reverse/fast-Updated firmw  | racy<br>nect<br>tion<br>port<br>are.             |  |   |  | de la contraction de la contra  |      |
| 1 TOT WE  | num 02-Vear   | s warranty from<br>er. Minimum of  | the  | armodite.  | 5 (5) (6)   |  | - 144 N   |      |

| 5.  | Supply, Installation, Testing & Commissioning of the of PoE switches with 8 Gigabit PoE Ports (8*10/100/1000) Gbps + (02 Ethernet Uplink Port), at most 30W output per port, Minimum Transmission Distance up to 100m, IEEE802.3af, IEEE802.3at, minimum total power budget must be 96W, all ports support MDI/MDIX Input: 100-240V AC, 50/60Hz must have Built-in Power Supply. | Cp-<br>Plus/D-<br>Link                  | Nos.       | 05   |  |  |
|-----|--|---|------------|------|--|--|
| 6.  | Supply, Installation, Testing & Commissioning of Fully Loaded 6U Rack with FAN, PDU, Trays, Screws & Side Angles for Mounting of the above quote PoE switches, With Lock & Keys and make all proper connections of these items as per the standards.   | / Com-                                  | Nos .      | 01   |  |  |
| 7.  | Supply, Installation, Testing & Commissioning of 4U Rack with FANS, PDU, Trays, Screws & Side Angles for Mounting of the above quote PoE switches, With Lock & Keys and all proper connection of these items as per the standards.   | Netrack<br>/<br>ComRac<br>k/<br>Legrand | Nos        | 01   |  |  |
| 8.  | Supply, Installation, Testing & Commissioning of Video Surveillance 6TB Hard disk with configuration into the NVR slot properly and make schedules of recording. Minimum 03 Years warranties.  | WD/<br>Segate                           | Nos        | 01   |  |  |
| 9.  | Supply, Installation, Testing & Commissioning of Video Surveillance 2TB Hard disk with configuration into the NVR and make schedules of recording. Minimum 03 Years warranties.  | WD/<br>Segate                           | Nos        | 01   |  |  |
| 10. | Supply, Drawing, testing of 4-Pair CAT-6 UTP Cable as per the latest amendments of TIA/EIA-568 B2-1 Specifications including making connections to information outlets on both ends and with ferruling at both ends for identification of devices with all necessary tools for punching, stripping, crimping and testing etc. to complete the entire work.                       | Dlink/<br>Simons<br>/<br>Beldon         | Meter<br>s | 1220 |  |  |
|     | Total Amount (Excl. Taxes)   |   |            |      |  |  |

Details of Taxes:

Total Amount (Inclusive of Taxes):

| Date:  |    |                         |   |
|--------|----|-------------------------|---|
| Place: |    |                         |   |
|        |    | Signature of Authorised |   |
|        |    | Name of Firm/Agency     | gaso were asom as graen armigu  |
|        |    |                         |   |
|        |    | Phone No.               | IEEEEBO2.3at, rabingum total  |
|        |    | Firm GST No.            | SHOOT HE CAME AS ARREST TOTAL   |
|        |    | Bank Account No.        | 50/60Hs most have Buttein   |
|        |    | IFSC Code               | AGMINING TO   |
|        |    | Seal                    |   |
|        | 10 |                         | Commissioning of Fully Loaded S  Commissioning of Fully Loaded S  with FAM, PDU, Trays, Screws  Adgles for Mounting of the above  Foll switches, With Lock & Ke  make all proper connections of |