

Invitation of quotation for
Miscellaneous road safety work at Residential
Campus, AIIMS Jodhpur.(2nd Call)

| | |
|-------------------------|--------------------------------------|
| Inquiry No. | AIIMS Jodh./E.E.(C)./Q.N./2024-25/03 |
| Inquiry Issue Date | 20 Sep 2024 |
| Last Date of Submission | 27 Sep 2024 at 03:00 PM |



All India Institute of Medical Sciences, Jodhpur
Basni Phase - II, Jodhpur – 342005, Rajasthan
Telefax: 0291- 2012978
www.aiimsjodhpur.edu.in



ALL INDIA INSTITUTE OF MEDICAL SCIENCES, JODHPUR
अखिल भारतीय आयुर्विज्ञान संस्थान, जोधपुर

Quot. No. AIIMS/Jodh. /E.E.(C)/Q.N./2024-25/03

Dated: 20 Sep 2024

QUOTATION NOTICE

Sealed Quotations are invited from the vendors/supplier/contractor empanelled with CPWD, Railway, MES, Equivalent Central or State Government Organization by the undersigned on behalf of the Director, AIIMS Jodhpur for **“Miscellaneous road safety work at Residential Campus, AIIMS Jodhpur.”** Description of items and bill of quantities is given overleaf. Quotation should reach this office on or before 27 September 2024 up to 3:00 PM and the quotation will be opened on the same day at 3:30 PM in the presence of quotationers or their representative who want to be present.

General Terms and Conditions:

1. The quotations received after 27 September and unsealed shall not be entertained under any circumstances whatsoever. In case of postal delay this Institute will not be responsible. The offer Submitted Fax/Email shall not be considered and no correspondence will be entertained in this matter.
2. Quotations must be in the enclosed prescribed Performa on the letter head of the firm duly signed by the Proprietor/Partner/Director or their Authorized Representative, in case of signing of quotation by the authorized representative letter of authorization must be attached with the quotation. Quotation must be dropped in “Quotation Box” located in Administration Block of AIIMS, Jodhpur.
3. Rates must be quoted in “Indian Rupees” and as per the format specified inclusive of taxes. (including Freight charges, Insurance, installation etc.)
4. Rates must be quoted FOR basis
5. No overwriting or cutting is permitted in the rate. If found, the quotation shall be summarily rejected.
6. The rates quoted must be valid for 90 days minimum from the date of opening of the quotation.
7. Becoming L1 will not be the criteria for awarding of work unless the rates are reasonable & justified.
8. RTGS/NEFT details need to be furnished by the supplier with the quotation on the letterhead of supplier/firm/agency.
9. The firm/agency may satisfy the following conditions and attach self-attested copy of the same with the quotation:
 - The firm shall have valid GSTIN and IT PAN.
 - The firm should not be black listed by any Govt. Agency/Dept.
10. Quotations qualified by such vague and indefinite expressions such as “subject to prior confirmation”, “subject to immediate acceptance” etc. will be treated as vague offers and rejected accordingly. Any conditional quotation shall be rejected summarily.
11. The time allowed for carrying out the above work is 60 days from the date of issue of work order.
12. If the supplier/vendor/contractor fails to carry out the above work on or before the stipulated date, then a penalty at the rate of 0.5 % per week of the total order value shall be levied subject to maximum of 10% of the total order value.
13. Payment Terms: Payment will be only after satisfactory completion of work and after inspection by the Engineer-In-charge.
14. Disputes: In the event of any dispute or disagreement arising between the contractors and any other department of AIIMS Jodhpur with regards to the interpretation of “Terms & Conditions” of this inquiry, the same shall be referred to the Director, AIIMS Jodhpur whose decision will be final and binding upon the contractor.

15. AIIMS, Jodhpur reserves the right to increase or decrease quantity and /or amount of work. Decision of Quantity of work in the AIIMS, Jodhpur will be final in this regard.
16. AIIMS, Jodhpur reserves the right to reject any quotation or part or the whole of inviting quotation process without assigning any reason. Decision of the AIIMS, Jodhpur will be final in this regard.

Special Terms & Conditions:

1. Bidder must quote rate in Price Bid Form provided in Annexure-1 on the letterhead of the firm.
2. Bidder must get sample approved from Engineer in charge before installation at site.
3. Bidders has to clean the site after the completion of work.
4. L1 will be decided on composite basis.

(Executive Engineer)

[On the letterhead of firm]

ANNEXURE "A"

Price Bid Form

To,

Executive Engineer (Civil),

AIIMS, Jodhpur.

Dear Sir,

- I/We _____ Submitted the quotation for **Quotation No. AIIMS Jodh./E.E.(C)/Q.N./ 2024-25/03, Dated: 20-09-2024** at AIIMS Jodhpur".
- I/We thoroughly examined, understood and accepted terms & conditions given in the enquiry document, failing which my quotation will be rejected out rightly.
- I/We hereby offer to providing and fixing at the following rates.

| Sl. No. | Description of work | Quantity | Units | Rate | Amount |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|------|--------|
| 1 | Providing and fixing speed breaker of ABS & co-polymer material in colour of yellow and black/ UV finished having size of 250 X 750 X 75 mm dimension with locking, nut, glue and all necessary items required for fitting arrangement and plastic acrylic reflector. (250 mm along the road width, 750mm along the road length and 75mm height. Complete in all respect and as per direction of Engineer-in-charge. | 65 | meter | | |
| 2 | Road Safety Convex Mirrors - Providing and fixing of imported outdoor Polycarbonate Convex Mirror with 130 Degree + actual viewing angle, equipped with adjusting swivel, mounting bracket for infinite adjustment and by providing and fixing a vertical mounted post of having MS circular hollow section of Dia 50mm including making holes, locking and nut arrangement in pipes steel work to be painted with two or more coats of synthetic enamel paint of required shade and of approved brand & manufacture over priming coat and fixing vertical post to ground with M15 Grade of concrete including all leads and lifts etc. complete as per specification having Diameter upto 100cm outdoor and as per direction of Engineer-in-charge. | 5 | each | | |
| 3 | Providing and fixing Glow studs of size 100x20 mm made of heavy-duty body shall be moulded ASA (Acrylic styrene Acryloretrite) or HIP (High impact polystyrene) or ABS having electronically welded micro- prismatic lens with abrasion | 238 | each | | |

| | | | | | |
|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|------|--|--|
| | resistant coating as approved by Engineer in charge. The glow stud shall support a load of 13635 kg tested in accordance with ASTM D4280. The slope of retro- reflective surface shall be 35 (+/- 5) digress to base. The reflective panels on both sides with at least 12 cm of reflective area up each side. The luminance intensity should be as per the specification and shall be tested as described in ASTM I: 809 as recommended in BS: 873 part 4: 1973. The studs shall be fixed to the Road surface using the adhesive conforming to IS, as per procedure recommended by the manufacturer complete and as per direction of Engineer-in-charge. | | | | |
| 4 | Providing and fixing high intensity Aluminium Solar Road Stud with 6 led light (3 each side) and having dimension (135*105*26) mm. The solar stud shall support a load of 13635 kg tested in accordance with ASTM D4280+B2 The studs shall be fixed to the Road surface using the adhesive conforming to IS, as per procedure recommended by the manufacturer complete and as per direction of Engineer-in-charge. | 16 | each | | |
| 5 | Manufacturing, supplying and fixing retro reflective sign boards made up of 2 mm thick aluminium sheet, face to be fully covered with high intensity encapsulated type heat activated retro reflective sheeting conforming to type - IV of ASTM-D 4956-01 in blue and silver white or other colour combination including subject matter, message, symbols and borders etc. as per IRC ; 67:2001, pasted on substrate by an adhesive backing which shall be activated by applying heat and pressure conforming to class -2 of ASTM-D-4956-01 and fixing the same with suitable sized aluminium alloy rivets @ 20 cm c/c to back support frame of M.S. angle iron of size 25 X 25 X 3 mm along with theft resistant measures, mounted and fixed with 2 Nos. M.S. angles of size 35x35x5 mm to a vertical post made up of M.S. circular hollow section of specified Dia and height welded with base plate of size 100x100x5 mm at the bottom end and including fixing of vertical post to ground with base of cement concrete as required with making holes in pipes, angles flats, providing & fixing M.S. message plate of required size, steel work to be painted with two or more coats of synthetic enamel paint of required shade and of approved brand & manufacture over priming coat of zinc chromate yellow primer (vertical MS-circular hollow and Tee support to be painted in black and white colours).Backside of aluminium sheet to be painted with two or more coats of epoxy paint over and including appropriate priming coat including all leads and lifts etc. complete in all respect and as per direction of Engineer-in-charge. Mandatory / Regulatory sign boards of circular and rectangular shape with support length. Complete in all respect and as per direction of Engineer-in-charge | 2 | each | | |

| |
|------------------------------------------------|
| Total Amount inclusive of GST (in figure)..... |
| Total Amount inclusive of GST (in words) |
| |

L-1 will be decided on composite basis. Becoming L1 will not be the criteria for awarding of work unless the rate are reasonable & justified.

Date _____

Place _____

Signature of Authorised Person: _____

Name of the Firm/Agency: _____

Phone No: _____

Firm's GSTIN: _____

Firm's PAN No: _____

Bank Account No: _____

Bank Name: _____

Branch: _____ IFSC Code _____