Invitation of Quotation for

Providing and Fixing Door shutter and Aluminium partition work in Room No: 117 (1st floor A Block) & 445 (4th floor C Block) at patient registration area of OPD Building at AIIMS Jodhpur.

Inquiry No.
Inquiry Issue Date
Last Date of Submission

AIIMS Jodh./Engg./Q.N./2024-25/04 10.01.2025 16.01.2025 at 03:00 PM



All India Institute of Medical Sciences, Jodhpur

Basni Phase - II, Jodhpur – 342005, Rajasthan Telefax: 0291- 2012978 www.aiimsjodhpur.edu.in



ALL INDIA INSTITUTE OF MEDICAL SCIENCES, JODHPUR अखिल भारतीय आयुर्विज्ञान संस्थान, जोधपुर

Quo. No. AIIMS Jodh./Engg./Q.N./2024-25/04

QUOTATION NOTICE

Sealed Quotations are invited from the authorised vendors/supplier/contractor/agency by the undersigned on behalf of the Director, AIIMS Jodhpur for "Providing and Fixing Door shutter and Aluminium partition work in Room No: 117 (1st floor A Block) & 445 (4th floor C Block) at patient registration area of OPD Building at AIIMS Jodhpur." Description of items and bill of quantities is given overleaf. Quotation should reach this office on or before 16.01.2025 up to 3:00 PM and the quotation will be opened on the same day at 3:30 PM in the presence of quotationers or their representative who want to be present.

General Terms and Conditions:

- 1. The quotations received after <u>16.01.2025</u> and unsealed shall not be entertained under any circumstances whatsoever. In case of postal delay, this Institute will not be responsible. The offer Submitted Fax/Email shall not be considered and no correspondence will be entertained in this matter.
- 2. Quotations must be in the enclosed prescribed Performa on the letterhead of the firm duly signed by the Proprietor/Partner/Director or their Authorized Representative, in case of signing of quotation by the authorized representative letter of authorization must be attached with the quotation. Quotation must be dropped in "Quotation Box" located in Administration Block of AIIMS, Jodhpur.
- 3. Rates must be quoted in "Indian Rupees" and as per the format, specified taxes extra if any must be written separately.
- 4. Rates must be quoted FOR basis (including Freight charges, Insurance, installation etc.)
- 5. No overwriting or cutting is permitted in the rate. If found, the quotation shall be summarily rejected.
- 6. The rates quoted must be valid for 90 days minimum from the date of opening of the quotation.
- 7. Becoming L-1 will not be the criteria for awarding of work unless the rates are reasonable & justified and the same will be decided on composite basis.
- 8. RTGS/NEFT details need to be furnished by the supplier with the quotation on the letterhead of supplier/firm/agency.
 - The firm/agency may should have valid GSTIN and IT PAN.
- 9. Quotations qualified by such vague and indefinite expressions such as "subject to prior confirmation", "subject to immediate acceptance" etc. will be treated as vague offers and rejected accordingly. Any conditional quotation shall be rejected summarily.
- 10. The quotation will not be considered in case of incomplete information.
- 11. The time allowed for carrying out the above work is **30 days** from date of issue of work order.
- 12. If the supplier/vendor/contractor fails to carrying out the above work on or before the stipulated date, then a penalty at the rate of 0.5 % per week of the total order value shall be levied subject to maximum of 10% of the total order value.
- 13. Payment Terms: Payment will be only after satisfactory completion of work and after inspection by the AIIMS Jodhpur.
- 14. Disputes: In the event of any dispute or disagreement arising between the contractors and any other department of AIIMS Jodhpur with regards to the interpretation of "Terms & Conditions" of this inquiry, the same shall be referred to the Director, AIIMS Jodhpur whose decision will be final and binding upon the contractor.
- 15. AIIMS, Jodhpur reserves the right to increase or decrease quantity and /or amount of work. Decision of Quantity of work in the AIIMS, Jodhpur will be final in this regard.
- 16. AIIMS, Jodhpur reserves the right to reject any quotation or part or the whole of inviting quotation process without assigning any reason. Decision of the AIIMS, Jodhpur will be final in this regard.

Special Terms & Conditions:

1. Bidder must quote rate in Price Bid Form provided in Annexure-A on the letterhead of the firm.

(Executive Engineer, Civil)

Dated: 10.01.2025

[On the letterhead of firm] ANNEXURE "A" Price Bid Form

To,
Executive Engineer,
AIIMS, Jodhpur.

D	ear	Sir

- I/We ______Submitted the quotation for **Quotation No. AIIMS Jodh./Engg./Q.N./ 2024-25/04, Dated: 10.01.2025** at AIIMS Jodhpur".
- I/We thoroughly examined, understood and accepted terms & conditions given in the enquiry document, failing which my quotation will be rejected out rightly.
- I/We hereby offer to supply at the following rates.

S.No	Description of work	Unit	Total Qty.	Rate	Amount
1	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / pC.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-incharge. (Glazing, paneling and dash fasteners to be paid for separately): For fixed portion: Powder coated aluminium (minimum thickness of powder coating 50 micron)	kg	200.00	530.90	1,06,180.00
2	For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately): Powder coated aluminium (minimum thickness of powder coating 50 micron)	kg	40.00	634.45	25,378.00
3	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade l Type ll, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineering-charge. Pre-laminated particle board with decorative lamination on both sides	Sqm	10.00	1,115.40	11,154.00
4	Providing and fixing anodised aluminium grill (anodised transparent or dyed to required shade according to IS: 1868 with minimum anodic coating of grade AC 15) of approved design/pattern, with approved standard section and fixed to the existing window frame with C.P. brass/ stainless steel screws @ 200 mm centre to centre, including cutting the grill to proper opening size for fixing and operation of handles and fixing approved anodised aluminium standard section around the opening, all complete as per requirement and direction of Engineer-in-charge. (Only weight of grill to be measured for payment).	Kg	10.00	638.35	6,383.50

Second Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 5 mm thickness (weight not less than 12.50 kg/ sqm)						
Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than gradeAC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete: 125 mm Providing and fixing bright finished 100 mm mortice lock with 6 levers without pair of handles of approved quality for aluminium door, with necessary screws etc complete as per direction of Engineer-in-charge Each E	5	ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 5 mm thickness (weight not less than	Sqm	8.00	1,505.25	12,042.00
with 6 levers without pair of handles of approved quality for aluminium door, with necessary screws etc complete as per direction of Engineer- in-charge 8 Extra for providing frosted glass panes instead of ordinary float glass panes in doors, windows and clerestory window shutters. (Area of opening for glass panes excluding portion inside rebate shall be measured). 9 Filling the gap in between aluminium/ stone/ wood frame and adjacent RCC/Brick/ Stone/ wood/ Ceramic/ Gypsum work by providing weather/structural non-sag elastomeric PU sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge complete. Up to 10 mm depth and 10 mm width 10 Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete: 200x10 mm 11 Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete: 200x10 mm 12 Providing and fixing aluminium extruded section body tubular type universal hydraulic door closer (having brand logo with ISI, IS: 3564, embossed on the body, door weight upto 36 kg to 80 kg and door width from 701 mm to 1000 mm), with double speed adjustment with necessary accessories and screws etc. complete. 13 Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS: 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete: 300x16 mm	6	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than gradeAC 10 as per IS : 1868) transparent or dyed to required colour or shade,	Each	4.00	66.25	265.00
float glass panes in doors, windows and clerestory window shutters. (Area of opening for glass panes excluding portion inside rebate shall be measured). 9 Filling the gap in between aluminium/ stone/ wood frame and adjacent RCC/Brick/ Stone/ wood/ Ceramic/ Gypsum work by providing weather/structural non-sag elastomeric PU sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge complete. Up to 10 mm depth and 10 mm width 10 Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete. Twin rubber stopper 11 Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete: 200x10 mm 12 Providing and fixing aluminium extruded section body tubular type universal hydraulic door closer (having brand logo with ISI, IS: 3564, embossed on the body, door weight upto 36 kg to 80 kg and door width from 701 mm to 1000 mm), with double speed adjustment with necessary accessories and screws etc. complete. 13 Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS: 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete: 300x16 mm	7	with 6 levers without pair of handles of approved quality for aluminium door, with necessary screws etc complete as per	Each	2.00	528.85	1,057.70
and adjacent RCC/Brick/ Stone/ wood/ Ceramic/ Gypsum work by providing weather/structural non-sag elastomeric PU sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge complete. Up to 10 mm depth and 10 mm width 10 Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete. Twin rubber stopper 11 Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete: 200x10 mm 12 Providing and fixing aluminium extruded section body tubular type universal hydraulic door closer (having brand logo with ISI, IS: 3564, embossed on the body, door weight upto 36 kg to 80 kg and door width from 701 mm to 1000 mm), with double speed adjustment with necessary accessories and screws etc. complete. 13 Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS: 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete: 300x16 mm	8	Extra for providing frosted glass panes instead of ordinary float glass panes in doors, windows and clerestory window shutters. (Area of opening for glass panes excluding portion	Sqm	15.00	176.40	2,646.00
ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete. Twin rubber stopper 11 Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete: 200x10 mm 12 Providing and fixing aluminium extruded section body tubular type universal hydraulic door closer (having brand logo with ISI, IS: 3564, embossed on the body, door weight upto 36 kg to 80 kg and door width from 701 mm to 1000 mm), with double speed adjustment with necessary accessories and screws etc. complete. 13 Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS: 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete: 300x16 mm Each 2.00 99.70 199.40 2.00 99.70 199.40 Each 2.00 99.70 606.30	9	and adjacent RCC/Brick/ Stone/ wood/ Ceramic/ Gypsum work by providing weather/structural non-sag elastomeric PU sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge	Meter	20.00	200.95	4,019.00
11 Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete: 200x10 mm 12 Providing and fixing aluminium extruded section body tubular type universal hydraulic door closer (having brand logo with ISI, IS: 3564, embossed on the body, door weight upto 36 kg to 80 kg and door width from 701 mm to 1000 mm), with double speed adjustment with necessary accessories and screws etc. complete. 13 Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS: 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete: 300x16 mm	10	ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete. Twin	Each	2.00	72.35	144.70
tubular type universal hydraulic door closer (having brand logo with ISI, IS: 3564, embossed on the body, door weight upto 36 kg to 80 kg and door width from 701 mm to 1000 mm), with double speed adjustment with necessary accessories and screws etc. complete. 13 Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS: 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete: 300x16 mm	11	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with	Each	2.00	99.70	199.40
marked anodised (anodic coating not less than grade AC 10 as per IS: 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete: 300x16 mm	12	tubular type universal hydraulic door closer (having brand logo with ISI, IS: 3564, embossed on the body, door weight upto 36 kg to 80 kg and door width from 701 mm to 1000 mm), with double speed adjustment with necessary	Each	2.00	983.15	1,966.30
Total Amount 1,72,042.10	13	marked anodised (anodic coating not less than grade AC 10 as per IS: 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete: 300x16 mm		2.00	303.25	606.50
		Total A	mount			1,72,042.10

Percentage Above/Below over the Total Estimate Amount inclusive of GST (in figure)

L-1 will be decided on composite basis. Becoming L1 will not be the criteria for awarding of	work unless the
rate are reasonable & justified.	

Date _	
Place _	

		Signature of Au	ıthorised Person:
		Name of the Fi	rm/Agency:
Firm's GSTIN:			
Firm's PAN No:			
Bank Account No:			
Bank Name:			
Branch:	_IFSC Code		