



अखिल भारतीय आयुर्विज्ञान संसथान, जोधपुर
All India Institute of Medical Sciences, Jodhpur
बायो मेडिकल वेस्ट मैनेजमेंट, एम्स, जोधपुर
Bio Medical Waste Management at AIIMS, Jodhpur

Ref. no. एम्स/बी० एम्० डब्लू०/२०२४/१७०

दिनांक: 12-12-2024

To,

The Environment Engineer & GIC (BMW)
Headquarter, 4, Institutional Area
Jhalana Dooongri, Jaipur- 202004.

Sub: Submission of Monthly report of Bio Medical Waste Management, reg.

Sir/Madam,

Kindly find herewith attached the monthly report for the month of Nov. 2024 on bio medical waste management in the prescribed proforma for AIIMS, Jodhpur.

This is for your needful please.

Thanking you,

Dr Vibhor Tak
Chairperson,
Bio Medical Waste Management Committee,
AIIMS, Jodhpur.

Chairperson
बायो मेडिकल वेस्ट मैनेजमेंट समिति
Bio Medical Waste Management Committee
एम्स जोधपुर
AIIMS, JODHPUR

Copy to:

1. Rajasthan State Pollution Control Board, Regional Office, Jodhpur (Raj)

Form- IV
(See rule 13)
MONTHLY REPORT

[To be submitted to the prescribed authority on every month for the period from of the year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1.	Particulars of the Occupier	:	All India Institute of Medical Sciences, Jodhpur
	(i) Name of the authorised person (occupier or operator of facility)	:	Dr. Goverdhan Dutt Puri, Executive Director, AIIMS Jodhpur-342005
	(ii) Name of HCF or CBMWTF	:	All India Institute of Medical Sciences, Jodhpur
	(iii) Address for Correspondence	:	AIIMS, Basni Industrial Area, Phase-2, Jodhpur
	(iv) Address of Facility	:	AIIMS, Basni Industrial Area, Phase-2, Jodhpur
	(v) Tel.No., Fax. No	:	0291-2012978
	(vi) E-mail Id	:	director@aiimsjodhpur.edu.in
	(vii) URL of Website	:	https://www.aiimsjodhpur.edu.in
	(viii) GPS coordinates of HCF or CBMWTF	:	26.2405 ⁰ N, 73.0050 E
	(ix) Ownership of HCF or CBMWTF	:	Central Government
	(x) Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorization to operate BMW facility No.: F(BMW)/Jodhpur (Jodhpur)/6635 (01)/2022-2023/6458-6460 30-08-2022 Valid up to 31-07-2027
	(xi) Status of Consents under Water Act and Air Act	:	Valid up to: Consent of establishment obtained for RSPCB vide no. 2011-12/SEMC/754 dated 21.04.2011
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: 960
	(ii) Non-bedded hospital	:	NA
	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its data of expiry	:	NA
3.	Details of CBMWTF	:	NA
	(i) Number healthcare facilities covered by CBMWTF	:	NA
	(ii) No. of beds covered by CBMWTF	:	960
	(iii) Installed treatment and disposal capacity of CBMWTF	:	NA

R/N


	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	NA																																																																
4.	Quantity of waste generated or disposed in Kg per month	:	Yellow Category: 10339.4 kg																																																																
			Red Category: 10581.7 kg																																																																
			White: 382.88 kg																																																																
			Blue Category: 1202.35 k																																																																
			General Solid waste: 88600 kg																																																																
5.	Details of the Storage, treatment, transportation, processing and Disposal Facility																																																																		
	(i) Details of the on-site storage facility	:	Size:10,000 Sq. Feet																																																																
			Capacity:																																																																
			Provision of on-site storage : (cold storage or any other provision)																																																																
	(ii) Details of the treatment or disposal facilities	:	<table border="0"> <thead> <tr> <th>Type of treatment equipment</th> <th>No of units</th> <th>Capacity Kg/annum</th> <th>Quantity treated or disposed</th> </tr> </thead> <tbody> <tr> <td>day in kg per</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Incinerators</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>Plasma Pyrolysis</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>Autoclaves</td> <td>2</td> <td></td> <td></td> </tr> <tr> <td>Microwave</td> <td>2</td> <td></td> <td></td> </tr> <tr> <td>Hydroclave</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>Shredder</td> <td>1</td> <td></td> <td></td> </tr> <tr> <td>Needle tip cutter or Destroyer</td> <td>- 08</td> <td></td> <td></td> </tr> <tr> <td>Sharps Container</td> <td>- 313</td> <td></td> <td></td> </tr> <tr> <td>Encapsulation</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>Concrete pits</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>Deep burial pits</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>Chemical</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>Disinfection</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td colspan="3">Any other treatment equipment:</td> <td></td> </tr> </tbody> </table>	Type of treatment equipment	No of units	Capacity Kg/annum	Quantity treated or disposed	day in kg per				Incinerators	0			Plasma Pyrolysis	0			Autoclaves	2			Microwave	2			Hydroclave	0			Shredder	1			Needle tip cutter or Destroyer	- 08			Sharps Container	- 313			Encapsulation	0			Concrete pits	0			Deep burial pits	0			Chemical	0			Disinfection	0			Any other treatment equipment:			
		Type of treatment equipment	No of units	Capacity Kg/annum	Quantity treated or disposed																																																														
	day in kg per																																																																		
Incinerators	0																																																																		
Plasma Pyrolysis	0																																																																		
Autoclaves	2																																																																		
Microwave	2																																																																		
Hydroclave	0																																																																		
Shredder	1																																																																		
Needle tip cutter or Destroyer	- 08																																																																		
Sharps Container	- 313																																																																		
Encapsulation	0																																																																		
Concrete pits	0																																																																		
Deep burial pits	0																																																																		
Chemical	0																																																																		
Disinfection	0																																																																		
Any other treatment equipment:																																																																			
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.): NA																																																																
	(iv) No of vehicles used for collection and transportation or biomedical waste	:	E-Rickshaw-2 Cycle Rikshaw-0 BMW collection Trolley-4																																																																
	(v) Details of incineration ash and ETP sludge generated and disposed	:	<table border="0"> <thead> <tr> <th>Quantity Generated</th> <th>Where disposed</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> </tr> </tbody> </table>	Quantity Generated	Where disposed																																																														
Quantity Generated	Where disposed																																																																		

212

	annum	Ash } NA ETP Sludge:125-130 kg ETP water treated: 8631.956 cubic metre/month
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	: Sales Promoters, CBWTF Plant, ADB Waste Site, Barli Post Office, Jaisalmer Road, Jodhpur, Raj.- 342001.
	(vii) List of member HCF not handed over bio-medical waste	: NA
6	Do you have bio-medical waste management committee? IF yes, attach minutes of the meetings held during the reporting period	: Yes
7.	Details trainings conducted on BMW	YES
	(i) Number of trainings conducted on BMW Management:	09
	(ii) number of personnel trained	239
	(iii) number of personnel trained at the time of induction	-
	(iv) number of personnel not undergone any training so far.	-
	(v) whether standard manual for training is available?	Yes
	(vi) any other information	
8	Details of the accident occurred during the year	NSI
	(i) Number of Accidents occurred	8
	(ii) Number of the persons affected	
	(iii) Remedial Action taken (Please attach details if any)	Attached
	(iv) Any Fatality occurred, details.	NIL
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	Yes None
	Details of Continuous online emission monitoring systems installed	NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	ETP & STP None
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	Yes None
12	Any other relevant Information	: (Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from 1st Nov 2024 to 30th Nov 2024

Date- 05-12-2024


Name and Signature of the Chairperson

Biomedical Waste Management Committee

Chairperson

बायो मेडिकल वॉस्ट मैनेजमेंट समिति

Bio Medical Waste Management Committee

एम्स जोधपुर

AIIMS, JODHPUR

