



अखिल भारतीय आयुर्विज्ञान संस्थान, जोधपुर  
ALL INDIA INSTITUTE OF MEDICAL SCIENCES, JODHPUR

Dated: 11<sup>th</sup> November, 2024

**CORRIGENDUM**

For

**UROLOGY CONSUMABLES (STOMA BAGS AND WOUND MANAGERS)**

at

**All India Institute of Medical Sciences (AIIMS), Jodhpur**

NIT No.	: PROC-2/RC/09/2024-AIIMS.JDH
NIT Issue Date	: 11 <sup>th</sup> October, 2024
Last Date of Submission	: 12 <sup>th</sup> November, 2024 at 1500HRS
Extended Last Date of Submission :	: 04 <sup>th</sup> December, 2024 upto 1500HRS
Date of Bid Opening	: 05 <sup>th</sup> December, 2024

Please refer tender document:

<u>Sr.</u>	<u>For</u>	<u>Read as</u>
01.	<p><b>GENERAL TERMS AND CONDITIONS:</b></p> <p><b>Point No. 7 – Technical Bid (c):-</b> Manufacturer's Authorization Certificate [ANNEXURE-II], if the bidder is quoting on behalf of the Foreign Company.</p> <p><b>Technical Bid (u):-</b> Copy of Income Tax Return Acknowledgement for Last Three Assessment Years (A.Y. 2021-22, 2022-23 &amp; 2023-24).</p> <p><b>Technical Bid (v):-</b> Copy of Average Annual Turnover Certificate / Statement duly verified and audited by Chartered Accountant (for the F.Y. 2020-21, 2021-22 &amp; 2022-23) must be attached in the Technical Bid Document. The Average Annual Turnover of the bidder from similar jobs should be at least ₹ 2.00 Cr. (Rupees Two Crore only) in the Last Three Financial Years (F.Y. 2020-21, 2021-22 &amp; 2022-23) from the Indian Business.</p>	<p><b>GENERAL TERMS AND CONDITIONS: Point No. 7 – Technical Bid (C):-</b> Manufacturer's Authorization Certificate [ANNEXURE-II], if the bidder is quoting on behalf of the OEM.</p> <p><b>Technical Bid (u):-</b> Copy of Income Tax Return Acknowledgement for Last four <b>Assessment Years (2021-22, 2022-23, 2023-24 &amp; 2024-25).</b></p> <p><b>Technical Bid (v):-</b> <b>(i)</b> The Average Annual Turnover of the bidder from similar jobs should be at least ₹ <b>1.50 Cr. (Rupees One Crore Fifty Lakh only) in three consecutive Financial Years out of 2020-21, 2021-22, 2022-23 &amp; 2023-24)</b> from the Indian Business. <b>(ii)</b> Copy of Average Annual Turnover Certificate / Statement duly verified and audited by Chartered Accountant for the same as above Financial Years must be attached in the Technical Bid Document.</p>

**Technical Bid (w):-** Copy of Profit & Loss A/c and Balance Sheet (in chronological order for F.Y. 2020-21, 2021-22 & 2022-23) also be submitted.

**Technical Bid (x):-** If the Local Authorized Distributor of any Company is participating in this Tender, additionally, he will be required to submit the following documents from the Principal Manufacturer / Indian subsidiary / Indian Agent / Importer:

- Non-Blacklisting Certificate [ANNEXURE-IV] on ₹ 100/- Non-Judicial Stamp Paper.
- Land Border Declaration [ANNEXURE-VII] on ₹ 100/- Non-Judicial Stamp Paper.
- Income Tax Return Acknowledgement for Last Three Assessment Years (A.Y. 2021-22, 2022-23 & 2023-24).

**GENERAL TERMS AND CONDITIONS:**

**Point No. 34 PACKING: (d)-** Each unit / items must be clearly stamped- **“Only Govt. supply - Not for sale”**.

**Point No. 36 LIQUIDATED DAMAGES:**

Supply of material will have to be completed within the delivery period or period mentioned in the purchased order. The liquidated damages charges @ 0.5% per week shall be imposed if supply made after expiry of delivery period subject to maximum 10% of the total value of relevant goods. Quantum of liquidated damages assessed and levied by the purchaser shall be final and not challengeable by the supplier.

**Point No. 38 REPLACEMENT OF EXPIRED ITEM:**

**(a)** Expired items will be exchanged within Two Days by the supplier with fresh lot as informed by the Department / Central Store. No communication in this regard will be entertained regarding timely information / prior to expiry of items.

**Technical Bid (w):-** Copy of Profit & Loss A/c and Balance Sheet (in chronological order for F.Y. 2020-21, 2021-22, 2022-23 & **2023-24**) also be submitted.

**Technical Bid (x):-** If the Local Authorized Distributor of any Company is participating in this Tender, additionally, he will be required to submit the following documents from the Principal Manufacturer / Indian subsidiary / Indian Agent / Importer:

- Non-Blacklisting Certificate [ANNEXURE-IV] on ₹ 100/- Non-Judicial Stamp Paper.
- Land Border Declaration [ANNEXURE-VII] on ₹ 100/- Non-Judicial Stamp Paper.
- Income Tax Return Acknowledgement for Last four **Assessment Years (A.Y. 2021-22, 2022-23, 2023-24 & 2024-25)**.

**GENERAL TERMS AND CONDITIONS:**

**Point No. 34 PACKING: (d)-** Each unit / items must be clearly stamped- **“AIIMS Jodhpur supply Only”**.

**Point No. 36, LIQUIDATED DAMAGES:**

(i) Supply of material will have to be completed within the delivery period or period mentioned in the purchased order. The liquidated damages charges @ 0.5% per week shall be imposed if supply made after expiry of delivery period subject to maximum 10% of the total value of relevant goods. Quantum of liquidated damages assessed and levied by the purchaser shall be final and not challengeable by the supplier.

**(ii) Non supply of items shall attract a penalty of 10% of the value of non-supplied goods/material.**

**(iii) The penalty can be waived off by the competent authority in emergent/ extraordinary situation.**

**Point No. 38 REPLACEMENT OF EXPIRED/NEAR EXPIRY ITEM:**

**(a)** Expired/ **Near Expiry** items will be exchanged within **Two weeks** by the supplier with fresh lot as informed by the Department / Central Store. No communication in this regard will be entertained regarding timely information / prior to expiry of items.

## ANNEXURE-XIII- LIST OF ITEMS

**Please Refer BoQ/Technical Bid:-**

Following items have been **Cancelled/Deleted** from this rate contract as well as from BoQ:

S.No.	Tender Ref. No.	Name of Item	Specification
1	217	OTIS Knife	Otis Urethrotome Cold Knife Compatible With Karl Storz Otis Urethrot
2	261	Ho Laser Fibre	Size 550 Microne, Compatible To Quanta 100 W Holmium Laser Machine
3	262	Ho Laser Fibre	Size 365 Microne, Compatible To Quanta 100 W Holmium Laser Machine
4	263	Ho Laser Fibre	Size 272 Microne, Compatible To Quanta 100 W Holmium Laser Machine
5	339	Blast Shield	Optical Blast Shield OAM001523.00 for Quanta Laser System
6	290	Skin Barrier sheet	Skin Barrier for healthy peristomal skin or risk of skin damage due to body secretions or skin damage already developed; consists of Pectin, gelatin, and hydrocolloid etc.15-20 cm in size

**Note:** Above mentioned modifications will not be reflected in the original BoQ, hence, bidders are advised not to quote the above (Six) items.

**Following items Specifications are amended as mention below:**

<u>S. No.</u>	<u>Item Code</u>	<u>Name of Items</u>	<u>Specification For</u>	<u>Specification Read As</u>
01	41	Silicone Male External Catheter	Silicon Male External Catheter With Self Adhesive Transparent Sheaths., Adhesive Should Not Slip Back. Size Of 36-38 Mm( Large)	Silicon Male External Catheter With Self Adhesive Transparent Sheaths., Adhesive Should Not Slip Back. <b>Size Of 32-36 mm( Large)</b>
02	107	Percutaneous Nephrostomy	Puncture cannula ,ultrasound marking ,hydrogel coated pigtails catheter polyurethane, radiopaque , central opening , notches shaft, catheter extender , plastic stylet, luer lock connector ,guide wire , introducer,urine collection bag adapter- Size-8Fr & 30Cm DEHP & BPA free, Situ-12 months.	Puncture cannula ,ultrasound marking ,hydrogel coated pigtails catheter polyurethane, radiopaque , central opening , notches shaft, catheter extender , plastic stylet, luer lock connector ,guide wire , introducer, urine collection bag adapter- Size-8Fr & 30Cm DEHP & BPA free. <b>CE/ISO/USFDA/DCGI approved company and it should register manufacturer at central Drugs Standard Control Organisation(CDSO)</b>

03	108	Percutaneous Nephrostomy	Puncture cannula ,ultrasound marking ,hydrogel coated pigtailed catheter polyurethane, radiopaque , central opening , notches shaft, catheter extender , plastic stylet, luer lock connector ,guide wire , introducer,urine collection bag adapter- Size-10Fr & 30Cm DEHP & BPA free, Situ-12 months.	Puncture cannula ,ultrasound marking ,hydrogel coated pigtailed catheter polyurethane, radiopaque , central opening , notches shaft, catheter extender , plastic stylet, luer lock connector ,guide wire , introducer, urine collection bag adapter- Size-10Fr & 30Cm DEHP & BPA free. <b>CE/ISO/USFDA/DCGI approved company and it should register manufacturer at central Drugs Standard Control Organisation(CDSCO)</b>
04	109	Percutaneous Nephrostomy	Puncture cannula ,ultrasound marking ,hydrogel coated pigtailed catheter polyurethane, radiopaque , central opening , notches shaft, catheter extender , plastic stylet, luer lock connector ,guide wire , introducer,urine collection bag adapter- Size-12Fr & 30Cm DEHP & BPA free, Situ-12 months.	Puncture cannula ,ultrasound marking ,hydrogel coated pigtailed catheter polyurethane, radiopaque , central opening , notches shaft, catheter extender , plastic stylet, luer lock connector ,guide wire , introducer, urine collection bag adapter- Size-12Fr & 30Cm DEHP & BPA free. <b>CE/ISO/USFDA/DCGI approved company and it should register manufacturer at central Drugs Standard Control Organisation(CDSCO)</b>
05	110	Percutaneous Nephrostomy	Puncture cannula ,ultrasound marking ,hydrogel coated pigtailed catheter polyurethane, radiopaque , central opening , notches shaft, catheter extender , plastic stylet, luer lock connector ,guide wire , introducer,urine collection bag adapter- Size-14Fr & 30Cm DEHP & BPA free, Situ-12 months.	Puncture cannula ,ultrasound marking ,hydrogel coated pigtailed catheter polyurethane, radiopaque , central opening , notches shaft, catheter extender , plastic stylet, luer lock connector ,guide wire , introducer, urine collection bag adapter- Size-14Fr & 30Cm DEHP & BPA free. <b>CE/ISO/USFDA/DCGI approved company and it should register manufacturer at central Drugs Standard Control Organisation(CDSCO)</b>
06	158	Ureteral Access Sheath with simultaneous suction device	Ureteral Access Sheath Made Up Of Reinforced Coil Construction To Resist Kinking And Compression With Hydrophilic Coating To Be Used To Place Flexible Ureteroscope Into Kidney. The Sheath Also Protects Delicate Instruments And Smaller Flexible Scopes From Damage. The Sheath Has A Hydrophilic	<sup>158 (a)</sup> . Ureteral access sheath made up of reinforced coil construction to resist kinking and compression with hydrophilic coating to be used to place flexible ureteroscope into kidney. the sheath also protects delicate instruments and smaller flexible scopes from damage. the sheath has a hydrophilic coating to create a low-friction surface with

			Coating To Create A Low-Friction Surface With Ureter. Size Of <b>12 Fr &amp; Length Of 45 Cm.</b> should be with simultaneous suction device	ureter. Size of 12 fr ( <b>inner diameter</b> ) & <b>length of 45 cm.</b> should be with simultaneous suction device
07	159	Ureteral Access Sheath with simultaneous suction device	Ureteral Access Sheath Made Up Of Reinforced Coil Construction To Resist Kinking And Compression With Hydrophilic Coating To Be Used To Place Flexible Ureteroscope Into Kidney. The Sheath Also Protects Delicate Instruments And Smaller Flexible Scopes From Damage. The Sheath Has A Hydrophilic Coating To Create A Low-Friction Surface With Ureter. Size Of <b>12 Fr &amp; Length Of 35 Cm.</b> should be with simultaneous suction device	<sup>159</sup> (a) Ureteral access sheath made up of reinforced coil construction to resist kinking and compression with hydrophilic coating to be used to place flexible ureteroscope into kidney. the sheath also protects delicate instruments and smaller flexible scopes from damage. the sheath has a hydrophilic coating to create a low-friction surface with ureter. Size of 11 fr (inner diameter) & length of <b>45 cm.</b> should be with simultaneous suction device.

08	160	Ureteral Access Sheath with simultaneous suction device	Ureteral Access Sheath Made Up Of Reinforced Coil Construction To Resist Kinking And Compression With Hydrophilic Coating To Be Used To Place Flexible Ureteroscope Into Kidney. The Sheath Also Protects Delicate Instruments And Smaller Flexible Scopes From Damage. The Sheath Has A Hydrophilic Coating To Create A Low-Friction Surface With Ureter. Size Of <b>9-11 12 Fr &amp; Length Of 45 Cm.</b> should be with simultaneous suction device	<sup>160</sup> (a) Ureteral access sheath made up of reinforced coil construction to resist kinking and compression with hydrophilic coating to be used to place flexible ureteroscope into kidney. the sheath also protects delicate instruments and smaller flexible scopes from damage. the sheath has a hydrophilic coating to create a low-friction surface with ureter. Size of 10 fr (inner diameter) & length of 45 cm. should be with simultaneous suction device.
09	161	Ureteral Access Sheath with simultaneous suction device	Ureteral Access Sheath Made Up Of Reinforced Coil Construction To Resist Kinking And Compression With Hydrophilic Coating To Be Used To Place Flexible	<sup>161</sup> (a) Ureteral access sheath made up of reinforced coil construction to resist kinking and compression with hydrophilic coating to be used to place flexible ureteroscope into kidney. the sheath also protects

			Ureteroscope Into Kidney. The Sheath Also Protects Delicate Instruments And Smaller Flexible Scopes From Damage. The Sheath Has A Hydrophilic Coating To Create A Low-Friction Surface With Ureter. Size Of <b>9-11 12 Fr &amp; Length Of 35 Cm.</b> should be with simultaneous suction device.	delicate instruments and smaller flexible scopes from damage. the sheath has a hydrophilic coating to create a low-friction surface with ureter. Size of 9.5 fr (inner diameter) & length of 45 cm. should be with simultaneous suction device
10	280	Colostomy Bag (specs) bag with flange should be compatible	Two-piece colostomy bag with inbuilt filters away from the body to reduce odor and ballooning. Self-adhesive base plate with dedicated slot to fit with the belt, spiral/hydrocolloid adhesive;Size- 40-45mm	Two-piece colostomy bag with inbuilt filters away from the body to reduce odour and ballooning. Self-adhesive base plate with dedicated slot to fit with the belt, spiral/hydrocolloid adhesive; Size- 40-45mm, <b>Belt ear/loops can be at base plate/Bag.</b>
11	281	Colostomy Bag (specs) bag with flange should be compatible	Two-piece colostomy bag with inbuilt filters away from the body to reduce odor and ballooning. Self-adhesive base plate with dedicated slot to fit with the belt, spiral/hydrocolloid adhesive; Size- 50-60mm	Two-piece colostomy bag with inbuilt filters away from the body to reduce odour and ballooning. Self-adhesive base plate with dedicated slot to fit with the belt, spiral/hydrocolloid adhesive; Size- 50-60mm, <b>Belt ear/loops can be at base plate/Bag.</b>

12	282	Colostomy Bag (specs) bag with flange should be compatible	Two-piece colostomy bag with inbuilt filters away from the body to reduce odor and ballooning. Self-adhesive base plate with dedicated slot to fit with the belt, spiral/hydrocolloid adhesive;Size- 60-70mm	Two-piece colostomy bag with inbuilt filters away from the body to reduce odour and ballooning. Self-adhesive base plate with dedicated slot to fit with the belt, spiral/hydrocolloid adhesive; Size- 60-70mm, <b>Belt ear/loops can be at base plate/Bag.</b>
13	283	Ileo stomy Bag 2 Pc with clips	Two-piece transparent/Opaque drainable pouch with Velcro outlet with integrated Charcoal Filter to reduce odour; Base plate easily moldable to take the contour of the abdominal wall, belt ear /loops at the base plate,Size- 40-45mm	Two-piece transparent/Opaque drainable pouch with Velcro outlet with integrated Charcoal Filter to reduce odour; Base plate easily mouldable to take the contour of the abdominal wall, belt ear /loops at the base plate, Size- 40-45mm, <b>Belt ear/loops can be at base plate/Bag.</b>

14	284	Ileo stomy Bag 2 Pc with clips	Two-piece transparent/opaque drainable pouch with Velcro outlet with integrated Charcoal Filter to reduce odour; Base plate easily mouldable to take the contour of the abdominal wall, belt ear /loops at the base plate,Size- 50-60mm	Two-piece transparent/opaque drainable pouch with Velcro outlet with integrated Charcoal Filter to reduce odour; Base plate easily mouldable to take the contour of the abdominal wall, belt ear /loops at the base plate, Size- 50-60mm, <b>Belt ear/loops can be at base plate/Bag.</b>
15	285	Ileo stomy Bag 2 Pc with clips	Two-piece transparent/opaque drainable pouch with Velcro outlet with integrated Charcoal Filter to reduce odour; Base plate easily mouldable to take the contour of the abdominal wall, belt ear /loops at the base plate,Size- 60-70mm	Two-piece transparent/opaque drainable pouch with Velcro outlet with integrated Charcoal Filter to reduce odour; Base plate easily mouldable to take the contour of the abdominal wall, belt ear /loops at the base plate, Size- 60-70mm, <b>Belt ear/loops can be at base plate/Bag.</b>
16	291	Convex base plate and bag	Two-piece <b>moldable</b> Convex base plate/flange for colostomy/ ileostomy/ urostomy, self-adhesive base plate with customizes with belt slot, double-layer Adhesive; moldable to take contour of abdominal wall (40 mm-45mm)	Two-piece Convex base plate/flange for colostomy/ ileostomy/ urostomy, self-adhesive base plate with customizes with belt slot, double-layer Adhesive; can take contour of abdominal wall (40 mm-45mm), <b>Belt slots can be on the base plate/Bag.</b>
17	292	Convex base plate and bag	Two-piece <b>moldable</b> Convex base plate/flange for colostomy/ ileostomy/ urostomy, self-adhesive base plate with customizes with a belt slot, double-layer Adhesive; <b>moldable</b> to take the contour of abdominal wall (50 mm-60mm)	Two-piece Convex base plate/flange for colostomy/ ileostomy/ urostomy, self-adhesive base plate with customizes with a belt slot, double-layer Adhesive; can take the contour of abdominal wall (50 mm-60mm) <b>Belt slots can be on the base plate/Bag.</b>
18	293	Convex base plate and bag	Two-piece <b>moldable</b> Convex base plate/flange for colostomy/ ileostomy/ urostomy, self-adhesive base plate with customizes with belt slot, double-layer Adhesive; <b>moldable</b> to take contour of abdominal wall ( 60 mm-70mm)	Two-piece Convex base plate/flange for colostomy/ ileostomy/ urostomy, self-adhesive base plate with customizes with belt slot, double-layer Adhesive; can take contour of abdominal wall ( 60 mm-70mm) <b>Belt slots can be on the base plate/Bag.</b>
19	294	Urostomy bag 2 pc	Urostomy pouch with non-return valve, free rotating click coupling locking mechanism, tap and spout and cap; Two-piece base plate for urostomy bag, Hydrocolloid based self-	Urostomy pouch with non-return valve, leak proof locking mechanism, and good pouch closing mechanism to prevent spill over of urine. Two-piece base plate for urostomy bag, Hydrocolloid based self-adhesive base

			adhesive base plate with customised cut with belt ears at base plate.40-45mm	plate with customised cut with belt ears at base plate/Bag.40-45 mm ( <b>belt slots can be on the base plate/Bag</b> )
20	295	Urostomy bag 2 pc	Urostomy pouch with non-return valve, free rotating clickcoupling locking mechanism, tap and spout and cap; Two-piece base plate for urostomy bag, Hydrocolloid based self-adhesive base plate with customised cut with belt ears at base plate. 50-60mm	Urostomy pouch with non-return valve, leak proof locking mechanism, and good pouch closing mechanism to prevent spill over of urine. Two-piece base plate for urostomy bag, Hydrocolloid based self-adhesive base plate with customised cut with belt ears at base plate/Bag.40-45 mm ( <b>belt slots can be on the base plate/Bag</b> )
21	297	Wound manager	long-lasting adhesive barrier and pouch, tracing guide, removable lid, drain port and a clamp Small, diameter 104x159mm	Long-lasting adhesive barrier and pouch, tracing guide, removable lid, drain port and a clamp- Small. *Diameter range (8-10 cm x 12-15 cm) $\pm$ 10 percent.
22	298	Wound manager	long-lasting adhesive barrier and pouch, tracing guide, removable lid, drain port and a clamp Medium, diameter 156x228mm	Long-lasting adhesive barrier and pouch, tracing guide, removable lid, drain port and a clamp- Medium *Diameter range (12-15 cm x 20-22 cm) $\pm$ 10 percent.
23	299	Wound manager	long-lasting adhesive barrier and pouch, tracing guide, removable lid, drain port and a clamp Large, diameter 208x297mm	Long-lasting adhesive barrier and pouch, tracing guide, removable lid, drain port and a clamp- Large *Diameter range 18-20 cm x 28-30 cm) $\pm$ 10 percent.

**Note:** Above mentioned modifications will not be shown in BoQ, therefore, Bidders are advised to quote price in front of old specification. However, modified specifications will be considered for evaluation as per the details mentioned above.

### ANNEXURE-XIII- LIST OF ITEMS

#### Following items are added in existing rate contract:

<u>S.</u>	<u>Item</u>	<u>Name of Items</u>	<u>Specification</u>
1.	158.01	Ureteral Access Sheath with simultaneous suction device	158 (b). Ureteral access sheath made up of reinforced coil construction to resist kinking and compression with hydrophilic coating to be used to place flexible ureteroscope into kidney. the sheath also protects delicate instruments and smaller flexible scopes from damage. the sheath has a hydrophilic coating to create a low-friction surface with ureter. Size of 12 fr ( <b>inner diameter</b> ) & length of <b>35 cm</b> . should be with simultaneous suction device



2.	159.01	Ureteral Access Sheeth with simultaneous suction device	159 (b) Ureteral access sheath made up of reinforced coil construction to resist kinking and compression with hydrophilic coating to be used to place flexible ureteroscope into kidney. The sheath also protects delicate instruments and smaller flexible scopes from damage. The sheath has a hydrophilic coating to create a low-friction surface with ureter. Size of 11 fr (inner diameter) & length of 35 cm. should be with simultaneous suction device
3.	160.01	Ureteral Access Sheeth with simultaneous suction device	160 (b) Ureteral access sheath made up of reinforced coil construction to resist kinking and compression with hydrophilic coating to be used to place flexible ureteroscope into kidney. The sheath also protects delicate instruments and smaller flexible scopes from damage. the sheath has a hydrophilic coating to create a low-friction surface with ureter. Size of 10 fr (inner diameter) & length of 35 cm. should be with simultaneous suction device
4.	161.01	Ureteral Access Sheeth with simultaneous suction device	161 (b) Ureteral access sheath made up of reinforced coil construction to resist kinking and compression with hydrophilic coating to be used to place flexible ureteroscope into kidney. the sheath also protects delicate instruments and smaller flexible scopes from damage. the sheath has a hydrophilic coating to create a low-friction surface with ureter. Size of 9.5 fr (inner diameter) & length of 35 cm. should be with simultaneous suction device
5.	287.01	Barrier Cream	Cream to Maintain Peristomal pH value of skin contains must be skin friendly to moisturize and prevent damage to the skin and Improve tolerance to repeated tape and barrier use. Price to be quoted per ml basis.
6.	287.02	Barrier Spray	Spray to Maintain Peristomal pH value of skin contains must be skin friendly to moisturize and prevent damage to the skin and Improve tolerance to repeated tape and barrier use. Price to be quoted per ml basis.
7.	290.01	Skin Barrier sheet	Skin Barrier for healthy peristomal skin or risk of skin damage due to body secretions or skin damage already developed; consists of Pectin, gelatin, and hydrocolloid etc. <b>10 x 10 cm in size</b>
8.	290.02	Skin Barrier sheet	Skin Barrier for healthy peristomal skin or risk of skin damage due to body secretions or skin damage already developed; consists of Pectin, gelatin, and hydrocolloid etc. <b>15 x 15 cm in size</b>

9.	290.03	Skin Barrier sheet	Skin Barrier for healthy peristomal skin or risk of skin damage due to body secretions or skin damage already developed; consists of Pectin, gelatin, and hydrocolloid etc. <b>20 x 20 cm in size</b>
10.	349	Delta Basket	Should be angled inside kidney to reach inner calyx Should be usable for straight path stone manipulation and also for angled path. - Unique basket shape which prevents stone migration size 7Fr -Length 40cm
11.	350	Triple J Ureteral Stent	<ul style="list-style-type: none"> <li>- An additional 'J' like bend at bladder end, which bend the lower coil of stent towards the dome and away from the sensitive trigone</li> <li>- Should be Thermosensitive and made of advanced PU material</li> <li>- Size 5.5 Fr</li> <li>- Length 24cm</li> </ul>
12.	351	Durasil Ureteral stent	<ul style="list-style-type: none"> <li>- Should be made of silicone blended polyurethane for enhanced patient comfort</li> <li>- Optimal loop shape and high memory retention reduces the risk of migration</li> <li>- Optimal radiopacity for better visualization</li> <li>- Both Ends Open</li> <li>- Size 5.5Fr</li> <li>- Length 26 cm</li> <li>- Package should Include-Stent with pusher</li> </ul>
13.	352	Cath Tap	Catheter cap which is meant for Intermittent drainage of Foley Catheter to reduce infection rate and avoid carrying of urine bags, which should be fixable to patient thigh
14.	353	LASER Guide	Should be compatible with Karl Storz working element for HoLEP
15.	354	Telescope 4mm 30cm	HOPKINS, forward oblique telescope 30 degree, autoclavable, fiber-optic light transmission incorporated. Compatible with Karl Storz endoscopes
16.	355	Telescope 2.9mm 30cm	HOPKINS, forward oblique telescope 12 degree, autoclavable, fiber-optic light transmission incorporated. Compatible with Karl Storz endoscopes

**Note:**

**(i)** With reference to the Needle and Suture length mentioned in the specification of all items up to '+' / '-' 10% variation may be considered.

**(ii)** Above mentioned additions will not be shown in BoQ, therefore, Bidders are advised to quote price for the same through addition of new sheet in BoQ. The format of this BoQ should be same as the original BoQ.