

Dated: 24-Dec-2024

CORRIGENDUM

RATE CONTRACT

PROCUREMENT OF CONSUMABLES FOR

HOSPITAL LINEN ITEMS

ALL INDIA INSTITUTE OF MEDICAL SCIENCES, JODHPUR

NIT No. : PROC-2/RC/10/2024-AIIMS.JDH
NIT Issue Date : 11-Oct-2024

Extended Last Date of Submission : 03-Jan-2025



All India Institute of Medical Sciences, Jodhpur

Basni Phase – II, Jodhpur – 342 005, Rajasthan

Phone: 0291-2740741, Email: procurement.aiimsjodhpur@gmail.com

Following items **AMENDED AS** in the Rate Contract

(Refer to **CORRIGENDUM Dated 19-Dec-2024**)

Tender Ref.	Item No.	Item Name	Colour	Item Code	Specifications (READ AS)
126	46	ICU Bedsheet - Thermo-regulated Anti-bacterial Anti-viral Antifungal bedsheets	7 colors	46.01	<ol style="list-style-type: none"> 1. Bedsheet anti-bacterial feature should be effective against Klebsiella pneumoniae, E Coli, Staphylococcus, MRSA, VRE, CRE and M.TB 2. Bedsheet anti-viral feature should be effective against Human Coronavirus as per actual ISO 18184 and tested in ISO 17025 lab as per WHO mandate 3. Bedsheet anti-fungal feature should be effective against Aspergillus Niger, Candida, Yeast and Mold 4. Bedsheet should have moisture wicking factor of 5 sec as per AATCC-197 (time taken to reach 22mm) 5. Bedsheet should be breathable 6. Bedsheet should have 170 GSM or more 7. Bedsheet should be durable for 100 auto clave cycles as tested in NABL lab 8. Bedsheet should be free from toxin substance like formaldehyde 9. Bedsheet should be skin friendly 10. Bedsheet should be poly rich (51% poly or more). 11. Bedsheet should not use any plastic or non-woven material 12. Manufacturer should be MSME registered 13. Manufacturer should be recognized by NITI Aayog, AGNli, Department of India Science, Technology & Innovation, Startup India, and Atal Innovation Mission 14. Size of the bed sheet shall be 180 x 270 cm (6 x 9 feet) also uniform 2.5 inches Stripe with Color coding with base White. 15. The bedsheet should have Elastic on all edges for a tighter grip and faster turnaround time. 16. "AIIMS JODHPUR" must be printed on colour strip continues in gap of one feet.
127		ICU Blanket - Thermo-regulated Anti-bacterial Anti-viral Antifungal blankets	Maroon	46.02	<ol style="list-style-type: none"> 1. Blanket anti-bacterial feature should be effective against Staphylococcus aureus, Klebsiella pneumoniae, MRSA and Acinetobacter Baumannii 2. Blanket anti-fungal feature should be effective against Aspergillus Niger, Yeast and Mold 3. Blanket fabric should be breathable, sweat absorbent and superior drying capability 4. Blanket fabric should have 200 GSM or more 5. Blanket should be free from toxin substance like formaldehyde 6. Blanket fabric should be skin friendly 7. Blanket fabric should be poly rich (51% poly or more). 8. Blanket should not use any plastic or non-woven material 9. Manufacturer should be MSME registered and ISO 13485 10. Manufacturer should be recognized by NITI Aayog, AGNli, Department of India Science, Technology & Innovation, Startup India, and Atal Innovation Mission

					<p>11. All sizes of Blanket to be provided if asked by the buyer like Adult (medium & large) and baby (medium & large)</p> <p>12. Blanket should be Double Layered. Size - 230 cm x 135 cm. Weight 1600 gm ± 200 gm.</p>
128		ICU Pillow Cover - Thermo-regulated Anti-bacterial Anti-viral Antifungal pillow covers	White	46.03	<p>1. Pillow cover anti-microbial feature should be effective against Staphylococcus aureus, Klebsiella pneumoniae, MRSA, VRE, Acinetobacter baumannii, E Coli, Aspergillus Niger, Yeast and Mold</p> <p>2. Wicking (time taken to reach 22mm) factor of 5 sec as per AATCC-197</p> <p>3. Pillow cover should have 170 GSM or more</p> <p>4. Pillow cover should be durable for 100 auto clave cycles as tested in NABL lab</p> <p>5. Pillow cover should be free from toxin substance like formaldehyde</p> <p>6. Pillow cover should be skin friendly</p> <p>7. Pillow cover should be poly rich (51% poly or more).</p> <p>8. Pillow cover should not use any plastic or non-woven material</p> <p>9. Manufacturer should be MSME registered</p> <p>10. Manufacturer should be recognized by NITI Aayog, AGNli, Department of India Science, Technology & Innovation, Startup India, and Atal Innovation Mission</p> <p>11. Stitched pillow cover with 5 inch pouch and 1 inch border all side (AIIMS Jodhpur printed on both sides).</p> <p>12. Size 22" x 31" (as per pillow size).</p>

DELETED - Tender Ref. No. 129 (Item Code- 47.01)

Following new items are **ADDED** in existing Rate Contract

Tender Ref.	Item No.	Item Name	Colour	Item Code	Specifications
143	47	Faculty Apron - Anti-microbial and Thermoregulated Apron	White	47.10	<p>1. Apron anti-microbial feature should be effective against Staphylococcus aureus, Klebsiella pneumoniae, MRSA, VRE, Acinetobacter baumannii, E Coli, Aspergillus Niger, Yeast and Mold</p> <p>2. Wicking (time taken to reach 22mm) factor of 5 sec as per AATCC-197</p> <p>3. Apron fabric should have 170 GSM minimum</p> <p>4. Apron fabric should be free from toxin substance like formaldehyde</p> <p>5. Apron fabric should be poly rich (51% poly or more)</p> <p>6. Manufacturer should be MSME registered</p> <p>7. Manufacturer should be recognized by NITI Aayog, AGNli, Department of India Science, Technology & Innovation, Startup India, and Atal Innovation Mission</p>

					<p>8. Lower two pocket should be 7 inch deep and 5.5 inch broad and Upper Pocket should be 6 inch deep and 4 inch broad. Upper Pocket should have "AIIMS JODHPUR" Label & Logo*.</p> <p>9. SMALL 30" Length, 42 " Chest, Knee Length, Full Sleeves, Side slit at waist level for easy access to pant pockets and proper fit, and an overlapping back slit to ensure comfortable sitting.</p>
144		<p>Faculty Apron - Anti-microbial and Thermoregulate d Apron</p>	<p>White</p>	47.20	<p>1. Apron anti-microbial feature should be effective against Staphylococcus aureus, Klebsiella pneumoniae, MRSA, VRE, Acinetobacter baumannii, E Coli, Aspergillus Niger, Yeast and Mold</p> <p>2. Wicking (time taken to reach 22mm) factor of 5 sec as per AATCC-197</p> <p>3. Apron fabric should have 170 GSM minimum</p> <p>4. Apron fabric should be free from toxin substance like formaldehyde</p> <p>5. Apron fabric should be poly rich (51% poly or more)</p> <p>6. Manufacturer should be MSME registered</p> <p>7. Manufacturer should be recognized by NITI Aayog, AGNli, Department of India Science, Technology & Innovation, Startup India, and Atal Innovation Mission</p> <p>8. Lower two pocket should be 7 inch deep and 5.5 inch broad and Upper Pocket should be 6 inch deep and 4 inch broad. Upper Pocket should have "AIIMS JODHPUR" Label & Logo*.</p> <p>9. SMALL 30" Length, 44 " Chest, Knee Length, Full Sleeves, Side slit at waist level for easy access to pant pockets and proper fit, and an overlapping back slit to ensure comfortable sitting.</p>
145		<p>Faculty Apron - Anti-microbial and Thermoregulate d Apron</p>	<p>White</p>	47.30	<p>1. Apron anti-microbial feature should be effective against Staphylococcus aureus, Klebsiella pneumoniae, MRSA, VRE, Acinetobacter baumannii, E Coli, Aspergillus Niger, Yeast and Mold</p> <p>2. Wicking (time taken to reach 22mm) factor of 5 sec as per AATCC-197</p> <p>3. Apron fabric should have 170 GSM minimum</p> <p>4. Apron fabric should be free from toxin substance like formaldehyde</p> <p>5. Apron fabric should be poly rich (51% poly or more)</p> <p>6. Manufacturer should be MSME registered</p> <p>7. Manufacturer should be recognized by NITI Aayog, AGNli, Department of India Science, Technology & Innovation, Startup India, and Atal Innovation Mission.</p> <p>8. Lower two pocket should be 7 inch deep and 5.5 inch broad and Upper Pocket should be 6 inch deep and 4 inch broad. Upper Pocket should have "AIIMS JODHPUR" Label & Logo*.</p> <p>9. SMALL 32" Length, 46 " Chest, Knee Length, Full Sleeves, Side slit at waist level for easy access to pant pockets and proper fit, and an overlapping back slit to ensure comfortable sitting.</p>

146		Faculty Apron - Anti-microbial and Thermoregulate d Apron	White	47.40	<p>1. Apron anti-microbial feature should be effective against Staphylococcus aureus, Klebsiella pneumoniae, MRSA, VRE, Acinetobacter baumannii, E Coli, Aspergillus Niger, Yeast and Mold</p> <p>2. Wicking (time taken to reach 22mm) factor of 5 sec as per AATCC-197</p> <p>3. Apron fabric should have 170 GSM minimum</p> <p>4. Apron fabric should be free from toxin substance like formaldehyde</p> <p>5. Apron fabric should be poly rich (51% poly or more)</p> <p>6. Manufacturer should be MSME registered</p> <p>7. Manufacturer should be recognized by NITI Aayog, AGNli, Department of India Science, Technology & Innovation, Startup India, and Atal Innovation Mission.</p> <p>8. Lower two pocket should be 7 inch deep and 5.5 inch broad and Upper Pocket should be 6 inch deep and 4 inch broad. Upper Pocket should have "AIIMS JODHPUR" Label & Logo*.</p> <p>9. SMALL 34" Length, 48 " Chest, Knee Length, Full Sleeves, Side slit at waist level for easy access to pant pockets and proper fit, and an overlapping back slit to ensure comfortable sitting.</p>
147		Faculty Apron - Anti-microbial and Thermoregulate d Apron	White	47.50	<p>1. Apron anti-microbial feature should be effective against Staphylococcus aureus, Klebsiella pneumoniae, MRSA, VRE, Acinetobacter baumannii, E Coli, Aspergillus Niger, Yeast and Mold</p> <p>2. Wicking (time taken to reach 22mm) factor of 5 sec as per AATCC-197</p> <p>3. Apron fabric should have 170 GSM minimum</p> <p>4. Apron fabric should be free from toxin substance like formaldehyde</p> <p>5. Apron fabric should be poly rich (51% poly or more)</p> <p>6. Manufacturer should be MSME registered</p> <p>7. Manufacturer should be recognized by NITI Aayog, AGNli, Department of India Science, Technology & Innovation, Startup India, and Atal Innovation Mission.</p> <p>8. Lower two pocket should be 7 inch deep and 5.5 inch broad and Upper Pocket should be 6 inch deep and 4 inch broad. Upper Pocket should have "AIIMS JODHPUR" Label & Logo*.</p> <p>9. SMALL 36" Length, 50 " Chest, Knee Length, Full Sleeves, Side slit at waist level for easy access to pant pockets and proper fit, and an overlapping back slit to ensure comfortable sitting.</p>
148		Faculty Apron - Anti-microbial and Thermoregulate d Apron	White	47.60	<p>1. Apron anti-microbial feature should be effective against Staphylococcus aureus, Klebsiella pneumoniae, MRSA, VRE, Acinetobacter baumannii, E Coli, Aspergillus Niger, Yeast and Mold</p> <p>2. Wicking (time taken to reach 22mm) factor of 5 sec as per AATCC-197</p> <p>3. Apron fabric should have 170 GSM minimum</p> <p>4. Apron fabric should be free from toxin substance like formaldehyde</p> <p>5. Apron fabric should be poly rich (51% poly or more)</p> <p>6. Manufacturer should be MSME registered</p> <p>7. Manufacturer should be recognized by NITI Aayog, AGNli, Department of India Science, Technology & Innovation, Startup India, and Atal Innovation Mission</p> <p>8. Lower two pocket should be 7 inch deep and 5.5 inch broad and Upper Pocket should be 6 inch deep and 4 inch broad. Upper Pocket should have "AIIMS JODHPUR" Label & Logo*.</p> <p>9. SMALL 38" Length, 52 " Chest, Knee Length, Full Sleeves, Side slit at waist level for easy access to pant pockets and proper fit, and an overlapping back slit to ensure comfortable sitting.</p>

*Logo



The 'AIIMS JODHPUR' logo needs to be converted into a 4-5 color embroidery design.