Tender

For

Supply & Installation of

Gym Equipment

At

All India Institute of Medical Sciences, Jodhpur

NIT No. Admn/Tender/106/2017-AIIMS.JDH

NIT Issue Date : 03th February, 2017

Pre Bid Meeting : 14th February, 2017 at 03.00 PM

Last Date of Online Submission 03rd March, 2017 at 03.00 PM

Bid Opening Date 04th March, 2017 at 03.00 PM

Tender documents may be downloaded from web site www.aiimsjodhpur.edu.in, (for reference only) and CPPP site https://eprocure.gov.in/eprocure/app



All India Institute of Medical Sciences, Jodhpur

Basni Phase - II, Jodhpur – 342005, Rajasthan
Telefax: 0291- 2012978, email: procurement@aiimsjodhpur.edu.in
www.aiimsjodhpur.edu.in

All India Institute of Medical Sciences (AIIMS), Jodhpur, Rajasthan, an apex healthcare institute established by an Act of Parliament of India under aegis of Ministry of Health & Family Welfare, Government of India, invites **Online bids in two bid system** for tenders for supply & Installation of Gym Equipments at AIIMS, Jodhpur. You are requested to quote your best offer along with the complete details of specifications, terms & conditions.

S. No.	Item Description	Qty.
1	Treadmill	2
2	Upright Exercise Cycle	2
3	Cross Trainer/ Elliptical	2
4	Cable Cross Over	1
5	Counter Balanced Smith Machine	1
	Dual Stations	·
	6a. Leg Extension and Leg Curl	1
	6b. Abdominal/ Back Machine	1
6	6c. Pecfly/ Rear Deltoid Machine	1
	6d. Lat Pull down Machine	1
	6e. Seated Chest Press & Vertical Shoulder Machine/	1
	Multi press	1
7	Olympic Flat Bench	1
8	Olympic Incline	1
9	Olympic Decline Bench	1
10	Flat Bench/ Utility Bench	1
11	Hyper Extension Bench	1
12	Preacher Curl Bench	1
		200 kg
13	Rubberized Weight Dumbbells	denomination
		from 1-30 kg
		200 kg
14	Rubberized Weight	denomination
		from 1.25-25 kg
1.5	Olamania Dankall/Dankanidh Lanka	Qty as per
15	Olympic Barbell/ Rod with Locks	Annexure- I
16	Kettle Bell Dumbbells	Qty as per
16	Rettie Beil Dumbbeils	Annexure- I
17	Heavy Duty Leather Boxing Trainer Bag	1
18	Dumbbell Rack	1
19	Rod Stand	1
20	Come Dell/ Studes Dell	Qty as per
20	Gym Ball/ Swiss Ball	Annexure- I
21	Double exercise wheel (PVC)	2
22	Rubber flooring	1000 sq. ft.
23	Aerobic Steps	2
24	Yoga Mats	6

(Refer Details as per Annexure – "I")

Instructions for the Tenderer/ Contractor/ Bidders:-

- 1. Bids shall be submitted online only at CPPP website: https://eprocure.gov.in/eprocure/app.
- 2. The complete bidding process in online. Bidders should be possession of valid digital Signature Certificate (DSC) of class II or III for online submission of bids. Prior to bidding DSC need to be registered on the website mentioned above. For any assistance for e-bidding process, if required, bidder may contact to the helpdesk at 0291-2740741.
- 3. Tenderer/Contractor/Bidders are advised to follow the instructions provided in the 'Instructions to the Contractors/Tenderer/Bidders for the e-submission of the bids online through the Central Public Procurement Portal for e Procurement at https://eprocure.gov.in/eprocure/app'.
- 4. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.

5. Tender Cost Fee:

Applicant contractor must submit the demand draft for Rs 1,000/- (Rupees One thousand only) in favour of AIIMS, Jodhpur obtained from any Nationalized/ scheduled Bank valid for six months as a tender fees. All applicable bank charges shall be borne by the applicant and he shall not have any claim what so ever on this account on Government. The Demand Draft submitted for tender fee shall be non-refundable. **The demand drafts for tender fees must deliver to AIIMS, Jodhpur on or before last date/time of Bid Submission.**

6. EMD Payment:

The bidder shall be required to submit the Earnest Money Deposit (EMD) for an amount of **Rs. 80,000/- (Rupees Eighty Thousand Only)** by way of demand drafts or Bank Guarantee only. The demand drafts or Bank Guarantee shall be drawn in favour of "<u>All India Institute of Medical Sciences, Jodhpur</u>". The EMD of the successful bidder shall be returned after the successful submission of Bank Guarantee/ Security Deposit and for unsuccessful bidder(s) it would be returned after award of the contract. **The demand drafts or Bank Guarantee for EMD must deliver to AHMS, Jodhpur on or before last date/time of Bid Submission.**

- a) Tenderer shall not be permitted to withdraw his offer or modify the terms and conditions thereof. In case the tenderer fail to observe and comply with stipulation made herein or backs out after quoting the rates, the aforesaid amount of earnest money will be forfeited.
- **b**) The Firm who are registered with National Small Industries Corporation (NSIC) / OR Small Scale Industries (SSI) are exempted to submit the EMD (Copy of registration must be provide along with technical bid)

- c) The EMD, in case of unsuccessful Bidders shall be retained by AIIMS, Jodhpur till the finalization of the tender. No interest will be payable by AIIMS, Jodhpur on the EMD.
- 7. The Hard Copy of original instruments in respect of cost of tender document, earnest money deposit etc. must be delivered to the AIIMS, Jodhpur on or before last date/time of Bid Submission as mentioned above. The bid without tender fee and EMD will be summarily rejected.

8. Submission of Tender:

The tender shall be submitted online in two part, viz., technical bid and financial bid. All the pages of bid being submitted must be signed and sequentially numbered by the bidder irrespective of nature of content of the documents before uploading.

The offers submitted by Telegram/Fax/email shall not be considered. No correspondence will be entertained in this matter.

I. Technical Bid

The following documents are to be furnished by the bidder along with <u>Technical Bid</u> as per the tender document:

- a) Duly filled format of Technical Bid as per Annexure II.
- b) Copy of constitution or legal status of the bidder manufacturer / Sole proprietorship / firm / agency etc.
- c) **Financial Status:** Bidder must have an average annual turnover of Rs. 40 lakh during the last 3 financial year through supply/sale of fitness equipment, sports goods, sports accessories, etc. (Documentary proof like financial statement /Balance sheet from Chartered Accountant/ equivalent statutory authority to be submitted).
- d) The technical bid should be accompanied by Demand draft of Rs. 1000/- (non-refundable) against tender fee and Demand Draft for an amount of Rs. 80,000/-. The Demand Draft of tender fee and EMD should be prepare separately and drawn in favour of All India Institute of Medical Sciences, Jodhpur.
- e) Certificate of Manufacture or Authorized Distributor.
- f) Experience Certificate.
- g) Copy of Income Tax Return Acknowledgement for last Three years.
- h) Copy of PAN Card / Service Tax Registration.
- i) Copy of Sales tax / VAT registration certificate.
- j) Attested copy of deed of partnership, if the firm is a partnership concern of Memorandum and Articles of Association duly certified in case of Company.
- k) Certificate as per given Annexures.
- 1) Catalog/ brochure/Technical Data
- m) Duly Signed Tender document and their annexures.
- n) All other document mentioned in tender document.

II. Financial Bid

a) Price bid Form [As per Annexure-V duly filled and signed] - Price must be quoted as per format specified; failing which tender shall be summarily rejected.

General Term & Conditions

- 1. "PRE –BID Meeting" with the intending bidders shall be held on 14th February, 2017 at 03:00 P.M. onwards at Conference Hall, AIIMS Jodhpur. All the prospective bidders are requested to send comments/ representations on or before pre-bid meeting. Intending bidder will be allowed to seek clarification on specification, Conditions of Contract, etc. in writing to AIIMS, Jodhpur, within 48 hours after the pre-bid meeting.
- 2. **Validity:** The quoted rates must be valid for a period for 180 days from the date of closing of the tender. The overall offer for the assignment and bidder(s) quoted price shall remain unchanged during the period of validity. If the bidder quoted the validity shorter than the required period, the same will be treated as unresponsive and it may be rejected.

In case the tenderer withdraws, modifies or change his offer during the validity period, bid is liable to be rejected and the earnest money deposit shall be forfeited without assigning any reason thereof. The tenderer should also be ready to extend the validity, if required, without changing any terms, conditions etc. of their original tender.

3. Technical Evaluation:

- (a) Detailed technical evaluation shall be carried out by Institute pursuant to conditions in the tender document to determine the substantial responsiveness of each tender. For this clause, the substantially responsive bid is one that conforms to all the eligibility and terms and condition of the tender without any deviation. The Institute's determination of bid's responsiveness is to be based on the contents of the bid itself without recourse to extrinsic evidence. The Institute shall evaluate the technical bids also to determine whether they are complete, whether required sureties have been furnished, whether the documents have been properly signed and whether the bids are in order.
- **(b)** AIIMS Jodhpur shall have right to accept or reject any or all tenders without assigning any reasons thereof.

4. Financial Evaluation:

- (a) The financial bid shall be opened of only those bidders who have been found to be technically eligible. The financial bids shall be opened in presence of representatives of technically eligible bidders, who may like to be present. The institute shall inform the date, place and time for opening of financial bid.
- (b) Arithmetical errors shall be rectified on the following basis. If there is a discrepancy between the unit price and total price that is, the unit price shall prevail and the total price shall be corrected by the Institute. If there is a discrepancy between words and figures, the lesser amount shall be considered as valid. If the Supplier does not accept the correction of the errors, his bid shall be rejected.

- (c) The financial evaluation would be done individual basis for part A, part B & part C on composite basis separately and for part D financial evaluation would be done for each item separately and AIIMS, Jodhpur will award the contract accordingly. In part A and B comprehensive Maintenance Contract (CMC) will also be calculated while determining the lowest bidder.
- (d) After due evaluation of the bid(s) AIIMS, Jodhpur will award the contract to the lowest evaluated responsive tenderer. Conditional bid will be treated as unresponsive and will be rejected.
- 5. **Award of Contract:** The Institute shall consider placement of orders for jobs on those bidders whose offers have been found technical and financially acceptable. The Institute reserves the right to counter offer price(s) against price(s) quoted by any bidder.
- 6. **Signing of Contract:** The successful bidder shall be required to execute the Contract Agreement accepting all terms and conditions stipulated herein on a non-judicial stamp paper of Rs. 500/- (Rs. Five Hundred only) within fifteen days of the issue of the Letter of notification of award along with performance security. In the event of failure on the part of the successful bidder to sign the Contract within the period stipulated above, the EMD shall be forfeited and the acceptance of BID shall be considered as cancelled.
- 7. **Security Deposit**: The successful tenderer will be required to furnish a Security Deposit_of 10% of order value in the form of Fixed Deposit Receipt or Bank Guarantee from any Nationalized Bank duly pledged in the name of the "**All India Institute of Medical Sciences, Jodhpur**" after receipt of supply order.

The security deposit can be forfeited by order of this Institute in the event of any breach or negligence or non-observance of any condition of contract or for unsatisfactory performance or non-observance of any condition of the contract. Security deposit will be discharged after completion of all the contractual obligations. The Security Deposit amount will not carry any interest.

8. **Demonstration:** The bidders may be asked to demonstrate the product as and when required by the Institute failing which their bids/offer shall be rejected. The firms are intimated that they should get ready for demonstration and only 15 days time will be provided for arrangement of demonstration and no request for extending time for demonstration will be entertained. Failure to demonstrate, their offer will be summarily rejected. The expenditure incurred for demonstrating the items will be borne by the supplier, no Claim in this regard will be entertained.

- 9. **Rate:** Prices of individual items should be inclusive of all taxes and duties including, Customs Duty, Excise Duty, etc. It should also include packing, forwarding, transport, insurance, loading/ unloading, installation etc. VAT/ CST/ local taxes shall be extra. Rate should be quoted only in Indian Rupees (INR) on DOOR Delivery Basis at AIIMS, Jodhpur, Rajasthan, Inclusive of all the Charges, with break-ups as:
 - Basic Cost.
 - VAT/CST/ST/Other taxes.
 - Total Cost (F.O.R. at AIIMS, Jodhpur).
- 10. **Manufacture authorization Certificate:** The bid must be submitted by manufacturer or authorized distributor. The bidders are required to provide manufacturer's authorization certificate on company's letterhead along with the technical bid (Documentary proof must upload with technical bid).

11. Warranty / Guarantee:

- (a) For the equipment value upto Rs. 5 Lakh: The Tenderers must quote for 02 years comprehensive on-site warranty (Including all Spares, Accessories and Labour) from the date of completion of the satisfactory installation. The warranty charges shall not be quoted separately otherwise the offer shall be summarily rejected. Failure to comply this condition will entail the rejection of the bids.
- (b) For the equipment value above Rs. 5 Lakh: The Tenderers must quote for 05 years comprehensive on-site warranty (Including all Spares, Accessories and Labour) from the date of completion of the satisfactory installation. The warranty charges shall not be quoted separately otherwise the offer shall be summarily rejected. Failure to comply this condition will entail the rejection of the bids.
- (c) No offer of the vendor will be accepted without warranty/ guarantee of their supplied/installed goods.
- 12. **Uptime guarantee:** The firm should provide uptime guarantee of 95%

13. Downtime penalty Clause:

(a) During the comprehensive warranty period, the guarantee uptime of 95% of 365 days will be ensured. In case the down time exceeds the 5% limit penalty of extension of guaranty period by two days for each additional day of down time will be enforced. The vendor must undertake to supply all spares for optimal upkeep of the equipment for at least THREE YEARS/ FIVE YEARS (as applicable) after handling over the unit to the Institute. If accessories / other attachment of the system are procured from the third party, then the vendor must produce cost of accessory / other attachment

and the CMC from the third party separately along with the main offer and the third party will have to sign the CMC with the Institute if required.

- **(b)** The principals or their authorized service providers are required to submit a certificate that they have satisfactory service arrangements and fully trained staff available to support the uptime guarantee.
- 14. **Authority of person signing document:** A person signing the tender form or any documents forming part of the contract on behalf of another shall be deemed to warranty, that he has authority to bind such other and if, on enquiry, it appears that the person so, signing had no authority to do so, the AIIMS, Jodhpur may without prejudice to other Civil and criminal remedies cancel contract and held the signatory liable for all cost and damages.
- 15. **Delivery and Installation**: The items shall be delivered and successful installed/commissioned within **30 days** from the issue of supply order at AIIMS, Jodhpur premises. The successful tenderer will also provide required training free of cost for supplied items at AIIMS Jodhpur. The goods should be manufactured after adoption of latest technology.

All the aspects of safe delivery, installation and commissioning shall be the exclusive responsibility of the supplier. If the supplier fails to deliver, install and commission the goods on or before the stipulated date, then a penalty at the rate of 0.5% per week of the total order value shall be levied subject to maximum of 10% of the total order value.

If at any time during the currency of the contract, the supplier encounters conditions hindering timely of the goods and performance of services, the supplier shall promptly inform the AIIMS, Jodhpur for extension of the delivery schedule accordingly. On receiving the supplier's communication, the AIIMS, Jodhpur shall examine the situation as soon as possible and, at its discretion, may agree to extend the delivery schedule, with or without liquidated damages for completion of supplier's contractual obligations by issuing an amendment to the contract.

In the case of package supply where the delayed portion of supply materially hampers installation and commissioning of the systems, liquidated damages charges shall be levied as above on the total value of the concerned package of the purchase order. Quantum of liquidated damages assessed and levied by the purchaser shall be final and not challengeable by the supplier.

16. **Right of acceptance:** The AIIMS, Jodhpur reserve the right to accepting the whole or any part or portion of the bid; and the bidder shall provide the same at the rates quoted. The AIIMS Jodhpur reserve the right to reject any or all tenders /quotations or all offers received in response to the tender or cancel or withdraw the tender notice without assigning any reason

thereof and also does not bind itself to accept the lowest quotation or any tender and no claim in this regard shall be entertained.

17. Inspection:

- (a) AIIMS, Jodhpur shall have the right to inspect and/or to test the goods to confirm their conformity to the NIT Specifications at no extra cost to the Purchaser.
- (b) AIIMS, Jodhpur right to inspect, test and, where necessary, reject the Goods after the goods arrival at the final destination shall in no way be limited or waived by reason of the Goods having previously been inspected, tested and passed by AIIMS, Jodhpur prior to the goods shipment.
- (c) The Director, AIIMS Jodhpur shall be the final authority to reject full or any part of the supply which is not confirming to the specification and other terms and conditions.
- (d) No payment shall be made for rejected Stores. Rejected items must be removed by the Bidders within two weeks of the date of rejection at their own cost and replaced immediately. In case these are not removed, these will be auctioned at the risk and responsibility of the suppliers without any further notice.
- 18. **Payment Term:** The Bill in triplicate may be send to this office for settlement after satisfactorily delivery & installation/ commissioning of the material. The bill should have full particulars of the items. No Payment shall be made in advance nor shall the loan from any or financial institutions be recommended on the basis of the order of award of work. The Contractor shall submit the bill only after supply & installation/ commissioning of the material to the satisfaction of the AIIMS Jodhpur. The case of issuing sanction and passing of bill for payment will be initiated on receipt of a pre-receipted invoice from the Contractor. No payment will be made for goods rejected.
- 19. **Specification:** Bids which are not meeting the bid specifications are not permitted and will be rejected.
- 20. Quality Assurance Certification for manufacturer: ISO 9000/9001/9002 or equivalent is essential. In case of Cardio and Selectorized strength stations i.e. items A and B (User Safety) assurance certifications like EUROPEAN CE/ EN957/ LVD/ EMC also essential (Documentary proof must upload with technical bid).
- 21. **Experience:** Bidder should have at least 5 year experience in the same industry (documentary prof must upload with technical bid). Bidders who do not have the requisite experience will be rejected.

- 22. Performance certificate towards supply, installation & Maintenance of gym equipment's to government institution in the past/present/future to be submitted along with technical bid, if any.
- 23. Bidder is allowed to quote for two brands with international presence but the bidder shall be required to quote for all items under Cardio & Selectorized Stations from one brand only.
- 24. One bidder can quote equipments from more than one manufacturer, however for one item, the bidder can submit only one bid
- 25. **Arbitration:** If any difference arises concerning this agreement, its interpretation on payment to the made there-under, the same shall be settled out by mutual consultation and negotiation. If attempts for conciliation do not yield any result within a period of 30 days, either of the parties may make a request to the other party for submission of the dispute for decision by an Arbitral Tribunal containing Sole Arbitrator to be appointed by the Secretary, Department of Legal Affairs. Such requests shall be accompanied with a panel of names of three persons to act as the sole arbitrator. In case of such arbitrator refusing, unwilling or becoming incapable to act or his mandate having been terminated under law, another arbitrator shall be appointed in the same manner from among the panel of three persons to be submitted by the claimant. The provision of Arbitration and Conciliation Act, 1990 and the rule framed there under and in force shall be applicable to such proceedings.
- 26. **Breach of Terms and Conditions:** In Case of breach of any terms and conditions as mentioned above, the Competent Authority, will have the right to reject the bid at any stage without assigning any reason thereof and nothing will be payable by AIIMS, Jodhpur in that event the EMD shall also stands forfeited.
- 27. **Subletting of Work:** The firm shall not assign or sublet the work/job or any part of it to any other person or party without having first obtained permission in writing of AIIMS, Jodhpur, which will be at liberty to refuse if thinks fit. The tender is not transferable. Only one tender shall be submitted by one tenderer.
- 28. **Insolvency etc:** In the event of the firm being adjudged insolvent or having receiver appointed for it by a court or any other order under the Insolvency Act made against them or in the case of a company the passing any resolution or making of any order for winding up, whether voluntary or otherwise, or in the event of the firm failing to comply with any of the conditions herein specified AIIMS, Jodhpur shall have the power to terminate the contract without any prior notice.
- 29. The Purchase Committee of AIIMS, Jodhpur shall go into all aspects including cost factors of major Gym Equipment's and then decide for awarding of the tender, by quoting lower

rates in respect of some items, a firm does not become entitled to awarding the contract in its favour of those item(s).

The committee will reject the quotations of the bidders whose quotation will not found of quality required by AIIMS, Jodhpur. AIIMS, Jodhpur reserves the right to accept/ reject any quotation either in part or full without assigning any reason thereof, or award the contract to different supplier(s), for different item(s), if feasible after considering the credentials, manufacturing, capability, quality and distribution rights of the item(s). The firm are, therefore, requested to attach their credentials in regard to supply of items and experience in the field, distribution rights and their annual turnover.

- 30. The Tenderers should furnish a copy of S.T. /C.S.T./VAT registration number. Tenders not complying with this condition will be rejected.
- 31. VAT/ Taxes if payable extra should be clearly mentioned otherwise no VAT/Taxes charges will be paid.
- 32. The items will have to be supplied at AIIMS, Jodhpur. No transportation/ cartage charges will be provided for the same.
- 33. Bidder shall submit a copy of the tender document and addendum/corrigendum thereto, if any, with each page of this document should be signed and stamped to confirm the acceptance of the entire terms & conditions as mentioned in the tender enquiry document.
- 34. The Institute reserves the right to accept in part or in full or reject any or more tender(s) without assigning any reasons or cancel the tendering process and reject all tender(s) at any time prior to award of contract, without incurring any liability, whatsoever to the affected bidder or bidder(s).
- 35. The AIIMS, Jodhpur reserve the right to accepting the whole or any part or portion of the bid; and the bidder shall provide the same at the rates quoted. The AIIMS Jodhpur reserve the right to reject any or all tenders /quotations or all offers received in response to the tender or cancel or withdraw the tender notice without assigning any reason thereof and also does not bind itself to accept the lowest quotation or any tender and no claim in this regard shall be entertained.

36. Applicable Law:

• The contract shall be governed by laws and procedures established by Govt. of India, within the framework of applicable legislation and enactment made from time to time concerning such commercial dealings/processing.

Admn/Tender/106/2016-AIIMS.JDH

Tender for Gym Equipment

- Any disputes are subject to exclusive jurisdiction of competent court and forum in Jodhpur, Rajasthan, India only
- The Arbitration shall be held in accordance with the provision of the Arbitration and conciliations Act, 1996 and the venue of arbitration shall be at Jodhpur. The decision of the Arbitrator shall be final and binding on the both parties.
- Force Majeure: Any delay due to Force Majeure will not be attributable to the supplier.

Administrative Officer AIIMS, Jodhpur

<u>Annexure – I</u>

S. No.	Item Name	Specification & features	Qty.
		CARDIO EQUIPMENTS	
1.	Treadmill	 Heavy duty(Professional) Drive system- AC Servo Motor: - AC minimum 4 HP (Continuous) or more with superior cooling mechanism for internal component. Running surface- Width: 55 cm or more	2
2.	Upright Exercise Cycle	 Heavy duty (professional) Electromagnetic resistance with 20 or more difficulty levels Preset and manual programs for time, speed, test probe and other training protocols. Built in hand grip pulse and heart rate sensors Large Fore-Mid-Aft adjustable seat with good cushion, At least 10 levels of seat adjustment option for proper comfort and posture. Machine weight – 55 kg or more Machine dimension: Length: 100 cm, Width: 55 cm & Height: 130 cm or more User weight: 180 kg or more Adjustable paddle foot straps. Display- LED/ LCD showing (speed, RPM, Watts, Actual HR, Weight loss HR, Cardio HR, time, calories, resistance level, total distance, etc.) Self-powered & dual voltage adaptability. Programmers: 06 or more. Certificates- EN 957, LVD, EMC 	2
3.	Cross Trainer/ Elliptical	 Heavy duty (professional) Built in handgrip pulse and heart rate sensors Digital display (LED/ LCD) for time, distance, calories burnt and resistance level Minimum 20 resistance levels Machine dimension: Length: 180 cm, Width 70 cm & Height: 150 cm or more User Weight: 180 kg or more Self-powered and dual voltage adaptability & power safety mechanism 	2

	Tender for Gym	Equipment Admn/Tender/106/2016-AIIMS.JD	Н
	Tender for Gym	8. Fluent working and pedals which fit all sizes and self-balancing 9. Easy rear and from drive to avoid injury to joints keeping the correct biomechanical aspects of movements. 10. Programmers: 06 or more. 11. Stride length: 45cm and above 12. Machine weight- 120 kg or more 13. Frame quality- anti rust alloy steel frame 14. Certificates- EN 957, LVD, EMC SELECTORIZED STATIONS 1. Dual swivel pulleys with vertical adjust and locking for functional training from various angles 2. Maximum incremental adjustments 3. Pull up/ chin up bars 4. Length: 380 cm or more	H
4.	Cable Cross Over	 Lefight: 380 cm or more Width: 60 cm or more Height: 200 cm or more Net weight: 250 kg or more Weight stack standard: 2x 68 kg or more General specification as detailed below in Annexure- II Double tower Certificates- EN 957, LVD, EMC 	1
5.	Counter balanced Smith machine	 Length: 125 cm or more Width (with rod): 210 cm or more Height: 205 cm or more Weight plates load bearing capacity: 250 or more Net weight (without weight plates): 170 Kg or more. Low starting resistance Adjustable bar stoppage Weight plate storage. Linear ball bearing smith system with 20 cross member lock-out points for a safe, solid stop at any point during routine workout. Heavy duty all 4 side welded with 12 gauge rectangular /oval mainframe steel construction with solid point stance for maximum stability. Minimum six Olympic weight plate storage posts. Olympic bar holder mounted to the frame. Certificates EN957, LVD, EMC. 	1
6.	Dual Stations	Bidder should quote models with maximum features in this segment (in al stations).	l dual
a)	Leg Extension and Leg Curl	1. Width (Min): 100 cm or more 2. Length (Min): 150 cm or more 3. Height (Min): 145 cm or more 4. Net weight: 170 kg or more 5. Block weight: 90 Kg or more with 5 kg increment 6. General specification as detailed below in Annexure- II	1
b)	Abdominal/ Back Machine	 Width (Min): 100 cm or more Length (Min): 120 cm or more Height (Min): 145 cm or more Net weight: 200 kg or more Block weight: 90 Kg or more with 5 kg increment General specification as detailed below in Annexure- II 	1
c)	Pecfly/ Rear Deltoid	 Width (Min): 120 cm or more Length (Min): 100 cm or more 	1

Admn/	Tondor	/106/2	016	TIMC	IDH
Aamn/	i enaer	7 1 00/ /	U+O-⊬	1 <i>1 1 VI</i> . 5	ПП

	Tender for Gym	Equipment Admn/Tender/106/2016-AIIMS.JI	DH
1)	Machine Lat Pull	 Height (Min): 145 cm or more Net weight: 180 kg or more Block weight: 90 Kg or more with 5 kg increment General specification as detailed below in Annexure- II Width (Min): 110 cm or more Length (Min): 170 cm or more Height (Min): 210 cm or more 	
d)	down Machine	 4. Net weight: 190 kg or more 5. Block weight: 90 Kg or more with 5 kg increment 6. General specification as detailed below in Annexure- II 	1
e)	Seated Chest Press & Vertical Shoulder Machine/ Multi press	 Width (Min): 120 cm or more Length (Min): 140 cm or more Height (Min): 150 cm or more Net weight: 200 kg or more Block weight: 90 Kg or more with 5 kg increment General specification as detailed below in Annexure- II 	1
	1	FREE WEIGHT EQUIPMENTS Main frame of high strength steel with heavy duty cushions (4" X 2" gauge or oval	
7.	Olympic Flat Bench	pipes of similar size). Dimension: 1. Length: 165 or more 2. Width: 165 cm or more 3. Height: 135 cm or more 4. Net weight: 60 kg or more 5. Weight limit: 150 kg or more 6. Compatible with Olympic size rods. 7. Wide base for added safety 8. Weight holders should be inclined upwards for added safety	1
8.	Olympic Incline Bench	Main frame of high strength steel with heavy duty cushions (4" X 2" gauge or oval pipes of similar size). Dimension: 1. Length: 170 or more 2. Width: 165 cm or more 3. Height: 140 cm or more 4. Net weight: 70 kg or more 5. Weight limit: 150 kg or more 6. Compatible with Olympic size rods. 7. Wide base for added safety 8. Weight holders should be inclined upwards for added safety	1
9.	Olympic Decline Bench	Main frame of high strength steel with heavy duty cushions (4" X 2" gauge or oval pipes of similar size). Dimension: 1. Length: 170 or more 2. Width: 165 cm or more 3. Height: 135 cm or more 4. Net weight: 65 kg or more 5. Weight limit: 150 kg or more 6. Compatible with Olympic size rods. 7. Wide base for added safety 8. Weight holders should be inclined upwards for added safety	1

Admn	Ton	dor	/106	1/201	16-A	IMS	IDH
$-\alpha ann$	/ 1 CH	uei.	/ / (/)(.	"	U-71	IIVILIA	., .,,,,,,

Tend	er for	Gvm	Eaui	pment
	· . , · .	-		p

Main frame of high strength steel with heavy duty cushions (4" X 2" gauge or oval pipes of similar size). Dimension:
Dimension: 1. Length: 120 or more 2. Width: 60 cm or more 3. Height: 40 cm or more 4. Net weight: 20 kg or more 6. Compatible with Olympic size rods. 7. Wide base for added safety 8. Weight holders should be inclined upwards for added safety 8. Weight holders should be inclined upwards for added safety 8. Weight holders should be inclined upwards for added safety 8. Weight holders should be inclined upwards for added safety 8. Weight holders should be inclined upwards for added safety 8. Weight holders should be inclined upwards for added safety 8. Weight holders should be inclined upwards for added safety 8. Weight holders should be inclined upwards for added safety 9. Weight imit: 150 kg or more 1. Length: 160 or more 2. Width: 90 cm or more 3. Height: 90 cm or more 4. Weight limit: 150 kg or more 5. Start position at 45 degree angle 6. Adjustable height, side hand grip & thing pad for optimal use 7. Wide base for added safety Main frame of high strength steel with heavy duty cushions (4" X 2" gauge or oval pipes of similar size). Dimensions: 1. Length: 90 cm or more 2. Width: 70 cm or above 3. Height: 90 cm or above 4. Weight limit: 150 kg or more 5. Adjustable oversized am pad 6. Wide base for added safety 1. Rubber coated with steel inside 2. Hexagonal in shape for increased safety and comfort 3. Knurled Chrome steel handle 4. 200 kg of dumbbells (mention all available Weight denomination from 1-30 kg) 5. Anti-rust 6. Anti-skid 1. Rubber coated with steel inside
1. Length: 120 or more 2. Width: 60 cm or more 3. Height: 40 cm or more 4. Net weight: 20 kg or more 5. Weight limit: 150 kg or more 6. Compatible with Olympic size rods. 7. Wide base for added safety 8. Weight holders should be inclined upwards for added safety 8. Weight holders should be inclined upwards for added safety 8. Weight holders should be inclined upwards for added safety 8. Weight holders should be inclined upwards for added safety 8. Weight holders should be inclined upwards for added safety 8. Weight holders should be inclined upwards for added safety 9. Dimensions: 1. Length: 160 or more 2. Width: 90 cm or more 3. Height: 90 cm or more 3. Height: 90 cm or more 4. Weight limit: 150 kg or more 5. Start position at 45 degree angle 6. Adjustable height, side hand grip & thing pad for optimal use 7. Wide base for added safety Main frame of high strength steel with heavy duty cushions (4" X 2" gauge or oval pipes of similar size). Dimensions: 1. Length: 90 cm or more 2. Width: 70 cm or above 3. Height: 90 cm or above 4. Weight limit: 150 kg or more 5. Adjustable oversized arm pad 6. Wide base for added safety 1. Rubber coated with steel inside 200 kg denom 1-30 kg 1. Rubber coated with steel inside 1. Rubbe
Plat Bench/ Utility Bench Height: 40 cm or more
10. Utility Bench Utility Utility Comor oval pipes of similar size) Utility Comor more Utility Comor was defected with Size of a supplied the pipes of similar size) Utility Comor was defected with Size of a supplied the pipes of similar size) Utility Comor was defected with Size of a supplied the pipes of similar size) Utility Comor
Utility Bench 4. Net weight: 20 kg or more 5. Weight limit: 150 kg or more 6. Compatible with Olympic size rods. 7. Wide base for added safety 8. Weight holders should be inclined upwards for added safety 8. Weight holders should be inclined upwards for added safety Main frame of high strength steel with heavy duty cushions (4" X 2" gauge or oval pipes of similar size). Dimensions: 1. Length: 160 or more 2. Width: 90 cm or more 3. Height: 90 cm or more 4. Weight limit: 150 kg or more 5. Start position at 45 degree angle 6. Adjustable height, side hand grip & thing pad for optimal use 7. Wide base for added safety Main frame of high strength steel with heavy duty cushions (4" X 2" gauge or oval pipes of similar size). Dimensions: 1. Length: 90 cm or more 2. Width: 70 cm or above 3. Height: 90 cm or above 4. Weight limit: 150 kg or more 5. Adjustable oversized arm pad 6. Wide base for added safety 1. Rubber coated with steel inside 2. Hexagonal in shape for increased safety and comfort 3. Knurled Chrome steel handle 4. 200 kg of dumbbells (mention all available Weight denomination from 1-30 Kg) 5. Anti-rust 6. Anti-skid 7. Rubber coated with steel inside 7. Rubber coated with steel inside 8. Anti-skid 8. Weight bind: 200 kg denomination from 1-30 Kg 9. Anti-skid 1. Rubber coated with steel inside
4. Net Weight limit: 150 kg or more 6. Compatible with Olympic size rods. 7. Wide base for added safety 8. Weight holders should be inclined upwards for added safety Main frame of high strength steel with heavy duty cushions (4" X 2" gauge or oval pipes of similar size). Dimensions: 1. Length: 160 or more 2. Width: 90 cm or more 3. Height: 90 cm or more 4. Weight limit: 150 kg or more 5. Start position at 45 degree angle 6. Adjustable height, side hand grip & thing pad for optimal use 7. Wide base for added safety Main frame of high strength steel with heavy duty cushions (4" X 2" gauge or oval pipes of similar size). Dimensions: 1. Length: 90 cm or more 2. Width: 70 cm or above 4. Weight limit: 150 kg or more 5. Adjustable oversized arm pad 6. Wide base for added safety 1. Rubber coated with steel inside 2. Hexagonal in shape for increased safety and comfort 3. Knurled Chrome steel handle 4. 200 kg of dumbbells (mention all available Weight denomination from 1-30 Kg) 5. Anti-rust 6. Anti-skid 1. Rubber coated with steel inside 1. Rubber coated with steel inside
6. Compatible with Olympic size rods. 7. Wide base for added safety 8. Weight holders should be inclined upwards for added safety Main frame of high strength steel with heavy duty cushions (4" X 2" gauge or oval pipes of similar size). Dimensions: 1. Length: 160 or more 2. Width: 90 cm or more 3. Height: 90 cm or more 4. Weight limit: 150 kg or more 5. Start position at 45 degree angle 6. Adjustable height, side hand grip & thing pad for optimal use 7. Wide base for added safety Main frame of high strength steel with heavy duty cushions (4" X 2" gauge or oval pipes of similar size). Dimensions: 1. Length: 90 cm or more 2. Width: 70 cm or above 3. Height: 90 cm or more 2. Width: 70 cm or above 4. Weight limit: 150 kg or more 5. Adjustable oversized arm pad 6. Wide base for added safety 1. Rubber coated with steel inside 2. Hexagonal in shape for increased safety and comfort 3. Knurled Chrome steel handle 4. 200 kg of dumbbells (mention all available Weight denomination from 1-30 kg) 5. Anti-rust 6. Anti-skid 7. Wide base for added safety 8. Weight limit: 150 kg or more 9. Adjustable oversized arm pad 9. Cook kg 9. Hexagonal in shape for increased safety and comfort 9. Cook kg 9. Anti-rust 9. Cook kg 9. Anti-skid 9. Rubber coated with steel inside 9. Cook kg 9. Anti-skid 9. Rubber coated with steel inside
7. Wide base for added safety 8. Weight holders should be inclined upwards for added safety Main frame of high strength steel with heavy duty cushions (4" X 2" gauge or oval pipes of similar size). Dimensions: 1. Length: 160 or more 2. Width: 90 cm or more 3. Height: 90 cm or more 4. Weight limit: 150 kg or more 5. Start position at 45 degree angle 6. Adjustable height, side hand grip & thing pad for optimal use 7. Wide base for added safety Main frame of high strength steel with heavy duty cushions (4" X 2" gauge or oval pipes of similar size). Dimensions: 1. Length: 90 cm or more 2. Width: 70 cm or above 4. Weight 70 cm or above 4. Weight limit: 150 kg or more 5. Adjustable oversized arm pad 6. Wide base for added safety 1. Rubber coated with steel inside 2. Hexagonal in shape for increased safety and comfort 3. Knurled Chrome steel handle 4. 200 kg of dumbbells (mention all available Weight denomination from 1-30 Kg) 5. Anti-rust 6. Anti-skid 7. Wide base for added safety 8. Weight limit: 150 kg or more 9. Weight limit: 150 kg or more 9. Adjustable oversized arm pad 9. Weight limit: 150 kg or more 9. Augustable oversized arm pad 9. Weight limit: 150 kg or more 9. Augustable oversized arm pad 9. Weight limit: 150 kg or more 9. Augustable oversized arm pad 1. Rubber coated with steel inside
11. Hyper Extension Bench 1. Length: 160 or more 2. Width: 90 cm or more 3. Height: 90 cm or more 4. Weight limit: 150 kg or more 5. Start position at 45 degree angle 6. Adjustable height, side hand grip & thing pad for optimal use 7. Wide base for added safety Main frame of high strength steel with heavy duty cushions (4" X 2" gauge or oval pipes of similar size). Dimensions: 1. Length: 90 cm or more 4. Weight limit: 150 kg or more 5. Start position at 45 degree angle 6. Adjustable height, side hand grip & thing pad for optimal use 7. Wide base for added safety Main frame of high strength steel with heavy duty cushions (4" X 2" gauge or oval pipes of similar size). Dimensions: 1. Length: 90 cm or more 2. Width: 70 cm or above 3. Height: 90 cm or above 4. Weight limit: 150 kg or more 5. Adjustable oversized arm pad 6. Wide base for added safety 1. Rubber coated with steel inside 2. Hexagonal in shape for increased safety and comfort 3. Knurled Chrome steel handle 4. 200 kg of dumbbells (mention all available Weight denomination from 1-30 Kg) 5. Anti-rust 6. Anti-skid Kg 1. Rubber coated with steel inside 1-30 Kg
Main frame of high strength steel with heavy duty cushions (4" X 2" gauge or oval pipes of similar size).
Hyper Extension Bench
Hyper Extension Bench
11. Hyper Extension Bench 12. Preacher Curl Bench 13. Rubberized Weight Dumbbells Rubberized Weight Dumbbells 14. Length: 160 or more 2. Width: 90 cm or more 3. Height: 90 cm or more 4. Weight limit: 150 kg or more 5. Start position at 45 degree angle 6. Adjustable height, side hand grip & thing pad for optimal use 7. Wide base for added safety Main frame of high strength steel with heavy duty cushions (4" X 2" gauge or oval pipes of similar size). Dimensions: 1. Length: 90 cm or more 2. Width: 70 cm or above 3. Height: 90 cm or above 4. Weight limit: 150 kg or more 5. Adjustable oversized arm pad 6. Wide base for added safety 13. Rubberized Weight Dumbbells 14. Rubber coated with steel inside 2. Hexagonal in shape for increased safety and comfort 3. Knurled Chrome steel handle 4. 200 kg of dumbbells (mention all available Weight denomination from 1-30 Kg) from 1-30 Kg 15. Anti-rust 6. Anti-skid 7. Rubber coated with steel inside 7. Rubber coated with steel inside 8. Rubber coated with steel inside 9. Rubbe
11. Extension Bench 2. Width: 90 cm or more 3. Height: 90 cm or more 4. Weight limit: 150 kg or more 5. Start position at 45 degree angle 6. Adjustable height, side hand grip & thing pad for optimal use 7. Wide base for added safety Main frame of high strength steel with heavy duty cushions (4" X 2" gauge or oval pipes of similar size). Dimensions: 1. Length: 90 cm or more 2. Width: 70 cm or above 4. Weight limit: 150 kg or more 5. Adjustable oversized arm pad 6. Wide base for added safety 1. Rubber coated with steel inside 2. Hexagonal in shape for increased safety and comfort 3. Knurled Chrome steel handle 4. 200 kg of dumbbells (mention all available Weight denomination from 1-30 Kg) 5. Anti-rust 6. Anti-skid 1. Rubber coated with steel inside 1. Rubber coated with steel inside 2. Hexagonal in shape for increased safety and comfort 3. Knurled Chrome steel handle 4. 200 kg of dumbbells (mention all available Weight denomination from 1-30 Kg) 5. Anti-rust 6. Anti-skid 7. Width: 90 cm or more 8. In the individual support in the individua
11. Extension Bench 2. Width: 90 cm or more 4. Weight limit: 150 kg or more 5. Start position at 45 degree angle 6. Adjustable height, side hand grip & thing pad for optimal use 7. Wide base for added safety Main frame of high strength steel with heavy duty cushions (4" X 2" gauge or oval pipes of similar size). Dimensions: 1. Length: 90 cm or more 2. Width: 70 cm or above 3. Height: 90 cm or above 4. Weight limit: 150 kg or more 5. Adjustable oversized arm pad 6. Wide base for added safety 1. Rubber coated with steel inside 2. Hexagonal in shape for increased safety and comfort 3. Knurled Chrome steel handle 4. 200 kg of dumbbells (mention all available Weight denomination from 1-30 Kg) 5. Anti-rust 6. Anti-skid 7. Widen or more 2. Width: 70 cm or above 4. Weight limit: 150 kg or more 5. Adjustable oversized arm pad 6. Wide base for added safety 1. Rubber coated with steel inside 2. Hexagonal in shape for increased safety and comfort 3. Knurled Chrome steel handle 4. 200 kg of dumbbells (mention all available Weight denomination from 1-30 Kg) 5. Anti-rust 6. Anti-skid 7. Width: 90 cm or more 1. Length: 90 cm or more 1. Length: 90 cm or more 2. Width: 70 cm or above 3. Height: 90 cm or more 4. Weight limit: 150 kg or more 5. Adjustable oversized arm pad 6. Wide base for added safety 1. Rubber coated with steel inside
Bench 3. Height: 90 cm or more 4. Weight limit: 150 kg or more 5. Start position at 45 degree angle 6. Adjustable height, side hand grip & thing pad for optimal use 7. Wide base for added safety Main frame of high strength steel with heavy duty cushions (4" X 2" gauge or oval pipes of similar size). Dimensions: 1. Length: 90 cm or more 2. Width: 70 cm or above 3. Height: 90 cm or above 4. Weight limit: 150 kg or more 5. Adjustable oversized arm pad 6. Wide base for added safety 1. Rubber coated with steel inside 2. Hexagonal in shape for increased safety and comfort 3. Knurled Chrome steel handle 4. 200 kg of dumbbells (mention all available Weight denomination from 1-30 Kg) 5. Anti-rust 6. Anti-skid 7. Wide base for added safety 1. Rubber coated with steel inside 1-30 4. Rubber coated with steel inside 1-30 5. Anti-rust 6. Anti-skid 7. Wide base for added safety and comfort 1-30 Kg 1-30 1-30 1-30 1-30 1-30 1-30 1-30 1-30
4. Weight limit: 150 kg or more 5. Start position at 45 degree angle 6. Adjustable height, side hand grip & thing pad for optimal use 7. Wide base for added safety Main frame of high strength steel with heavy duty cushions (4" X 2" gauge or oval pipes of similar size). Dimensions: 1. Length: 90 cm or more 2. Width: 70 cm or above 3. Height: 90 cm or above 4. Weight limit: 150 kg or more 5. Adjustable oversized arm pad 6. Wide base for added safety 1. Rubber coated with steel inside 2. Hexagonal in shape for increased safety and comfort 3. Knurled Chrome steel handle 4. 200 kg of dumbbells (mention all available Weight denomination from 1-30 Kg) 5. Anti-rust 6. Anti-skid 7. Wide base for added safety 1. Rubber coated with steel inside 200 kg 4. Weight limit: 150 kg or more 5. Adjustable oversized arm pad 6. Wide base for added safety 1. Rubber coated with steel inside 4. 200 kg 6. Anti-rust 6. Anti-skid 7. Wide base for added safety 8. The provided in the pr
5. Start position at 45 degree angle 6. Adjustable height, side hand grip & thing pad for optimal use 7. Wide base for added safety Main frame of high strength steel with heavy duty cushions (4" X 2" gauge or oval pipes of similar size). Dimensions: 1. Length: 90 cm or more 2. Width: 70 cm or above 3. Height: 90 cm or above 4. Weight limit: 150 kg or more 5. Adjustable oversized arm pad 6. Wide base for added safety 1. Rubberized Weight Dumbbells Rubberized Weight Dumbbells 1. Rubber coated with steel inside 2. Hexagonal in shape for increased safety and comfort denom ination 3. Knurled Chrome steel handle 4. 200 kg of dumbbells (mention all available Weight denomination from 1-30 Kg) 5. Anti-rust 6. Anti-skid 7. Wain frame of high strength steel with heavy duty cushions (4" X 2" gauge or oval pipes of similar size). 1. Length: 90 cm or more 2. Width: 70 cm or above 3. Height: 90 cm or above 4. Weight limit: 150 kg or more 5. Adjustable over size). 1. Rubber coated with steel inside 2. You kg 4. Hexagonal in shape for increased safety and comfort denom ination 3. Knurled Chrome steel handle 4. 200 kg of dumbbells (mention all available Weight denomination from 1-30 Kg) 5. Anti-rust 6. Anti-skid 7. King heavy duty cushions (4" X 2" gauge or oval pipes of similar size). 1. Length: 90 cm or more 2. Width: 70 cm or above 3. Height: 90 cm or above 4. Weight limit: 150 kg or more 5. Adjustable over size). 1. Length: 90 cm or more 2. Width: 70 cm or above 3. Height: 90 cm or above 4. Weight limit: 150 kg or more 5. Adjustable over size and s
6. Adjustable height, side hand grip & thing pad for optimal use 7. Wide base for added safety Main frame of high strength steel with heavy duty cushions (4" X 2" gauge or oval pipes of similar size). Dimensions: 1. Length: 90 cm or more 2. Width: 70 cm or above 3. Height: 90 cm or above 4. Weight limit: 150 kg or more 5. Adjustable oversized arm pad 6. Wide base for added safety 1. Rubber coated with steel inside 2. Hexagonal in shape for increased safety and comfort 3. Knurled Chrome steel handle 4. 200 kg of dumbbells (mention all available Weight denomination from 1-30 Kg) 5. Anti-rust 6. Anti-skid 7. Wide base for added safety 1. Rubber coated with steel inside 2. Hexagonal in shape for increased safety and comfort 3. Knurled Chrome steel handle 4. 200 kg of dumbbells (mention all available Weight denomination from 1-30 Kg) 5. Anti-rust 6. Anti-skid 7. Wide base for added safety 8. Anti-rust 9. Anti-skid 9. Kg
7. Wide base for added safety Main frame of high strength steel with heavy duty cushions (4" X 2" gauge or oval pipes of similar size). Dimensions: 1. Length: 90 cm or more 2. Width: 70 cm or above 3. Height: 90 cm or above 4. Weight limit: 150 kg or more 5. Adjustable oversized arm pad 6. Wide base for added safety 1. Rubber coated with steel inside 2. Hexagonal in shape for increased safety and comfort 3. Knurled Chrome steel handle 4. 200 kg of dumbbells (mention all available Weight denomination from 1-30 Kg) 5. Anti-rust 6. Anti-skid 7. Wide base for added safety 1. Rubber coated with steel inside 2. Hexagonal in shape for increased safety and comfort 3. Knurled Chrome steel handle 4. 200 kg of dumbbells (mention all available Weight denomination from 1-30 Kg) 5. Anti-rust 6. Anti-skid 7. Wide base for added safety 8. Width: 70 cm or above 9. The provided Hexagonal in shape for increased safety and comfort 9. The provided Hexagonal in shape for increased safety and comfort 9. The provided Hexagonal in shape for increased safety and comfort 9. The provided Hexagonal in shape for increased safety and comfort 9. The provided Hexagonal in shape for increased safety and comfort 9. The provided Hexagonal in shape for increased safety and comfort 9. The provided Hexagonal in shape for increased safety and comfort 9. The provided Hexagonal in shape for increased safety and comfort 9. The provided Hexagonal in shape for increased safety and comfort 9. The provided Hexagonal in shape for increased safety and comfort 9. The provided Hexagonal in shape for increased safety and comfort 9. The provided Hexagonal in shape for increased safety and comfort 9. The provided Hexagonal in shape for increased safety and comfort 9. The provided Hexagonal in shape for increased safety and comfort 9. The provided Hexagonal in shape for increased safety and comfort 9. The provided Hexagonal in shape for increased safety and comfort 9. The provided Hexagonal in shape for increased safety and comfort 9. The provided Hexagonal in
Main frame of high strength steel with heavy duty cushions (4" X 2" gauge or oval pipes of similar size).
Preacher Curl Bench 12. Preacher Curl Bench 13. Rubberized Weight Dumbbells Rubberized Weight Dumbbells Rubberized Weight Dumbbells Rubberized Weight Dumbbells Rubber coated with steel inside 2. Width: 70 cm or above 3. Height: 90 cm or above 4. Weight limit: 150 kg or more 5. Adjustable oversized arm pad 6. Wide base for added safety 1. Rubber coated with steel inside 2. Hexagonal in shape for increased safety and comfort 3. Knurled Chrome steel handle 4. 200 kg of dumbbells (mention all available Weight denomination from 1-30 Kg) 5. Anti-rust 6. Anti-skid 1. Rubber coated with steel inside
Dimensions: 1. Length: 90 cm or more 2. Width: 70 cm or above 3. Height: 90 cm or above 4. Weight limit: 150 kg or more 5. Adjustable oversized arm pad 6. Wide base for added safety 1. Rubber coated with steel inside 2. Hexagonal in shape for increased safety and comfort 3. Knurled Chrome steel handle 4. 200 kg of dumbbells (mention all available Weight denomination from 1-30 Kg) 5. Anti-rust 6. Anti-skid 7. Rubber coated with steel inside 8. Rubber coated with steel inside 9. Rubber coated with steel inside 9. Anti-rust 1. Rubber coated with steel inside 9. Rubber coated with steel inside
12. Preacher Curl Bench 1 Length: 90 cm or more 2 Width: 70 cm or above 3 Height: 90 cm or above 4 Weight limit: 150 kg or more 5 Adjustable oversized arm pad 6 Wide base for added safety 1 Rubberized Weight Dumbbells 1 Rubber coated with steel inside 2 Hexagonal in shape for increased safety and comfort 3 Knurled Chrome steel handle 4 200 kg of dumbbells (mention all available Weight denomination from 1-30 Kg) 5 Anti-rust 6 Anti-skid 7 Rubber coated with steel inside 8 Rubberized Weight denomination from 1-30 Kg) 9 Rubberized Weight denomination from 1-30 Kg) 1 Rubber coated with steel inside
12. Curl Bench Curl Bench Curl Bench Curl Bench Curl Bench Curl Bench 2. Width: 70 cm or above 3. Height: 90 cm or above 4. Weight limit: 150 kg or more 5. Adjustable oversized arm pad 6. Wide base for added safety 13. Rubberized Weight Dumbbells Pumbbells Chrome steel handle 4. 200 kg of dumbbells (mention all available Weight denomination from 1-30 Kg) 5. Anti-rust 6. Anti-skid Kg 11. Rubber coated with steel inside 7. Substituting the same of the same o
3. Height: 90 cm or above 4. Weight limit: 150 kg or more 5. Adjustable oversized arm pad 6. Wide base for added safety 1. Rubber coated with steel inside 2. Hexagonal in shape for increased safety and comfort 3. Knurled Chrome steel handle 4. 200 kg of dumbbells (mention all available Weight denomination from 1-30 Kg) 5. Anti-rust 6. Anti-skid 7. Rubber coated with steel inside 7. Rubber coated with steel inside 8. Anti-skid 9. Rubber coated with steel inside 9. Rubber coated with steel inside 1. Rubber coated with steel inside 1. Rubber coated with steel inside
4. Weight limit: 150 kg or more 5. Adjustable oversized arm pad 6. Wide base for added safety 1. Rubber coated with steel inside 2. Hexagonal in shape for increased safety and comfort 3. Knurled Chrome steel handle 4. 200 kg of dumbbells (mention all available Weight denomination from 1-30 Kg) 5. Anti-rust 6. Anti-skid 7. Rubber coated with steel inside 8. Rubber coated with steel inside 9. Rubber coated with steel inside 1. Rubber coated with steel inside
5. Adjustable oversized arm pad 6. Wide base for added safety 1. Rubber coated with steel inside 2. Hexagonal in shape for increased safety and comfort 3. Knurled Chrome steel handle 4. 200 kg of dumbbells (mention all available Weight denomination from 1-30 Kg) 5. Anti-rust 6. Anti-skid 7. Rubber coated with steel inside 8. Rubber coated with steel inside 9. Rubber coated with steel inside 1. Rubber coated with steel inside
13. Rubberized Weight Dumbbells Weight Dumbbells 6. Wide base for added safety 1. Rubber coated with steel inside 2. Hexagonal in shape for increased safety and comfort 3. Knurled Chrome steel handle 4. 200 kg of dumbbells (mention all available Weight denomination from 1-30 Kg) 5. Anti-rust 6. Anti-skid 7. Rubber coated with steel inside 7. Rubber coated with steel inside 8. Rubber coated with steel inside 9. Wide base for added safety 9. 200 kg 9. denomination from 1-30 Kg 9. Inside the coated with steel inside 9. Rubber coated with steel inside
13. Rubberized Weight Dumbbells Weight Dumbbells 1. Rubber coated with steel inside 2. Hexagonal in shape for increased safety and comfort 3. Knurled Chrome steel handle 4. 200 kg of dumbbells (mention all available Weight denomination from 1-30 Kg) 5. Anti-rust 6. Anti-skid 7. Rubber coated with steel inside 8. Rubber coated with steel inside 9. Kg 1. Rubber coated with steel inside 9. Kg 1. Rubber coated with steel inside 9. Kg
Rubberized Weight Dumbbells 2. Hexagonal in shape for increased safety and comfort 3. Knurled Chrome steel handle 4. 200 kg of dumbbells (mention all available Weight denomination from 1-30 Kg) 5. Anti-rust 6. Anti-skid 7. Rubber coated with steel inside
13. Weight Dumbbells 3. Knurled Chrome steel handle 4. 200 kg of dumbbells (mention all available Weight denomination from 1-30 Kg) 5. Anti-rust 6. Anti-skid 7. Rubber coated with steel inside
13. Weight Dumbbells 4. 200 kg of dumbbells (mention all available Weight denomination from 1-30 Kg) from 5. Anti-rust 6. Anti-skid Kg 1. Rubber coated with steel inside
5. Anti-rust 1-30 6. Anti-skid Kg 1. Rubber coated with steel inside
6. Anti-skid Kg 1. Rubber coated with steel inside
Rubber coated with steel inside
2 Pound in shore
2. Round in shape
3. With 50mm steel ring 200 kg
Rubberized 4. 200 kg of weight plates(mention all available weight denomination from 1.25 to denom
14. Weight 25 kg) ination
Plates 5. Should have groves for easy holding/ handling from
6. Should have steel rim inside for rod slot.
7. Tear proof, soundless & bouncy effect 25 kg
8. Anti-rust
9. Anti-skid
Superior cross hatch knurling
Olympic 1. 7 feet Olympic size 3
15 Barbell/Rod 2. 6 leet Olympic size 3
15. Barbell/ Rod with locks 3. 5 feet Olympic size 3
WHILE HERE
4. 3 feet Olympic size 3 5. 1 feet Olympic size 3

Tender for Gym Equipment Admn/Tender/100	6/2016-AIIMS.JDH
--	------------------

		6. 4 feet Olympic size EZ Curl bar	1
		7. Olympic triceps bar	1
		8. Olympic trapezius 48" bar	1
		High quality with following denominations:	1
	Kettle Bell	1. 2 kg	2
16.	Dumbbells	2. 4 kg	2
	Dumoochs	3. 8 Kg	2
	Heavy duty	3. 0 Ng	
17.	leather boxing trainer bag	Suspendable from Roof	1
18.	Dumbbell Rack	 Easily holds one pair each 1-30 kg of Hexagonal dumbbells Heavy duty 2x 4 inch mainframe and design that allows easy racking and unracking, with two tiers or more Tray length should be 50 inches or more Dimensions (L x W x H)- 62" x 23" x 32" or more 	1
19.	Rod Stand	 Perfect for 1', 3', 4', 5', 6', 7' Olympic bar curl bar, triceps bar, trapezius bar Heavy duty 2 x 4 inch mainframe Weight- 20 kg or more Dimensions (L x W x H) – 80" x 80" x 110" or more 	1
		1. 45 cm	1
20.	Gym ball/	2. 55cm	1
20.	Swiss ball	3. 65 cm	1
		With hand pump, durable PVC	
21.	Double exercise wheel (PVC)	Double exercise wheel (PVC) with hand grips & steel rod	2
22.	Rubber flooring	10 mm (SBR) styrene Butadiene rubber flowing in the 1000 sq. ft. (gym area)	1000 sq. ft.
23.	Aerobic steps	Aerobic steps Should have the following: 1. Elevated platform for performing step exercises. 2. Non –slip aerobic stepper. 3. Supports up to 90 Kg of weight.	2
24.	Yoga mats	Yoga mats: Dimensions:- Length: 72" or more Width:- 30" or more Thickness- 5 mm or more Material:- PVC (Latex free)/thermoplastic elastomer High-performance mat for professional daily practices Guaranteeing little wear out Providing extra cushioning effect.	6

Administrative Officer AIIMS, Jodhpur

Annexure-II

General Specification

- 1. All products should be Heavy commercial use with steel frame body.
- 2. All machines must be made on bio- mechanical principles to perform natural movements.
- 3. High quality powder coating finish.
- 4. High quality continuous welded, factory assembled weight frame, and sand blasted moldings for all bends of the square/oval/circular pipe used.
- 5. All equipment of quality material and fittings.
- 6. Adjustable seats with high density and quality upholstery. Non-magnetic steel handles with rubber coat finish of handles with various grip provisions (close & wide) with non-slip texture.
- 7. High quality pulleys made of high quality synthetic fiber.
- 8. High quality cables/wires or belts for pulleys.
- 9. Quick ratcheting seat and lever adjustment system to take minimum time for adjustment.
- 10. Adequate damping system for weight stack suspension with quality weight stack pins / switch, etc.
- 11. Provision of variable increment weight stack suspension with quality weight stacks pins / switch, etc.
- 12. Shrouded weight stack guards and pulley covers to protect from accidents.
- 13. Smooth operational machines with high precision transmission system and weight stack assembly which reduces friction (rubber bumpers under each weight stack).
- 14. High degree adjustable mechanism which allows for easy adjustment for users.
- 15. Machines should be based on cam/pulley/lever system as per requirement of the exercise equipment.
- 16. Provision to perform at various ranges of motion/ angles fitting all user sizes.
- 17. Standard rubber feet to protect frame from slipping and other damage.

Administrative Officer AIIMS, Jodhpur

Annexure-III

(In Separate sealed cover-I super scribed "Technical Bid")

S. No.	Details of the Tenderer/Bidder	Page No.	Remarks
1	Name and Address of the Tenderer/Bidder		
2	Complete Address:		
3	State clearly whether it is sole proprietor or Partnership firm or a company or a Government Department or a Public Sector Organization		
4	Details of the Earnest Money Deposit (EMD) (Yes/No) DD No: Dated: Drawn on Bank: Amount: (Rupees)		
5	Details of the cost of the Tender documents (Yes/No) DD No: Dated: Drawn on Bank: Amount: (Rupees)		
6	Whether each page of NIT and its annexure have been signed and stamped		
7	Whether Bidders have quoted for each and every item mentioned in Financial Bid (Yes/No) (If No, then please attach a list of quoted items with the Technical Bid without indicating price)		
8	Copy of VAT/CST/ST Registration		
9	Permanent Account No.		
10	Sale Tax Registration No.		
11	TIN No.(Copy must provide)		
12	Certificate of Manufacture/ Authorized Distributor/ Authorized Dealer/ Authorized Sub- Dealer		
13	Copy of Income Tax Return Acknowledgement for last Three years		
14	Catalog of quoted Make & Modal		
15	Email ID		
16	Contact No.		

Date:	Name	:
Place:	Business Address	:
	Signature of Bidder	:
	Seal of the Bidder	

Annexure - IV

CERTIFICATE

(To be submitted on letter head of the company/ firm)

I hereby certify that the above firm has not been ever blacklisted by any Central/State Government/Public Undertaking/Institute on any account.

I also certify that the above information is true and correct in any every respect and in any case at a later date it is found that any details provided above are incorrect, any contract given to the above firm may be summarily terminated and the firm blacklisted.

I also certify that firm will be supplied the item as per the specification given by institution and also abide all the terms & conditions stipulated in tender

Date:	Name :	:
Place:	Business Address :	:
	Signature of Bidder	:
	Seal of the Bidder	:

$\underline{Annexure - V(A)}$

Financial Bid

(To be submitted on letter head of the company/ firm)

S. No.	Item Description	Qty (A)	Quoted Make		Rate in Rs. (for per unit) (B)	VAT/ Taxes (C)	Amount D = (B+C)
	Pa	rt A - CARDIO EQU	IPMENTS				
1	Treadmill	2					
2	Upright Exercise Cycle	2					
3	Cross Trainer/ Elliptical	2					
	Total Price in Rs (i						
	Total Price in Rs (in	,					
		B - SELECTORIZED	STATIONS				<u> </u>
4	Cable Cross Over	1					
5	Counter Balanced Smith Machine	1					
	Total Price in Rs (i	· ·					
	Total Price in Rs (i	,					
		Part C - DUAL STA	ΓΙΟΝS	T	Ţ		1
	6a. Leg Extension and Leg Curl	1					
	6b. Abdominal/ Back Machine	1					
6	6c. Pecfly/ Rear Deltoid Machine	1					
	6d. Lat Pull down Machine	1					
	6e. Seated Chest Press & Vertical Shoulder	1					
	Machine/ Multi press	<i>a</i>					
	Total Price in Rs (i	<u> </u>					
	Total Price in Rs (i			<u> </u>			
		D FREE WEIGHT E	QUIPMENTS)	T T		1
7	Olympic Flat Bench	<u>l</u>					
8	Olympic Incline	<u>l</u>					
9	Olympic Decline Bench	1					
10	Flat Bench/ Utility Bench	1					

Admn/Tender/106/2016-AIIMS..IDH

11	Hyper Extension Bench	1		
12	Preacher Curl Bench	1		
13	Rubberized Weight Dumbbells	200 kg denomination from 1-30 kg		
14	Rubberized Weight	200 kg denomination from 1.25-25 kg		
15	Olympic Barbell/ Rod with Locks	Qty as per Annexure- I		
16	Kettle Bell Dumbbells	Qty as per Annexure- I		
17	Heavy Duty Leather Boxing Trainer Bag	1		
18	Dumbbell Rack	1		
19	Rod Stand	1		
20	Gym Ball/ Swiss Ball	Qty as per Annexure- I		
21	Double exercise wheel (PVC)	2		
22	Rubber flooring	1000 sq. ft.		
23	Aerobic Steps	2		
24	Yoga Mats	6		

- 1. Part A, B & C will be evaluated on composite basis separately and in part D items will be evaluated each item separately.
- 2. Quantity mentioned above is tentative, it may increase or decrease as per site requirement.
- 3. I/We have gone through the terms & conditions as stipulated in the tender enquiry document and confirm to accept and abide the same.
- 4. The contractor shall take into account all the costs involved in compliance of all the conditions, installation and required accessories as stated above while quoting his rates in tender.
- 5. No other charges would be payable by the Institute.

Date:	Name	:
Place:	Business Address	:
	Signature of Bidder	:
	Seal of the Bidder	:

Financial Bid Annexure – V (B)

FINANCIAL BID FOR ANNUAL COMPREHENSIVE MAINTENANCE CONTRACT AFTER WARRANTY PERIOD:

1. S.No.	2. DESCRIPTION OF GOODS	3. QUANT ITY. (Nos.)	1 st	4. usive Maintenance Cont Unit year wise*. 2 nd	3 rd	5. Total Annual Comprehensive Maintenance Contract Cost for 3 Years
			A	В	С	[3 x (4a+4b+4c)]
		Part	A - CARDIO EQ	UIPMENTS		
1	Treadmill	2				
2	Upright Exercise Cycle	2				
3	Cross Trainer/ Elliptical	2				
	Total Price in	Rs (in fi	gure)			
Total Price in Rs (in Words)						
		Part B	- SELECTORIZI	ED STATIONS		
4	Cable Cross Over	1				
5	Counter Balanced Smith Machine	1				
	Total Price in	Rs (in fi	gure)			
	Total Price in Rs (in Words)					
		I	Part B – DUAL ST	CATIONS	1	
6	Dual Stations	1				
	Total Price in	Rs (in fi	gure)			
	Total Price in	Rs (in W	ords)			
	* After commission of Wementer manied	·	G	Torre W/h oth on ovetno on in	1	11 .

^{*} After completion of Warranty period.

Service Tax: Whether extra or inclusive, if extra, indicates the rate_____.

NOTE:-.

- 1. In case of discrepancy between unit price and total prices, THE UNIT PRICE shall prevail.
- 2. The cost of Comprehensive Maintenance Contract (CMC) which includes preventive maintenance including testing & calibration as per technical/ service /operational manual, labour and spares, after satisfactory completion of Warranty period may be quoted as per NIT conditions on yearly basis for complete equipment and Turnkey (if any).
- 3. The cost of CMC may be quoted along with taxes applicable. The taxes to be paid extra, to be specifically stated. In the absence of any such stipulation the price will be taken inclusive of such taxes and no claim for the same will be entertained later.

~ I		\sim		• ,
Innd	or tor	1 -nm	Han	inmont
161111	ei ioi	O VIII	Luu	ipment

Admn/Tender/106/2016-AIIMS.JDH

- 4. Cost of CMC will be added for Ranking/Evaluation purpose.
 5. The stipulations in Technical Specification will supersede above provisions
 6. The supplier shall keep sufficient stock of spares required during Annual Comprehensive Maintenance Contract period. In case the spares are required to be imported, it would be the responsibility of the supplier to import and get them custom cleared and pay all necessary duties.

Date:	
Place:	Name:
	Business Address:
	Signature of Bidder:
	Seal of the Bidder: