Tender

For

Renewal of internal B/T roads at Residential Complex, AIIMS, Jodhpur

NIT No. : Admn/Tender/28/2015-AIIMS.JDH.

NIT Issue Date : 01st January 2016

Pre Bid Meeting : 12th January 2016 at 03:30 PM.

Last Date of Submission: 28th January 2016 at 03:00 PM.



All India Institute of Medical Sciences, Jodhpur

Basni Phase - II, Jodhpur – 342005, Rajasthan Telephone: 0291- 2012978, email: <u>aoadmin@aiimsjodhpur.edu.in</u> <u>www.aiimsjodhpur.edu.in</u>

ALL INDIA INSTITUTE OF MEDICAL SCIENCE, JODHPUR. NOTICE INVITING TENDER

01	Name of work	Renewal of internal B/T roads at residential complex, AIIMS, Jodhpur.
02	Tender No.	Admn/Tender/28/2015-AIIMS.JDH
03	Contract period	02 Months
04	Estimated Cost	Rs. 28,50,000/-
05	Earnest money deposit	Rs. 14,500/-
06	Performance Guarantee	5% of Tendered Cost
07	Security Deposit (SD)	5% of Tendered Cost
08	Defect liability period	Three year
09	Cost of tender Fees (Non - refundable)	Rs.1000/- (Rupees one thousand only)
10	Tender documents will be issued from	Download from Institute Website i.e. www.aiimsjodhpur.edu.in
11	Date and time of Pre Bid Meeting	12 th January 2016 at 03:30 PM.
12	Last date and time place of submission	28 th January 2016, 03:00 PM at Administration Block, Medical College, AIIMS, Jodhpur.
13	Date time and place of tender opening	28 th January 2016, 04:30 PM in the Conference Hall, Medical College, AIIMS, Jodhpur

Please read carefully the notes given with the tender Notice.

Administrative Officer AIIMS, Jodhpur

All India Institute of Medical Sciences (AIIMS), Jodhpur, Rajasthan, an apex healthcare institute being established by Parliament of India under aegis of Ministry of Health & Family welfare, Government of India, invites sealed tenders for Renewal of internal B/T roads at residential complex, AIIMS, Jodhpur. You are requested to quote your best offer along with the complete details of specifications, terms& conditions.

S.No.	Work Description	Estimated value of tender
1	Renewal of internal B/T roads at residential complex, AIIMS, Jodhpur.	Rs. 28,50,000/-

(Refer Details as per Annexure)

Quotation should be sealed and superscripted with tender number and address to:

"Administrative Officer" All India Institute of Medical Sciences, Jodhpur Basni, Phase-II Jodhpur-342005,Rajasthan"

The sealed quotations should reach the Institute, latest by 28th January 2016 at 03:00 PM and it will be opened on same day at 04:30 PM in the Conference Hall, Medical College, AIIMS, Jodhpur in the presence of the bidder(s) or their authorized representative(s), who will be present at the scheduled date and time.

General Conditions

1. The tender should be submitted in two parts i.e. Technical Bid and Financial Bid. The Technical Bid and the Financial Bid should be sealed by the bidder in two separate covers "Technical Bid for Renewal of internal B/T roads at residential complex, AIIMS, Jodhpur" and "Financial Bid for Renewal of internal B/T roads at residential complex, AIIMS, Jodhpur". Both sealed envelopes should be kept in a main/bigger envelope superscribed as "Tender for Renewal of internal B/T roads at residential complex, AIIMS, Jodhpur".

Documents comprising in technical bid-

- I. Duly filled format of technical bid as per Annexure-III and certificate given in Annexure II.
- II. Copy of constitution or legal status of the bidder/ manufacturer/ Sole proprietorship/ firm/ agency etc.
- III. Signed each page of tender document.
- IV. The technical bid should be accompanied by Demand Draft of Earnest Money Deposit and tender fee.
- V. Copy of Income Tax Return Acknowledgement for last two years.
- VI. Copy of PAN card/ Service Tax Registration.
- VII. Copy of Sales Tax / VAT registration certificate.
- VIII. Proof of registration with Govt./ semi Govt. organization like railways, PWD, CPWD, MES etc. in appropriate class.

Documents comprising in Financial bid-

- 1. Financial Bid form (Annexure-IV) Rate must be quoted as per format specified, failing which tender shall be summarily rejected.
- 2. The bidder shall be required to submit the Earnest Money Deposit (EMD) for an amount of Rs.14,500/- (Rupees Fourteen thousand five hundred only) by way of demand drafts only. The demand draft shall be drawn in favour of "All India Institute of Medical Sciences, Jodhpur". The demand draft for earnest money deposit must be enclosed in the envelope containing the technical bid. The EMD of the successful bidder shall be returned after the successful submission of Bank Guarantee/Security Deposit and for unsuccessful bidder(S) it would be returned after award of the contract. Bid(S) received without demand draft of EMD will be rejected.
 - a. Request for transfer of any previous deposit of earnest money or security deposit or payment of any pending bill held by the respect of any previous work will not be entertained.
 - b. Tenderer shall not be permitted to withdraw his offer or modify the terms and conditions thereof. In case the tenderer fail to observe and comply with stipulation made herein or backs out after quoting the rates, the aforesaid amount of earnest money will be forfeited.
 - c. The tender without earnest money deposit will be summarily rejected. The firm who are registered with National small Industries Corporation (NSIC)/OR small scale industries (SSI) are exempted to submit the EMD(Copy of registration must be provide along with technical bid)
 - d. The EMD, in case of unsuccessful bidders shall be retained by the AIIMS, Jodhpur till the finalization of the tender. No interest will be payable by the AIIMS, Jodhpur on the EMD.
- 3. Tender fee will be not refundable amount of Rs.1000/- (Rupees One thousand only) by way of demand drafts only. The demand draft shall be drawn in favour of "All India Institute of Medical Sciences, Jodhpur". The tender without tender fee will be summarily rejected.
- 4. "Pre-BID Meeting" with the intending bidders shall be held on 12th January 2016, 3.30 PM in Conference Hall, Medical College at AIIMS, Jodhpur.
- 5. Rate should be quoted in Indian Rupees (INR) on DOOR Basis Delivery basis at AIIMS, Jodhpur inclusive of all charges. Where there is a difference between the rates in figures and words, lower of the two rates shall be taken as valid and correct rate.
- 6. The sealed quotations/tender, super scribed with the name of the work, reference number and due date for tender opening, should be submitted in person or by post. However, the Department shall not be responsible for delay or loss of tenders in transit or any postal delay.
- 7. The tenderer is at liberty either himself or authorize not more than one representative to be present at the opening of the tender. The representative attending on the opening of the tender on behalf of the tender should bring with him a letter of authority from the tenderer and proof of identification. The late received tenders by the AIIMS, Jodhpur will be ignored. Further,

the AIIMS, Jodhpur does not accept any liability and responsibility for the tenders in case the same are not properly sealed and marked and/or sent as above.

- 8. Tender inviting officer reserves the right to accept or reject any or all quotations without assigning any reason thereof and also do not bind himself to accept the lowest tender.
- 9. Delayed/ late/ conditional quotations/tenders shall not be accepted at all.
- 10. The quoted rates must be valid for a period of 180 days from the date of closing of the tender. The overall offer for the assignment and bidder(S) quoted price shall remain unchanged during the period of validity. If the bidder quoted validity shorter than the required period, the same will be treated as unresponsive and it may be rejected.

In case the tenderer withdraws, modifies or change his offer during the validity period, bid is liable to be rejected and the earnest money deposit shall be forfeited without assigning any reason thereof. The tenderer should also be ready to extended the validity, if required, without changing any terms, conditions etc. of their original tender.

- 11. The successful tenderer will be required to furnish a Performance security Deposit equal to 5% of the contract value after receiving work order in the form of Fixed Deposit Receipt or Bank Guaranty from any Nationalized bank duly pledged in the name of the "All India Institute of Medical Sciences, Jodhpur" Which shall be kept valid for a period of 60 days beyond completion of all the contractual obligations.
- 12. Security deposit equal to 5% of the contract value will be deducted from the bills of the contractor @ 5% of bill amount.
- 13. The income Tax as applicable shall be deducted from the bill unless exempted by the Incometax department.
- 14. After the evaluation of the bid(S) AIIMS, Jodhpur will award the contract to the lowest evaluated responsive tenderer. Conditional bid will be treated as unresponsive and will be rejected.
- 15. All the work shall be completed within 02 Months. from the date of issue of work order by the institute. All the aspects of safe installation shall be the exclusive responsibility of the contractor. If the contractor fails to complete the work on or before the stipulated date, then a penalty at the rate of 2% per week of the total order value shall be levied subject to maximum of 10% of the total order value.
- 16. The Arbitration shall be held in accordance with the provision of the arbitration and conciliations Act,1996 and the venue of arbitration shall be at Jodhpur. The decision of the Arbitrator shall be final and binding on the both parties.
- 17. Any disputes are subject to exclusive jurisdiction of competent court and forum in Jodhpur, Rajasthan, India only.

- 18. In case of breach of any terms and conditions as mentioned in tender, the Competent Authority, will have the right to reject the bid at any stage without assigning any reason thereof and nothing will be payable by AIIMS, Jodhpur in that event the EMD shall also stands forfeited.
- 19. Bidder shall submit a copy of the tender document and addendum/ corrigendum thereof, if any, with each page of this document should signed and stamped to confirm the acceptance of the entire terms and conditions as mentioned in the tender enquiry document.
- 20. All the work should be done as per specification and relevant code.
- 21. Any delay due to Force Majeure will not be attributable to the supplier.

SPECIAL CONDITIONS OF CONTRACT

CONDITION OF CONTRACTOR SPECIAL CONDITIONS OF CONTRACT (For renewal of BT roads)

- 1. (a) The Contractor shall use his own machineries.
 - (b) All machineries shall have proper log book.
 - (c) The cost of transportation and installation of machineries and tools and plants issued by the department on hire shall be borne by the contractor.
 - (d) The maintenance and upkeep of hired machinery and Tools & Plants shall be responsibility of the Contractor.
- 2. The Contractor shall not work after the sunset and before sunrise without specific permission of the authorized Engineer.
- 3. The material collected at site and paid provisionally shall remain under the watch and ward of the contractor till it is consumed fully on the work.
- 4. None of the permanent work shall be carried out during nights or Sundays or any other holidays without permission in writing of the Engineer in Charge.
- 5. The contractor shall arrange his own land for the erection of plants storage and parking of machineries, stacking of material etc.
- 6. The work shall confirm to specifications of MoRTH revised time to time.
- 7. Quality control will be maintained as per I.R.C. paper special publication 11 with appropriate tests being carried out in the approved Laboratory or in the field laboratory for which the cost will be borne by the contractor. In case it is found that the results obtained for the work done are below the prescribed standards/norms then the contractor has to remove such defective work at his own cost, otherwise it shall be got removed by the Engineer in Charge at the risk and cost of the contractor.
- 8. Collection of all material and material to be used for road work as well as building works shall be subject to satisfactory test result of quality control before use. If test result not found satisfactory the material shall be rejected or the rates may be reduced at the discretion of the Engineer in Charge and the contractor shall be bound to it.
- 9. The contractor will display adequate number of Caution Board/Diversion Boards for guidance of proper safety of traffic plying on the road.
- 10. The maintenance of service road & shoulders will be responsibility of the contractor and no extra payment will be paid to contractor.
- 11. The ministry's specifications for Road & Bridge works (Revised) will form part of the contract documents and the contractor will be legally bound to the various stipulation made their in unless and otherwise specifically relaxed/waived wholly or partly through a special notification. In case of items not available in the MoRTH specifications book reference will be made to other relevant specifications and Indian Road Congress.
- 12. The rates are inclusive of all lead and lifts for complete finished work unless & otherwise the same is specifically stated in the rates.
- 13. The methodology and equipments to be used on the project shall be furnished by the contractor to the Engineer well in advance of commencement of work and approval of the Engineer is obtained prior to its adoption and use.
- 14. No equipment or personnel will be removed from site without permission of the Engineer.

- 15. The contractor shall furnish his programme of construction for execution of the work within the stipulated time schedule together with methodology of construction of each type of work and obtain the approval of the Engineer prior to actual commencement of work.
- 16. The contractor will keep at least a set of standard sieves, standard moulds; sand replacement apparatus at site for checking of quality of material by the Engineer in Charges at all times. Survey instruments shall be made available at all work site by contractor.
- 17. The contractor shall have to provide steel channels of adequate section and sufficient in length to be fixed on the either edges of the road during laying/rolling of mix material at site. The contractor shall have to necessary traffic sign boards during the progress of work to regulate the traffic, keeping safety aspects.
- 18. All materials shall be stacked at site away from the berms in stack sizes specified in the specifications volume II and shall be collected layer wise, after compacting to collection of each layers, and getting its properties tested and certificate from Engineer in Charge shall have to be obtained before commencing spreading.
- 19. Collection of material shall be uniform throughout the length of road.
- 20. The measurements shall be taken as per standard practice and as per MoRTH guidelines.
- 21. The levelled surface shall be checked continuously during the spreading and rolling of the mix so as to ensure a finished surface within the tolerances laid down in MoRTH specifications.
- 22. Mode of measurement will be as per levels for the sub base and base. Final payment shall be cross checked by volume basis and in case of and difference, the decision of Engineer in Charge shall be final and binding on the contractor.
- 23. Tar boiler with mechanical sprayer will have to be arranged by the contractor himself bitumen spraying will be allowed only with mechanical sprayer attached with a Tar boiler.
- 24. In case of level measurements recorded in various items, the charges of non boxing should be deducted from payments as per prevailing B.S.R. of respective Circle office of PWD.
- 25. The contractor will procure bitumen required for the execution of work from authorized refinery at his level and furnish the bitumen testing certificate from Government agency/Regional laboratory/Engineering College.
- 26. For the item in which cost of bitumen is not included in bituminous work, bitumen shall be procured by the contractor and payment shall be made to the contractor after production of bill/C.R.C. as per actual consumption. For item in which cost of bitumen in included in the item of "G" Schedule no separate payment shall be made to the contractor.
- 27. The contractor will set up a quality Control Lab.at site of work for regular testing of the materials and he shall ensure that all the testing of materials/aggregate etc. is done regularly as per the frequency prescribed in quality control manual/MoRTH specifications.
- 28. Testing of bitumen shall be done as per norms, for which equipment shall be made available at site by contractor in a laboratory, to be established at plant site by contractor.
- 29. Bitumen record should also be furnished by the contractor as per relevant CPWD circulars.
- 30. The defect liability period shall be **Three** years for the work executed under this agreement. Security Deposit shall be refunded after **Three** years from the date of actual completion of the work provided the final bill has been paid in accordance with relavantClause of Agreement. During this period, the contractor shall carry out maintenance and rectifications of defects (if any) of the job at his cost, failing which it shall be carried out at risk & cost of the contractor and expenditure so incurred shall be recoverable from the contractor. After the completion of D.L.P. period, contractor should obtain the certificate from the Engineer in charge regarding the completion of routine maintenance, only after that he is free from the liability.
- 31. R.C. Emulsion will be used for tack coat work as per MoRTH specification Clause 502.112.

- 32. In WBM work where over screening material is being used, screening material will be stacked at site of work in standard regular boxes before its consumption, will be got checked by site Engineer, will be got recorded in M.B. also for Qty. of screeners only.
- 33. Reference pillars of size 0.45 * 0.45 meter in mud mortar at 100 meter distance on both side of road, plastered on road side face duly marked RL of EW, sub base, WBM or WMM & BT should be constructed.
- 34. Relevant CPWD Orders regarding defect liability period for roads, Buildings, Bridges and CD works shall be part of agreement. Amount according to relevant orders shall be deducted from contractor's bill as Labour cess.
- 35. The contractor shall engage unskilled local labour from Rajasthan state preferably of the district, for the execution for the work.
- 36. The hot mix plant, paver finisher & other machineries will be arranged by the contractor at his own level. If the contractor fails in arrangement of machineries the department will not be responsible for delay.
- 37. Monsoon period included in completion period of the work.
- 38. If there is any typographical or clerical error in the nomenclature/rates, the prevailing BSR of respective circle of PWD with subsequent all corrigendum for road work on which Schedule "G" is based will be treated as correct.
- 39. The earchrequied for embankment and construction of shoulder will be arrange by the contractor by temporary, acquisition of land at his own cost, no extra payment will be made on this account.
- 40. The item of routine maintenance and their periodicity as per relevant orders.

GENERAL

1. <u>Inspection of works during Defect Liability Period:</u> The contracting agency shall undertake joint detailed inspection along with Engineer – in – Charge, at least once in every week in case of all Road/Bridge/C.D. works. The Engineer – in – charge can reduce this frequency in case of emergency. The contraction agency shall forward to the Engineer – in – Charge the record of inspection and rectification within 15 days after the joint inspection. The Contracting agency shall pay particular attention on those road sections, which are likely to be damaged during rainy season.

Once register has to be maintained for recording the inspection details of works under defect liability period.

2. Conditions regarding security deposit

Security for DLP

The contracting agency shall have to furnish security deposit in the form of Bank Guarantee for DLP as per requirements of relevant Clause of Contract Agreement, valid from the date of completion, which shall be assigned by the Engineer – in – Charge.

Forfeiture of SD

In case contraction agency fails to rectify the defects within stipulated period notified to him by the Engineer – in – Charge shall serve a final notice for 15 days time from reckoned from the date of issue to rectify the defects. In case the contracting agency not responding to notice and fails in rectification of defects, the Engineer – in – Charge will get the defects removed at the risk and cost of the contracting agency. Action such as encashment of Bank Guarantee and action under enlistment rules etc. shall be taken against the contracting agency by the competent authority.

Force Majeure

The defect arises due to earthquake; cyclone and natural calamities shall not be the responsibility of contracting agency.

Administrative Officer AIIMS, Jodhpur

Annexure-I

SPECIFICATION

Preamble of General Specifications-

- 1. The work shall be carried out according to the specifications whether specifically mentioned or not No extra in any form will be paid unless it is definitely stated as in item in the Schedule of Ouantities.
- **2.** <u>Temporary Protection:</u> All entrances shall be without thresholds. All aluminum surfaces in contact with masonry shall be given a thick coat of bit mastic paint. After fabrication, aluminum sections shall be protected from construction hazards that may damage their appearance or finish. All exposed surfaces of aluminum door entrance shall be protected by masking tape during transshipment and erection. The glass brought to site shall be protected against damage.
- **3. Quality of work:** Materials, tools and plants and workmanship shall be the best of the several kinds obtainable in the market and as approved by the engineer. Rejected material, if any shall be removed from site as desired by the engineer.
- **4.** <u>Leave clean:</u> On completion, all the materials must be cleaned down, surplus materials, debris and other accumulations and everything left in a clean and orderly condition.
- **5.** <u>Samples:</u> Samples of each class of materials required shall be submitted by the contractor for the approval of the Engineer and after such approval these samples shall be deposited at a place chosen by the Engineer. The contractor will be required to perform all work under this contract in accordance with these approved samples.

Annexure – II

CERTIFICATE

(To be submitted on letter head of the company/firm)

I/We hereby certify that the above firm has not been ever blacklisted by any Central/State Government/Public Undertaking/Institute on any account.

I/We also certify that firm will be supplied the item as per the specification given by Institution and also abide all the terms & conditions stipulated in tender.

I/We also certify that the information given in bid is true and correct in all aspects and in any case at a later date it is found that any details provided are false and incorrect, any contract given to the concern firm or participation may be summarily terminated at any state, the firm will be blacklisted and Institute may imposed any action as per NIT rules.

Date:	Name	:
Place:	Business Address	:
	Signature of Bidder	:
	Seal of the Bidder	:

Annexure-III Technical Bid

(In Separate sealed cover-I super scribed "Technical Bid")

S.No.	Details of the Tenderer/Bidder	Page No.	Remarks
1	Name and Address of the Tenderer/Bidder		
2	Complete Address:		
3	State clearly whether it is sole proprietor or		
	Partnership firm or a company or a Government		
	Department or a Public Sector Organization		
4	Details of the Earnest Money Deposit (EMD)		
	(Yes/No)		
	DD No:		
	Dated:		
	Drawn on Bank:		
	Amount:		
	(Rupees)		
5	Details of the cost of the Tender documents		
	(Yes/No)		
	DD No:		
	Dated:		
	Drawn on Bank:		
	Amount:		
	(Rupees) Whether each page of NIT and its annexure		
6	Whether each page of NIT and its annexure		
	have been signed and stamped		
7	Whether Bidders have quoted for each and		
	every item mentioned in Financial Bid (Yes/No)		
	(If No, then please attach a list of quoted items		
	with the Technical Bid without indicating price)		
8	Copy of VAT/CST/ST Registration		
9	Permanent Account No.		
10	Sale Tax Registration No.		
11	TIN No.(Copy must provide)		
12	Email ID		
13	Contract No.		

Date:	Name	:
Place:	Business Address	:
	Signature of Bidder	:
	Seal of the Bidder	:

Annexure-IV Financial Bid

Name of Work - Renewal of internal B/T roads at residential complex, AIIMS, Jodhpur.

S.No	State Road BSR 2013Code No	Description	Qty	Unit	Rate(In Figures)	Rate (In Word)	Total Amount
1	15.3 (iv)	Repair to pot holes and removal of loose material, trimming of sides, cleaning of surface by providing tack coat with bitumen emulsion, 20mm thick pre-mix carpet using catonic bitumen emulsion and seal coat type B with bitumen emulsion.	1208	Sqm			
2	5.2(i)	Providing and applying tack coat with bitumen grade VG-10 using mechanical bitumen pressure distributor at the rate of 0.30 to 0.40 kg per Sqm on the prepared bituminous surface cleaned with Hydraulic broom as per technical specification Clause 503	12084	Sqm			
3	5.9	20 mm thick Open-Graded Premix Carpet using Bituminous(penetration grade/modified bitumen) Binder Providing, laying and rolling of open-graded premix carpet of 20mm thickness composed of 13.2mm to 5.6mm aggregates either using penetration grade bitumen or emulsion to required line, grade and level to serve as wearing course on a previously prepared base, including mixing in a suitable plant, laying and rolling with a three wheel 80 - 100 KN static roller capacity, finished to required level and grades to be followed by seal coat of either Type A or Type B or Type C as per technical specification Clause 508 Case-II By Mechanical Means(Crust stone chips @0.027 Cum per 10 Sqm& Bitumen @ 14.6 Kg per 10 Sqm Mix shall be laid by paver finisher					

	(I)	Bitumen (VG-10)	12084	Sqm		
4	5.12(II)	Providing and laying premixed Seal coat Type 'B'using crushed sand of grit as passing 2.6mm sieve and retained on 180 micron sieve applied @ 0.60 cum per 10 Sqm premixed with bitumen binder @ 6.8 kg/10Sqm in hot mix plant 30-40 TPH laying by paver finisher and rolling with power road roller 8-10 tonne as per Technical Specification Clause 510				
	(I)	Bitumen (VG-10)	12084	Sqm		
5	16.11	Providing and laying of hot applied thermoplastic compound 2.5mm thick including reflectorising glass beads @250gm per sqm area, thickness of 2.5mm is exclusive of surface applied glass beads as per IRC:35. The finished surface to be level, uniform and free from streaks and holes.	50	Sqm		
6	16.22	Cutting black top surface up to 1.5 M depth including all layers of crust for laying pipe line etc.and making good to original condition (For Paver finished surface)	74	Sqm		
7	19.6/DSR 2014	Providing and laying non pressure NP2 class (light duty) R.C.C pipes with collars jointed with stiff mixture cement mortar in the proportion of 1:2 (1 cement: 2 fine sand) including testing of joints etc.				
	19.6.3	250 mm dia RCC pipe	122.5	RM		
8	19.2/DSR 2014	Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand :10 graded stone aggregate 40 mm nominal size) all-round S.W. pipes including bed concrete as per standard design :				

	Tender for: Renewal of internal B/T roads at Residential Complex, AIIMS, Jodhpur						
	19.2.4	250 mm diameter S.W. pipe	122.5	RM			
9	10.5/BSR20 13 (Road Works)	Painting Two coats on new Concrete surface					
		Painting Two coats including primer coat after filling the surface with synthetic enamal paint in all shades on new plastered/concrete surface as per drawing and Technical specification Clause-1701	211.6	Sqm			
Total Amount in figure (Inclusive of all taxes and other charges)							
Total Amount in words (Inclusive of all taxes and other charges)							

(L1 will be decided on composite basis)

Note:- (Bidder must submit Financial Bid in separate envelope and clearly mention Financial Bid in Bold letters in the top of the envelope and strictly as per the format given above only)

- 1. I/We have gone through the terms & conditions as stipulated in the tender and confirm to accept and abide the same.
- 2. No other charges would be payable by the Institute.
- 3. Quantity mentioned above is tentative, it may increase or decrease as per site requirement.

Date:	Name	:
Place:	Business Address	:
	Signature of Bidder	:
	Seal of the Bidder	