

Admin/General/93/2013-AIIMS.JDH

Date: - 26/10/2013

CORRIGENDUM

Subject: - Tender for supply of Hostel Furniture at AIIMS, Jodhpur.

Sr.No	Name of Tender	Date of issue
1	Tender for Hostel furniture	10/08/2013

Following Amendments are hereby authorized in the subject tender enquiry

a) Last date of submission of bid

For

30 Aug 2013 and 27 Sep 2013

Read

10 Oct 2013

b) <u>Chapter-II- Conditions of Contract</u> <u>Clause No. 9 Delivery & Installation:</u>

<u>For</u>

The Furniture shall be delivered within 30 days of issue of supply order. Satisfactory installation / commissioning and handover of the furniture will be completed within two weeks from the date of receipt of the furniture at the AIIMS, Jodhpur premises.

Read

All the goods ordered shall be delivered and Installed at AIIMS, Jodhpur within 30 days from the date of issue of purchase order. Satisfactory installation / commissioning and handover of the furniture will be completed within two weeks from the date of receipt of the furniture at the AIIMS, Jodhpur premises.

All the aspects of safe delivery, installation and commissioning shall be the exclusive responsibility of the supplier. If the supplier fails to deliver, install and commission the goods on or before the stipulated date, then a penalty at the rate of 2% per week of the total order value shall be levied subject to maximum of 10% of the total order value.

If at any time during the currency of the contract, the supplier encounters conditions hindering timely delivery of the goods and performance of services, the supplier shall promptly inform AIIMS, Jodhpur in writing about the same and its likely duration and make a request to AIIMS, Jodhpur for extension of the delivery schedule accordingly. On receiving the supplier's communication, AIIMS, Jodhpur shall examine the situation as soon as possible and, at its discretion, may agree to extend the delivery schedule, with or without liquidated



damages for completion of supplier's contractual obligations by issuing an amendment to the contract.

c) <u>Chapter-II- Conditions of Contract</u> Clause No. 19 Term of payment:

For

• 90% payment of the total order value shall be released after the successful installation of the ordered goods against the submission of the test report.

• Balance 10% of the order value shall be released after the submission of the performance security/ if the company fails to submit his performance security the 10% payment shall be released after 3 year from the date of opening tender.

Read

• 80% payment of the total order value shall be released after the successful installation of the ordered goods against the submission of the test report.

• Balance 20% of the order value shall be released after submission of performance bank guarantee issued by any National bank/scheduled bank. If the company fails to submit his performance security the 20% payment shall be released after 3 year from the date of receiving of goods.

• The supplier shall not claim any interest or any other payment under the contract.

d) <u>Chapter-II-Condition of contract</u> Please include the clause no. IV in the Sample clause (Clause No.22)

• The sample will be tested in third party govt approved labs before opening of financial bid.

e) <u>Chapter-II-Condition of contract</u>

Please include the following clauses after clause No. 22 -

23-Incidental Services:

The supplier shall be required to perform the following services:-

i) Installation & Commissioning, Supervision and Demonstration of the goods.

ii) Providing required jigs and tools for assembly, minor civil works required for the completion of the installation.

iv) Supplying required number of operation & maintenance manual for the goods.

24-After Sales Service:

After sales service center should be available on 24 (hrs.) X 7 (days) X 365 (days) basis. Complaints should be attended properly, maximum within 24 hours to ensure an



uptime of minimum 95%, wherever applicable, failing which the necessary penalty measures shall be enforced.

25-Inspection:

(i) AIIMS, Jodhpur shall have the right to inspect and/or to test the goods to confirm their conformity to the NIT Specifications at no extra cost to the Purchaser.

(ii) AIIMS, Jodhpur reserve the right to inspect, test and, where necessary, reject the Goods after the goods have arrived at the final destination and it shall in no way be limited or waived by reason of the Goods having previously been inspected, tested and passed by AIIMS, Jodhpur prior to the goods shipment.

(iii) The Director, AIIMS Jodhpur shall be the final authority to reject full or any part of the supply which is not conforming to the specification and other terms and conditions.

(iv) No payment shall be made for rejected goods. Rejected items must be removed by the bidders within two weeks of the date of rejection at their own cost and replaced immediately. In case these are not removed, these will be auctioned at the risk and responsibility of the suppliers without any further notice.

26-Documents:

(i) All pages of the Tender should be numbered and indexed.

(ii) The bidder shall provide in its tender the required as well as the relevant documents like technical data, literature, drawings etc. to establish that the goods and services offered in the tender fully confirm to the goods and services specified by the purchaser in the tender documents. For this purpose the bidder shall also provide a clause-by-clause commentary on the technical specifications and other technical details incorporated by the purchaser in the tender documents to establish technical responsiveness of the goods and services offered in its tender duly indicating relevant page numbers in the product literature.

(iii) The bidder shall provide a list of major Government and Private Institutions where its relevant bid item has been supplied during last one year.

27-The following condition should be added

1) THE TENDERER WILL HAVE TO USE THE FOLLOWING RECOMMENDED MAKES/ MATERIALS FOR FURNITURE WORKS:-

S.No	Material	Approved Make
1.	Plastic Laminated Board/medium Density Fibre Board	1. Nuwad 2. Duratuff 3. Shirdi



2	Resin based Adhesive	1. Fevicol 2. Vamicol
2.		3. Zorrik 4. Jovard
	SS/Chrome Coated Hardware	1. Earl Bihari Pvt. Ltd. (EBCO) 2. Dorset
3.		3. Ar Kay.
4.	Laminate	Greenlam/ Marino/Shirdi/Century
	Aluminium Alloy Extruded section	1. Hindalco
5.		2. Indalco 3. Jindal
	Post Form Laminate	1. Greenlam 2. Marino
6.		3. Action Tesa
		4. ASIS
	Locks	Locks should be made of brass levers & lock springs should be made of phosphorous
_		bronze. Lock keys shall be fabricated out of
7.		blank stainless steel sheets. Make -Godrej /
		Dorset or Hetich, EBCO
8.	Pivots, Handle bars etc.	Dorset or EBCO or Hetich
	Pre-laminated Particle Board	1. Sitatex
	(Exterior Grade)	2. Novapan
9.		3. Greenlam 4. Marino
		5. Action Tesa
		6. ASIS

- 2) THE RAW MATERIAL USED SHOULD CONFORM TO THE FOLLOWING STANDARDS.
 - i. All metal Structure should be treated by seven tanks process for Powder Coating Paint i.e. Digressing (1st Tank), Water Rinsing(2nd Tank), Dirusting By Acid (3rd Tank), Water rinsing (4th Tank), Phosphating (5th Tank), Water Rinsing (6th Tank), Passivation (7th Tank) respectively with non-electrolytic deep process to produce a protective oxide coating for smooth surface with matt finish anticorrosive automated powder Coating Paint of thickness 40-60 microns and over baked for high resistance to scratch, Chemical, thermal ad mechanical stress. Open ends of the steel pipes should be covered by Nylon caps and buffers.
 - ii. Manufacturers should use virgin steel which will be tested by third party govt. Approved LAB. Recycled steel will not be accepted.



28-The following standards have to be maintained for raw materials:-

Pre Laminated Board- Grade 2 Type 2 of IS standard- 12823 MDF-IS standard 14587 STEEL M.S. E.R.W. tubes - IS 7138 for tubular components, Virgin Fabric Abrasion Resistance: BS-5690-1991 for 30000-40000 Cycles ISO 105 CO6 A2S-1994 IS 4389-1988 Colorfastness to Water: 4 units on respective scale. ISO 105 X12-2001 IS 766-1988 Colorfastness to Rubbing: 4 to 5 units on respective scale. IS 2454 Colorfastness to Light: 4 to 5 units on respective scale. ASTMD 1682 Elongation: 40-45 % for 100% Polyester ASTMD 1682 Breaking Strength: 180-195 Kgs Poly-propylene: Weight 230 gms./mtr 100% Poly-propylene: Weight 230 gms./mtr. Poly-Viscose (77%Polyester + 33%Viscose): Wt 330 gms./mtr 100% Polyester: Weight 330 gms./mtr. Weight of fabric: 100% Acrylic: Weight 380 gms/mtr. ASTM D3786-2001 IS 1964-2001 GSM: As per IS 1964-2001 and ASTM D3786-2001 **Powder Coating** BS3900/E3 Impact resistance: 150Kgs./cm. BS3900/E2 Scratch resistance of 4Kgs. -- Withstand 1000 hours in salt-spray test. Powder-coat thickness > 45-60 microns DFT(Dry FilmThickness). IS 101 Epoxy-Polyester Powders Coating FOAM Hardness: 20 (+/-2) on Hampden machine @ 25% Compression.

-- Density 45 Kg/m³ (+/-2)

-- PU Foam-Polyurethane (Polyol + Isocyanate)

PLY—

5 Plies: Approx.10.0mm Thick (+/-1.0mm)



f) <u>Chapter III - Specifications and allied Technical Details</u> Clause No. 06

For

Manufacturer shall have In house quality assurance lab in which quality tests shall be tested on regular basis as per IS/ASTM or BIFMA standards. Certificate from any NABL certified LAB should be enclosed or at least certificate to be enclosed that instruments/ equipment's used for testing by manufacturer are calibrated by any NABL approved LAB.

Read

Certificate from any Central Government lab certified certificate should be enclosed.

NOTE: - In case of any conflict, the terms & conditions mentioned in the corrigendum will supersede all previous conditions.

Administrative Officer AIIMS Jodhpur